

LOT DETAILS_15635-242

Pallets	Qty	Description	Plt Weight	Lot#
Pallet 1:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 700 Tag: MCC-1-6B</p> <p>ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D.</p> <p>MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN.</p> <p>MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	750	BPB01A
Pallet 2:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 800 Tag: MCC-1-6C</p> <p>ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D.</p> <p>MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN.</p> <p>MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	750	BPB02A

Pallet 3:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 1000 Tag: MCC-7 ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	750	BPB03A
Pallet 4:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 900 Tag: MCC-1-6D ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	550	BPB04A
Pallet 5:	1	<p>Nema 7 PanelBoard PO 4530730253 Line 900 Tag: 41LP-869 ONE (1) 18-CKT, 125 AMP, 208/120V, 3PH, 4W, 60 HZ, 10 KAIC, NEMA 7/4X PANELBOARD RATED CLASS 1, DIV 2, GRP B/C/D AND FACTORY ASSEMBLED WITH THE BELOW LISTED CIRCUIT BREAKERS, OPTIONS, AND FEATURES. 1. (1) 100 AMP, 3-POLE MAIN BREAKER 2. (4) 30 AMP, 2-POLE BRANCH BREAKERS 3. (10) 20 AMP, 1-POLE BRANCH BREAKERS 4. BREATHER & DRAIN 5. 40C BREAKER OPERATION</p>	250	BPB05A

Pallet 6:	1	<p>Nema 7 PanelBoard PO 4530730253 Line 600 Tag: 41LP-868 ONE (1) 12-CKT, 70 AMP, 208/120V, 3PH, 4W, 60 HZ, 10 KAIC, NEMA 7/4X PANELBOARD RATED CLASS 1, DIV 2, GRP B/C/D AND FACTORY ASSEMBLED WITH THE BELOW LISTED CIRCUIT BREAKERS, OPTIONS, AND FEATURES. 1. (1) 60 AMP, 3-POLE MAIN BREAKER 2. (1) 40 AMP, 2-POLE BRANCH BREAKER 3. (1) 30 AMP, 2-POLE BRANCH BREAKER 4. (8) 20 AMP, 1-POLE BRANCH BREAKERS 5. BREATHER & DRAIN 6. 40C BREAKER OPERATION</p>	250	BPB06A
Pallet 7:	1	<p>Nema 7 PanelBoard PO 4530730253 Line 1200 Tag: 41LP-870 ONE (1) 12-CKT, 70 AMP, 208/120V, 3PH, 4W, 60 HZ, 10 KAIC, NEMA 7/4X PANELBOARD RATED CLASS 1, DIV 2, GRP B/C/D AND FACTORY ASSEMBLED WITH THE BELOW LISTED CIRCUIT BREAKERS, OPTIONS, AND FEATURES. 1. (1) 60 AMP, 3-POLE MAIN BREAKER 2. (1) 40 AMP, 2-POLE BRANCH BREAKER 3. (1) 30 AMP, 2-POLE BRANCH BREAKER 4. (8) 20 AMP, 1-POLE BRANCH BREAKERS 5. BREATHER & DRAIN 6. 40C BREAKER OPERATION</p>	250	BPB07A
Pallet 8:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 200 Tag: MCC-1B ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	550	BPB08A

Pallet 9:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 100 Tag: MCC-1A ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	550	BPB09A
Pallet 10:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 300 Tag: MCC-1C ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	550	BPB10A
Pallet 11:	1	<p>Nema 7 PanelBoard PO 4530730253 Line 300 Tag: 41LP-867 ONE (1) 12-CKT, 70 AMP, 208/120V, 3PH, 4W, 60 HZ, 10 KAIC, NEMA 7/4X PANELBOARD RATED CLASS 1, DIV 2, GRP B/C/D AND FACTORY ASSEMBLED WITH THE BELOW LISTED CIRCUIT BREAKERS, OPTIONS, AND FEATURES. 1. (1) 60 AMP, 3-POLE MAIN BREAKER 2. (1) 40 AMP, 2-POLE BRANCH BREAKER 3. (1) 30 AMP, 2-POLE BRANCH BREAKER 4. (8) 20 AMP, 1-POLE BRANCH BREAKERS 5. BREATHER & DRAIN 6. 40C BREAKER OPERATION</p>	250	BPB11A

Pallet 12:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 400 Tag: MCC-1D ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	550	BPB12A
Pallet 13:	1	<p>Nema 7 Enclosed Breaker PO 4528821032 Line 600 Tag: MCC-1F ONE (1) 480V, 3-POLE, 60 HZ, 800 AMP FRAME MOLDED CASE SWITCH, RATED 65 KAIC @ 480V AND FACTORY INSTALLED IN A NEMA 7/9/4X ENCLOSURE RATED FOR CLASS 1, DIVISION 2, GROUP D. MOLDED CASE SWITCH TO BE PROVIDED WITH LINE LUGS FOR 3/PHASE 500 KCM CABLES AND LOAD LUGS FOR 2/PHASE 500 KCM CABLES. CABLE ENTRY TO INCLUDE (3) 3" THREADED KNOCKOUTS IN THE TOP (LINE) AND (2) 3" THREADED KNOCKOUTS IN THE BOTTOM (LOAD). ENCLOSURE TO BE FURNISHED EXTERNAL GROUND LUG FOR #2 AWG GROUND WIRE AND A BREATHER AND DRAIN. MOLDED CASE SWITCH TO BE GE SG600 FRAME.</p>	250	BPB13A

13ea Breakers on 13 Pallets Total Weight = 6,250lbs