

Lot Details 15696-266

Material ID	Short Description	Long Description	Qty	UoM	Valuation Type	Manufacturing Part Number	Batch	Plant Code		Storage Location Code	Storage Location Desc
1821486	PIG CATCHER: SUBSEA EXPORT OIL, PN 13469	PIG CATCHER: SUBSEA EXPORT OIL, MFG: TRENDSETTER ENGINEERING, INC., MFG PN: 13469	1	EA	CLASS A	13469	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1749635	PIPE:SUPER DUPLEX,2397621-01	PIPE: SUPER DUPLEX , OUTSIDE DIMETER 177.8 MM, WALL THICKNESS .33.1 MM, API 5L, GR.X60 Q0/X60 QS, MFG:TENARIS, MFG PN:2397621-01	1	EA	CLASS A	2397621-01	SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749636	PIPE:SUPER DUPLEX,2397621-02	PIPE: SUPER DUPLEX , OUTSIDE DIMETER 177.8 MM, WALL THICKNESS .33.1 MM, API 5L, GR.X60 Q0/X60 QS, MFG:TENARIS, MFG PN:2397621-02	1	EA	CLASS A	2397621-02	SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1821581	HOT STAB: 2IN PRESS PLUG SUPER DUPLEX	HOT STAB: 2IN PRESSURE PLUG SUPER DUPLEX , MFG: PIPER, MFG PN: HP2C-52996	3	EA	CLASS A	HP2C-52996	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1803126	ASSY: PRESS CAP WITH PMT RECP, 20K PSI	ASSEMBLY: PRESSURE CAP WITH PMT RECEPTACLE, OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4	1	EA	CLASS A	2500794-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1813382	ASSY: DEBRIS CAP, PN 2505829-01	ASSEMBLY: DEBRIS CAP, OCS 700-V INBOARD, MFG: ONE SUBSEA, MFG PN: 2505829-01	2	EA	CLASS A	2505829-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1820852	ASSY: FLOODING CAP, PN 2500791-01	ASSEMBLY: FLOODING CAP, ADD INFO OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4) ANODES AN	1	EA	CLASS A	2500791-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1820852	ASSY: FLOODING CAP, PN 2500791-01	ASSEMBLY: FLOODING CAP, ADD INFO OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4) ANODES AN	1	EA	CLASS A	2500791-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1820852	ASSY: FLOODING CAP, PN 2500791-01	ASSEMBLY: FLOODING CAP, ADD INFO OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4) ANODES AN	1	EA	CLASS A	2500791-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1820852	ASSY: FLOODING CAP, PN 2500791-01	ASSEMBLY: FLOODING CAP, ADD INFO OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4) ANODES AN	1	EA	CLASS A	2500791-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821129	ASSY:PRESS CAP,OCS 200-V-DMG,2500789-01	ASSEMBLY: PRESSURE CAP, OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4) ANODES AND PMT MOU	1	EA	CLASS A	2500789-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821129	ASSY:PRESS CAP,OCS 200-V-DMG,2500789-01	ASSEMBLY: PRESSURE CAP, OCS 200-V-DMG 7125 GEN 3, 7.000 SEAL BORE, 1.75 THICK PADEYES LIFTING FRAME WITH (4) ANODES AND PMT MOU	1	EA	CLASS A	2500789-01	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821545	LIFTING CAP: FLG, 3IN, FLG X 1502 MALE	LIFTING CAP: FLANGED, 3IN, FLANGED X 1502 MALE, MFG: SRC ENGINEERING	1	EA	CLASS A		SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821582	HOT STAB: 2IN TEST PLUG, 1/2IN TAP	HOT STAB: 2IN TEST PLUG, 1/2IN TAP, MFG: PIPER, MFG PN: HP2C-52510	2	EA	CLASS A	HP2C-52510	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821584	PLUG: DUMMY, 4IN, D-TYPE HANDLE	PLUG: DUMMY, 4IN, D-TYPE HANDLE, MFG: MOFFAT, MFG PN: CAM-DP-009	3	EA	CLASS A	CAM-DP-009	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821585	PLUG:ASSEMBLY, API 17H, FISH TAIL HANDLE	PLUG: ASSEMBLY, API 17H, IND. STD. FISH TAIL HANDLE, MFG: OIL STATES, MFG PN: 21-072949	3	EA	CLASS A	21-072949	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1821586	PLUG: DEBRIS, 2IN, PN HD92C-52228	PLUG: DEBRIS, 2IN, MFG: OIL STATES, MFG PN: HD92C-52228	3	EA	CLASS A	HD92C-52228	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1825836	HOOK:ROV,EYE SHANK,11.5TON,PN CR-1297792	HOOK: TYPE ROV, EYE SHANK, LOAD RATING 11.5 TON, COLOR YELLOW, MODEL L-562A, MFG: BISHOP LIFTING RENTALS, MFG PN: CR-1297792	1	EA	CLASS B	CR-1297792	SS-JSM#B	UVJS	JSM	G002	GOM PMF
1825846	ROPE: ENDURA,1/2IN X 6FT,1FT THIMBLE EYE	ROPE: BRAND ENDURA, SIZE 1/2 IN X 6 FT, W/ 1 FT THIMBLE EYE, MFG: BISHOP LIFTING RENTALS, MFG PN: GWP-ENDURA12B12X6	3	EA	CLASS A	GWP-ENDURA12B12X6	SS-ANC#A	UVAN	Anchor	G002	GOM PMF
1519899	ASSY:MECHANICAL FLOWLINE CONN MAX-8 PIPE	ASSEMBLY: TYPE MECHANICAL FLOWLINE CONNECTOR MAX-8 PIPE 6 X 15K MC GASKET 12.5KSI WP 5.125 BORE 7.38 OD X 1.125 WT PIPE FULL CL	1	EA	CLASS B	P1000014693	SS-BLF#B	UVBL	Bally	G002	GOM PMF

1519910	ASSY:MECHANICAL FLOWLINE CONN WELDMENT	ASSEMBLY: TYPE MECHANICAL FLOWLINE CONNECTOR WELDMENT MAX-8 PIPE 6 X 15K MC GASKET 9.5KSI WP 5.63 BORE 7.99 OD X 1.18 WT PIPE S	1	EA	CLASS C	P1000028493	SS-BLF#C	UVBL	Bally	G002	GOM PMF
1604454	KIT: DGO, ELECTRICAL FEED THROUGH SYSTEM	KIT: DGO, ELECTRICAL FEED THROUGH SYSTEM, MFG FMC TECHNOLOGIES, MFG PN 10358215, 24INX24INX12IN	1	EA	CLASS B	10358215	SS-BLF#B	UVBL	Bally	G002	GOM PMF
1782931	TOOL: CLEANING, MQC 13 MK 3 PLATE	TOOL: CLEANING, MQC 13 MK 3 PLATE, OCEANEERING, PN: 970266139	1	EA	CLASS A	970266139	SS-BLF#A01	UVBL	Bally	G002	GOM PMF
1782932	TOOL: CLEANING, MQC 16 MK 1/4 PLATE	TOOL: CLEANING, MQC 16 MK 1/4 PLATE, OCEANEERING, PN: 970266368	1	EA	CLASS A	970266368	SS-BLF#A01	UVBL	Bally	G002	GOM PMF
1784153	TARP: YELLOW, ASSORTED SIZES FOR JUMPER	TARP: YELLOW, ASSORTED SIZES FOR JUMPER STORAGE	1	LO	CLASS B		SS-BLF#B	UVBL	Bally	G002	GOM PMF
1786433	ACCESSORIES: ACOUSTIC NOISE HYDROPHONE	ACCESSORIES: ACOUSTIC NOISE HYDROPHONE FOR PRODUCTION MONITORING AND MODU DP EFFECTS. INCLUDES: (2) TRIPOD STAND - LEGS AND EXT	1	KT	CLASS B	BP35-B2	SS-CCR#B	UDWE	General	G002	GOM PMF
1487506	TA CAP: 43IN OL ALUM 17D ISOLATION VALVE	CAP: TA SIZE 43.000IN OL ALUMINUM CONSTRUCTION 17 D SINGLE PORT MANIFOLD FOR INJECTION 2 PART PAINT SYSTEM ISOLATION VALVE OCEANEERING	1	EA	CLASS B	990065481	PS012#B	UJSM	JSM	G002	GOM PMF
1736346	SEAL: 8.125IN BORE DIA, S TYPE	SEAL: S TYPE, MACHINED, WITH GROOVED ID AND OD, 8.125 INCH BORE, JAMES WALKER EOL-101, 0.125 INCH OD SPRINGS, MFG: PARKER HANNIF	2	EA	CLASS A	C143 27788005-01	SS-JSM#A	UVJS	JSM	G002	GOM PMF
1737198	ASSY: INSERT, F/CC40SR SUBSEA CONTROL	ASSY: INSERT, F/CC40SR SUBSEA CONTROL	1	EA	CLASS A	2293692-01	SS-JSM#A	UVJS	JSM	G002	GOM PMF
1737221	TOOL: CLEAN, 8IN & 10IN, HYD, MULTI SIZED	TOOL: CLEANING, 8IN <(>&<(> 10IN, HYDRAULIC, MULTI SIZED	1	EA	CLASS B	2330414-01	SS-JSM#B	UVJS	JSM	G002	GOM PMF
1737411	BIOFOLD FLUIDPOWER MODEL FP15/L3/M/32/S	BIOFOLD FLUIDPOWER MODEL FP15/L3/M/32/S	1	EA	CLASS C	60031175	SS-JSM#C	UVJS	JSM	G002	GOM PMF
1739732	ASSY: SPUD MARKER	ASSEMBLY: SPUD MARKER	1	EA	CLASS B		SS-JSM#B	UVJS	JSM	G002	GOM PMF
1744402	COVER: PARKING, W/FLUSH PLATE HOLES	COVER: PARKING POSITION, WITH PLUGGED HOLES FOR FLUSH PLATE MOUNTING, MFG: CAMERON OSS, MFG PN: 223214-76	2	EA	CLASS A	223214-76	SS-JSM#A	UVJS	JSM	G002	GOM PMF
1756838	SPARES: KIT, TEST UNIT, OCEANEERING	SPARES: KIT, TEST UNIT, TOPSIDES, PELICAN CASE, CHEVRON TOOL, MFG: OCEANEERING	1	EA	CLASS C		SS-JSM#C	UVJS	JSM	G002	GOM PMF
1759640	BOUYANCY: MODULE, 248 LBS	BOUYANCY: MODULE, ASSEMBLY SBW: 248 LBS, MAX DEPTH 3500 MSW, MFG P/N: J18267-002	1	EA	CLASS A	J18267-002	SS-JSM#A	UVJS	JSM	G002	GOM PMF
1761428	PANEL: XT, W/HOSE, OVSHOT, JKS PS004	PANEL: XT, WITH HOSE AND OVERSHOT INSTALLED, ROV GRAB HANDLES, JKS PS004 COMPENSATION SYSTEM TOOLING,	1	EA	CLASS A	PS004	SS-JSM#A	UVJS	JSM	G002	GOM PMF
1809831	KIT: GC160 PILE INSTALLATION KIT	KIT: GC160 PILE INSTALLATION KIT, 80 VARIOUS LENGTHS OF 1/2IN CHAIN, 66 - 1/2IN CHAIN BINDERS	1	EA	CLASS B		SS-JSM#B	UVJS	JSM	G002	GOM PMF
1605389	VALVE: INJECTION, CHEMICAL, 3/4IN, 15K	VALVE: INJECTION, CHEMICAL, 3/4IN 15K CHEMICAL INJECTION VALVE, 6890FT/2100M, 4 BOLT BX 151 CONNECTIONS, WITH ACTUATOR, W/ ROTARY	2	EA	CLASS C	2249356-13	SS-JSM#C	UVJS	JSM	G002	GOM PMF
1720639	MONITOR: CLEANLINESS, PALL PCM400W	MONITOR: CLEANLINESS, 90-230VAC OR INTEGRAL 19 VDC BATTER, FLUOROCARBON SEALS, 1.5 TO 450 CST OPERATING VISCOSITY, 0-315 MAX BA	1	EA	CLASS A	PCM400W	GOMIG#A	UVJS	JSM	G002	GOM PMF
1744402	COVER: PARKING, W/FLUSH PLATE HOLES	COVER: PARKING POSITION, WITH PLUGGED HOLES FOR FLUSH PLATE MOUNTING, MFG: CAMERON OSS, MFG PN: 223214-76	1	EA	CLASS C	223214-76	SS-JSM#C	UVJS	JSM	G002	GOM PMF
1756840	PANEL ASSY: SFL, 990351715, OCEANEERING	PANEL ASSEMBLY: SFL, WITH ROV HANDLE, PART OF SFL FRAME, DRAWING NUMBER 990351749, MFG: OCEANEERING, MFG PN: 990351715	2	EA	CLASS C	990351715	SS-JSM#C	UVJS	JSM	G002	GOM PMF
1760586	CAP: ROV HEAVY DUTY TRANSPORTATION	CAP: ROV HEAVY DUTY CABLE END TRANSPORTATION PROTECTION CAP MFG: TELEDYNE OID MFG P/N: 1042268-234284	1	EA	CLASS B	1042268-234284	SS-JSM#B	UVJS	JSM	G002	GOM PMF
1761172	CONNECTOR: TEST, SURFACE, 2197088-06-43	CONNECTOR: TEST, SURFACE, MFG: CAMERON OSS, MFG PN: 2197088-06-43	2	EA	CLASS A	2197088-06-43	SS-JSM#A	UVJS	JSM	G002	GOM PMF
1784387	INDICATOR: SLOPE, BULLSEYE SUBSEA, 0-2DEG	INDICATOR: SLOPE, BULLSEYE, SUBSEA, 0-2DEG, MFG: I-TECH, MFG PN: I-TECH/CVSI/350/2	2	EA	CLASS C	I-TECH/CVSI/350/2	SS-JSM#C	UVJS	JSM	G002	GOM PMF
1803290	ASSY: INSERT, F/CC40SR SUBSEA CONTROL	ASSEMBLY: INSERT, F/CC40SR SUBSEA CONTROL, MFG: ONE SUBSEA, MFG PN: 2293692-02	1	EA	CLASS B	2293692-02	SS#B567-2	UVJS	JSM	G002	GOM PMF

1823290	DUMMY END: 7.5IN, FOR 7IN FLEXIBLE SIT	DUMMY END: SIZE 7.5 IN, APPLICATION FOR 7 IN FLEXIBLE SIT, MFG: TFCM, MFG PN: SSHCVTFL-000-DW-5212-0005-01	1	EA	CLASS B	SSHCVTFL-000-DW-5212-0005-01	SS-JSM#B	UVJS	JSM	G002	GOM PMF
1825836	HOOK:ROV,EYE SHANK,11.5TON,PN CR-1297792	HOOK: TYPE ROV, EYE SHANK, LOAD RATING 11.5 TON, COLOR YELLOW, MODEL L-562A, MFG: BISHOP LIFTING RENTALS, MFG PN: CR-1297792	1	EA	CLASS C	CR-1297792	SS-JSM#C	UVJS	JSM	G002	GOM PMF
1825836	HOOK:ROV,EYE SHANK,11.5TON,PN CR-1297792	HOOK: TYPE ROV, EYE SHANK, LOAD RATING 11.5 TON, COLOR YELLOW, MODEL L-562A, MFG: BISHOP LIFTING RENTALS, MFG PN: CR-1297792	1	EA	CLASS B	CR-1297792	DWEPIG#B	UVJS	JSM	G002	GOM PMF
1825836	HOOK:ROV,EYE SHANK,11.5TON,PN CR-1297792	HOOK: TYPE ROV, EYE SHANK, LOAD RATING 11.5 TON, COLOR YELLOW, MODEL L-562A, MFG: BISHOP LIFTING RENTALS, MFG PN: CR-1297792	3	EA	CLASS A	CR-1297792	SS-ANC#A	UVAN	JSM/Anc hor	G002	GOM PMF
D2013913	LOCKOUT TOOL:VALVE, LINEAR	LOCKOUT TOOL:VALVE, LINEAR, DOC-0015897, JSM-SBS1-SSI-GAR-FRO-000-01310-00, MFR ONE SUBSEA, MFR PN ITM-0016438	1	EA	CLASS B	ITM-0016438	SS-JSM#B	UVJS	JSM	G002	GOM PMF
D2013913	LOCKOUT TOOL:VALVE, LINEAR	LOCKOUT TOOL:VALVE, LINEAR, DOC-0015897, JSM-SBS1-SSI-GAR-FRO-000-01310-00, MFR ONE SUBSEA, MFR PN ITM-0016438	1	EA	CLASS B	ITM-0016438	SS-JSM#B	UVJS	JSM	G002	GOM PMF
D2014048	TOOL:TORQUE, ROTARY	TOOL:TORQUE, ROTARY	1	EA	CLASS B	2330420-01	SS-JSM#B	UVJS	JSM	G002	GOM PMF
1604927	ASSY:SINGLE CORROSION DETECTOR	ASSY:SINGLE CORROSION DETECTOR, SENSOR, SENSITIVITY +/- 40NM OVER A 24 HR PERIOD, PROCESS PRESSURE RANGE, 0 to 15.000 PSI, PROC	1	EA	CLASS C		SS-TAH#C	UVTA	Tahiti	G002	GOM PMF
1604931	FITTING:HOTSTAB, RECEPTACLE	FITTING:HOT STAB, RECEPTACLE	1	EA	CLASS B		GOMIG#B	UVTA	Tahiti	G002	GOM PMF
1605358	ROV Shunted male Connector, 7-Way.	ROV Shunted male Connector, 7-Way#ROV flying test/protective connectorwith internal resistor,7-Way male (receptacle)for 7-way f	2	EA	CLASS C	2197088-05-91	GOMIG#C	UVTA	Tahiti	G002	GOM PMF
1605358	ROV Shunted male Connector, 7-Way.	ROV Shunted male Connector, 7-Way#ROV flying test/protective connectorwith internal resistor,7-Way male (receptacle)for 7-way f	1	EA	CLASS B	2197088-05-91	GOMIG#B	UVTA	Tahiti	G002	GOM PMF
1605359	ROV Shunted male Connector, 7-Way.	ROV Shunted male Connector, 7-Way#ROV flying test/protective connectorwith internal resistor,7-Way male (receptacle)for 7-way f	1	EA	CLASS C	2197088-05-92	GOMIG#C	UVTA	Tahiti	G002	GOM PMF
1605360	CONNECTER:ROV SHNTD F,7WAY, 0 KOMH	CONNECTOR:ROV SHUNTED FEMALE, 7 WAY ROV FLYINGTEST, PROTECTIVE CONN W/INTERNAL RESISTOR,7WAY FEMALE (PLUG), 7 WAYFIXED MALE CO	1	EA	CLASS B	2197088-05-98	GOMIG#B	UVTA	Tahiti	G002	GOM PMF
1605361	ROV Shunted Female Connector, 7-Way.	ROV Shunted female Connector, 7-Way#ROV flying test/protective connectorwith internal resistor,7-Way female (plug)for 7-way fix	1	EA	CLASS B	2197088-05-99	GOMIG#B	UVTA	Tahiti	G002	GOM PMF
1605365	INSERT ASSY:RTRV F/CC40SR SUBSEACHOKE15K	INSERT ASSEMBLY:RETRIEVABLE FOR CC40SR SUBSEA CONTROL CHOKE, RATED FOR 15K EXTERNAL SLEEVE EQ% 130 CV TRIM, 7IN NOSE ON INSERT,	1	EA	CLASS C	2208895-01	SS-TAH#C	UVTA	Tahiti	G002	GOM PMF
1605365	INSERT ASSY:RTRV F/CC40SR SUBSEACHOKE15K	INSERT ASSEMBLY:RETRIEVABLE FOR CC40SR SUBSEA CONTROL CHOKE, RATED FOR 15K EXTERNAL SLEEVE EQ% 130 CV TRIM, 7IN NOSE ON INSERT,	1	EA	CLASS C	2208895-01	SS-TAH#C	UVTA	Tahiti	G002	GOM PMF
1605366	ASSY, BLIND DUMMY STAB, DUAL PORT,	ASSY, BLIND DUMMY STAB, DUAL PORT,ISO 13628-8	2	EA	CLASS C	2215891-02	DWEPIG#C	UVTA	Tahiti	G002	GOM PMF
1605366	ASSY, BLIND DUMMY STAB, DUAL PORT,	ASSY, BLIND DUMMY STAB, DUAL PORT,ISO 13628-8	1	EA	CLASS B	2215891-02	GOMIG#B	UVTA	Tahiti	G002	GOM PMF
1606925	UNIT:SIMULATOR,UMBILICAL CABLE	UNIT:SIMULATOR, UMBILICAL CABLE, SIMULATED LENGTH 7, 0 KM, TAHITI	1	EA	CLASS B	2197096-21	GOMIG#B8-0	UVTA	Tahiti	G002	GOM PMF
1606925	UNIT:SIMULATOR,UMBILICAL CABLE	UNIT:SIMULATOR, UMBILICAL CABLE, SIMULATED LENGTH 7, 0 KM, TAHITI	1	EA	CLASS B	2197096-21	GOMIG#B8-1	UVTA	Tahiti	G002	GOM PMF
1606934	HOT STAB ASSY:15K SNGLPRT ISO16328-8	HOT STAB ASSEMBLY:15K SINGLE PORT ISO 16328-8, TYPE A MODIFIED FOR EXTENDED REACH CVX TAHITI	7	EA	CLASS C	2254104-01	GOMIG#C	UVTA	Tahiti	G002	GOM PMF
1736962	CONNECTOR BODY, (F22 FULL CLAD) 8IN 15K	BODY (F22 FULL CLAD BORE), 8IN-15K CVCCONNECTOR, 6.562 OD X 1.500 WALL PIPE(BUTTERED PIPE PREP), W/ 3/8IN AUTOCLAVEPORT; (QP-00	4	EA	CLASS A	2181644-07	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1736962	CONNECTOR BODY, (F22 FULL CLAD) 8IN 15K	BODY (F22 FULL CLAD BORE), 8IN-15K CVCCONNECTOR, 6.562 OD X 1.500 WALL PIPE(BUTTERED PIPE PREP), W/ 3/8IN AUTOCLAVEPORT; (QP-00	2	EA	CLASS A	2181644-07	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF

1736964	ASSY:S-AX GASKET 8IN-15K W/TWO FOR CVC	ASSY, 8"-15K S-AX GASKET, W/ TWO DOVETAIL O-RING GROOVES,SPHERICALSEALING SURFACE; (MS-011249-01, 825 SILVER PLATED)	2	EA	CLASS C	2181646-08	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1736980	COVER:EFL PROTECTIVE, FEMALE, 7 PINS	COVER:EFL PROTECTIVE, FEMALE, 7 PINS, MANF:TRONIC	24	EA	CLASS A	2197088-15-53	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1736984	COVER:EFL PROTECTIVE, MALE, 0 PINS	COVER:EFL PROTECTIVE, MALE, 0 PINS, MANF:TRONIC	2	EA	CLASS A	2197088-15-67	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1736985	ROV:7-WAY,FEMALE CONN	ROV:7-WAY, ELECTR FEMALE PARKING CONN, MFG: CAMERON ONE SUBSEA, MFG PN:2197088-15-70	4	EA	CLASS A	2197088-15-70	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1737002	ASSEMBLY, BLIND DUMMY STAB, 15K DUAL	ASSEMBLY, BLIND DUMMY STAB, 15K DUAL PORT, ISO 13628-8; (QP-000803-08)	1	EA	CLASS C	2215891-15	SS-TAH#C	UVTA	Tahiti	G002	GOM PMF
1737097	ROV 7-WAY M FLYING WITH FEMALE HARTIN	ROV 7-WAY MALE FLYING WITH FEMALE HARTING CLIENT: CHEVRON PROJECT: JSM LENGTH: 5 METERS	3	EA	CLASS A	223379-36-01	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1737101	ROV:7-WAY MALE FLYING W/ FEMALE HARTIN	ROV:7-WAY MALE FLYING W/ FEMALE HARTIN	1	EA	CLASS A	223379-36-08	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1737102	STABPLATE 12-WAY MALE W FEMALE HARTIN	STABPLATE 12-WAY MALE WITH FEMALE HARTINGLENGTH: 5 METER	2	EA	CLASS A	223379-36-11	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1737130	MANIPULATOR:CVC RUNNING TOOL	MANIPULATOR: CAMERON VERTICAL CONNECTOR (CVC) RUNNING TOOL	1	EA	CLASS C	2235415-01	SS-TAH#C	UVTA	Tahiti	G002	GOM PMF
1737297	SEAL KIT:15 GALLON TRANSFER BARRIER	SEAL KIT:15 GALLON TRANSFER BARRIER	2	EA	CLASS A	2749642-09	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1737368	BATTERY:BACK-UP, 3.6V/1.9 AH	BATTERY:BACK-UP, 3.6V/1.9 AH	2	EA	CLASS A	2810286-01	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1737403	SFL STABPLATE SUPPORT STAND	SFL STABPLATE SUPPORT STAND	4	EA	CLASS B	50128255	SS-TAH#B	UVTA	Tahiti	G002	GOM PMF
1744305	FLOODING CAP ASSY 8IN 15K FLOWLINE HUB	FLOODING CAP ASSY 8IN 15K FLOWLINE HUB, MFG: CAMERON OSS, MFG PN: 2248891-01	1	EA	CLASS C	2248891-01	SS-TAH#C	UVTA	Tahiti	G002	GOM PMF
1745266	ASSEMBLY:MARS INJECTION INSERT, CV36	ASSEMBLY:MARS INJECTION INSERT, CV36, MFG PN: 2374959-01	1	EA	CLASS B	2374959-01	MARS#B2-01	UVTA	Tahiti	G002	GOM PMF
1749218	UMB KIT:OUTER SHEATH REPAIR	UMBILICAL KIT:OUTER SHEATH REPAIR, 10 METER PIGTAIL, API 17J, MFG: TECHNIP	1	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749402	PLATE:REM T&F,JCT,14WAY11X9IN RS	PLATE: M1 REMOVABLE TEST AND FLUSHING JUNCTION PLATE, 14 WAY, 11 X 1/9 INCH RS, 1X, MFG:OCEANERING, MFG PN:0473310-A	2	EA	CLASS A	0473310-A	SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749405	DUST:CAP SURFACE, 3 INCH	DUST:CAP SURFACE, 3 INCH	4	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749406	DUST:CAP SURFACE, 2 INCH	DUST:CAP SURFACE, 2 INCH	4	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749407	DUST:PROTECTIVE CAP, TEST CONN	DUST: PROTECTIVE CAP TEST CONNECTOR, MFG:SIEMENS	7	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749408	DUST: PROTECTIVE PLUG, TEST CONN	DUST: PROTECTIVE PLUG, TEST CONNECTOR	6	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749409	STAB:HOT DUMMY, ROV DUAL, 3444-2001	STAB: HOT DUMMY, REMOTELY OPERATED VEHICLE DUAL, API 17D, COMPLIANT 'd' HANDLE 3/8 NPT PORTS, MFG:FES, MFG PN:3444-2001	2	EA	CLASS A	3444_2001	SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749410	STAB:TEMP DEBRIS, 3444-2002	STAB: TEMPORARY DEBRIS C/W COMPLIANT 'D' HANDLE, MFG:FES, MFG PN:3444- 2002	1	EA	CLASS A	3444_2002	SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1749470	ASSY:CONNECTOR,8IN-15K CVC	ASSEMBLY: 8IN-15K 6.625 X .872 WALL OUTSIDE DIMETER, CAMERON VERTICAL CONNECTOR, FOR PIG RECEIVER, MFG:CAMERON, MFG PN:2402504-	1	EA	CLASS C	2402504-01	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749470	ASSY:CONNECTOR,8IN-15K CVC	ASSEMBLY: 8IN-15K 6.625 X .872 WALL OUTSIDE DIMETER, CAMERON VERTICAL CONNECTOR, FOR PIG RECEIVER, MFG:CAMERON, MFG PN:2402504-	1	EA	CLASS C	2402504-01	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749474	GKT:ASSY, 8IN-15K,2274165-05 REV 02	GASKET:ASSEMBLY, 8 INCH-15K S-AX GASKET, MATERIAL 825-4, MFG:VANCO, MFG PN:2274165-05 REV 02	3	EA	CLASS C	2274165-05 REV 02	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749475	GKT:ASSY, 8IN-15K,2274164-05-REV 02	GASKET:ASSEMBLY, 8 INCH-15K S-AX GASKET, MATERIAL 825-4,MFG:VANCO, MFG PN:2274164-05-REV 02	7	EA	CLASS C	2274164-05-REV 02	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749633	SHACKLE:WIDE BODY 150 T, TYPE H14	SHACKLE: WIDE BODY 150 TON, TYPE H14, WITH REMOTELY OPERATED VEHICLE ADAPTER, ALLOY STEEL, MFG:GN WLL, MFG PN:36000150	2	EA	CLASS C	36000150	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749633	SHACKLE:WIDE BODY 150 T, TYPE H14	SHACKLE: WIDE BODY 150 TON, TYPE H14, WITH REMOTELY OPERATED VEHICLE ADAPTER, ALLOY STEEL, MFG:GN WLL, MFG PN:36000150	2	EA	CLASS C	36000150	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749634	SHACKLE:WIDE BODY 200 T, TYPE H14	SHACKLE: WIDE BODY 200 TON, TYPE H14, ALLOY STEEL, MFG:GN WLL, MFG PN:36000200	2	EA	CLASS C	36000200	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1749634	SHACKLE:WIDE BODY 200 T, TYPE H14	SHACKLE: WIDE BODY 200 TON, TYPE H14, ALLOY STEEL, MFG:GN WLL, MFG PN:36000200	2	EA	CLASS C	36000200	SS-TVEX#C	UVTA	Tahiti	G002	GOM PMF
1751738	FLG:WN, 6IN, 2500PSI, B16 RTJ	FLANGE:WELD NECK, 6IN, 2500 PSI, B16 RING TYPE JOINT FLANGE	2	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF

1751739	FLG:COMPACT, 6IN X 1IN, 15KPSI	FLANGE:COMPACT, 6IN X 1IN, 15000PSI, F60 MOD, MFG: FLANGETEC	1	EA	CLASS A		SS-TVEX#A	UVTA	Tahiti	G002	GOM PMF
1756837	C0VER:EMRGNCY,2404536-01,CAMERONOSS	COVER:EMERGENCY, ITEM 00010, JOB# 110029, PO# 4511472649, MFG: CAMERON OSS, MFG PN: 2404536-01	1	EA	CLASS A	2404536-01	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1784105	TOOL:CLEAN, 5IN HUB, 2K PSI, 80 L/MIN	TOOL:CLEANING, 5IN HUB, MAX OPERATING PRESSURE 2,000PSI, MAX FLOW RATE 80 L/MIN	4	EA	CLASS B	2340280-01	SS-TAH#B	UVTA	Tahiti	G002	GOM PMF
1605560	FLYING DUMMY PLUG CONNECTOR FITTING	DIGITRON, SIZE 10, ROV MATED, FLYING DUMMY PLUGCONNECTOR WITH 7-WAY SOCKET INSERT AND VERTICALPADDLE HANDLE.	3	EA	CLASS B	60025729	GOMIG#B	UVTA	Tahiti	G002	GOM PMF
1737374	BLADDER:FOR ACCUMULATOR, 6,000PSI	BLADDER:FOR ACCUMULATOR, 6,000 PSI	2	EA	CLASS A	2810418-02	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
1792495	O RING:SIZE AS-568-360 5.850 ID X	O RING, SIZE AS-568-360 5.850 ID X.210 W 85D /MS-1068 CAMLASTPKG AND QUAL /CIW 702647	2	EA	CLASS A	702647-36-01	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF
D2001124	ROV FITA Connector, 7-W FEM,1Cbl	CONNECTOR: FIX ROV FITA FEMALE 7-WAY FEMALE	2	EA	CLASS B	2197088-05-88	GOMIG#B	UTAH	Tahiti	G002	GOM PMF
D2001125	ASSY:FIX ROV FITA 1CABLE IN / 2-WAY OUT	ASSEMBLY: FIX ROV FITA 1CABLE IN / 2-WAY OUT	1	EA	CLASS B	2197088-05-93	GOMIG#B	UTAH	Tahiti	G002	GOM PMF
D2001126	ASSY:FIX ROV FITA 1CABLE IN / 2-WAY OUT	ASSEMBLY: FIX ROV FITA 1CABLE IN / 2-WAY OUT	1	EA	CLASS B	2197088-05-94	GOMIG#B	UTAH	Tahiti	G002	GOM PMF
D2001153	COVER:PROTECTIVE, ROV RECEPTACLE	COVER:PROTECTIVE, ROV RECEPTACLE	4	EA	CLASS B	2770110-01	GOMIG#B	UTAH	Tahiti	G002	GOM PMF
D2001174	ASSY:BLIND DUMMY STAB SINGLE PORT 10K	ASSEMBLY: BLIND DUMMY STAB SINGLE PORT 10K	2	EA	CLASS C	2215891-03	GOMIG#C	UTAH	Tahiti	G002	GOM PMF
D2001180	ASSY:CVC 8IN-15K 6.625	ASSEMBLY: CAMERON VERTICAL CONNECTOR (CVC) 8IN-15K 6.625	1	EA	CLASS C	2181526-05	SS-TAH#C	UTAH	Tahiti	G002	GOM PMF
D2014575	HOSE:4IN DIA X 25FT L, 300 LB, FLG	HOSE:DECK, 4IN 206 UNION X 25FT SCM-300	4	EA	CLASS B		TAH#B3945	UTAH	Tahiti	G002	GOM PMF
D2014576	HOSE:4IN DIA X 15FT L, 300 LB, FLG	HOSE:DECK, 4IN 206 UNION X 15FT SCM-300	4	EA	CLASS B		TAH#B3945	UTAH	Tahiti	G002	GOM PMF
D2014577	HOSE:4IN DIA X 400FT L, 150 LB, FLG	HOSE:4IN 150 ANSI CLASS R.F. FLANGED X 400FT SCM-300 REEL HOSE	1	EA	CLASS B		TAH#B5464	UTAH	Tahiti	G002	GOM PMF
D2014578	HOSE:4IN DIA X 75FT L, 150 LB, FLG	HOSE:WHIP, 4IN 150 ANSI CLASS R.F. FLANGED X 75FT SCM-300	1	EA	CLASS B		TAH#B4575	UTAH	Tahiti	G002	GOM PMF
D2014579	HOSE:4IN DIA X 10FT L, 300 LB, FLG	HOSE:DECK, 4IN 206 UNION X 10FT SCM-300	4	EA	CLASS B		TAH#B3945	UTAH	Tahiti	G002	GOM PMF
D2014260	SEAL KIT:FOR ACCUMULATOR, 15,000 PSI	SEAL KIT:FOR ACCUMULATOR, 15,000 PSI	2	EA	CLASS A	2810535-02	SS-TAH#A	UVTA	Tahiti	G002	GOM PMF