

Lot Details: 15696-272

[illegible]

[illegible]

Baker Hughes Broussard 1100	CI036252	4.5 Pup Joint	4.5 Pup Joint	1	EA	CLASS A	BYF7875
Baker Hughes Broussard 1100	CI036255	4.5 Pup Joint	4.5 Pup Joint	1	EA	CLASS A	BYF7875
Baker Hughes Broussard 1100	CI036257	3.5 Pup Joint	3.5 Pup Joint	1	EA	CLASS A	BYF7913
Baker Hughes Broussard 1100	CI036256	3.5 Pup Joint	3.5 Pup Joint	1	EA	CLASS A	BYF7913
BAKERHUGHES:LA	10029511	SHOE:REAMER 13.625IN X 14.5IN EZC406	BIT: DRILL SIZE 14.500IN MODEL EZC406 13.625IN TE18895 PDC STEEL BIT PART MFR BAKER HUGHES	1	EA	CLASS A	EZC406 - TE18895
BAKERHUGHES:LA	10029511	SHOE:REAMER 13.625IN X 14.5IN EZC406	BIT: DRILL SIZE 14.500IN MODEL EZC406 13.625IN TE18895 PDC STEEL BIT PART MFR BAKER HUGHES	1	EA	CLASS A	EZC406 - TE18895
BAKERHUGHES:LA	10013126	HGR:LNR 7IN X 9.875IN FLX LCK VTOP HC	HANGER: LINER 7.00IN X 9.875IN CONTROL SET HYDRAULIC FLEX LOCK WITH NLHR NAD ALFAS ELASTOMERS 8.334IN TOOL OD 5.919IN TOOL ID 140KSIYEILD CYLINDER 125KSI YEILD BODY 7.00IN WEIGHT 35.000LB VAM TOP HC PIN X PIN 9 SLIP DESIGN	1	EA	CLASS A	H294160043
BAKERHUGHES:LA	10013126	HGR:LNR 7IN X 9.875IN FLX LCK VTOP HC	HANGER: LINER 7.00IN X 9.875IN CONTROL SET HYDRAULIC FLEX LOCK WITH NLHR NAD ALFAS ELASTOMERS 8.334IN TOOL OD 5.919IN TOOL ID 140KSIYEILD CYLINDER 125KSI YEILD BODY 7.00IN WEIGHT 35.000LB VAM TOP HC PIN X PIN 9 SLIP DESIGN	1	EA	CLASS A	H294160043
BAKERHUGHES:LA	10013126	HGR:LNR 7IN X 9.875IN FLX LCK VTOP HC	HANGER: LINER 7.00IN X 9.875IN CONTROL SET HYDRAULIC FLEX LOCK WITH NLHR NAD ALFAS ELASTOMERS 8.334IN TOOL OD 5.919IN TOOL ID 140KSIYEILD CYLINDER 125KSI YEILD BODY 7.00IN WEIGHT 35.000LB VAM TOP HC PIN X PIN 9 SLIP DESIGN	1	EA	CLASS A	H294160043
BAKERHUGHES:LA	10046964	NPPL:SPACER, 13.75IN,98.58LB,SLSF	NPPL:SPACER, 13.75IN,98.58LB,SLSF	1	EA	CLASS A	H299921534ECVA
BAKERHUGHES:LA	10046964	NPPL:SPACER, 13.75IN,98.58LB,SLSF	NPPL:SPACER, 13.75IN,98.58LB,SLSF	1	EA	CLASS A	H299921534ECVA
BAKERHUGHES:LA	10043734	PKR:ZXP ULTRA LNR TP 7IN 35LB RHRS CHEMP	PACKER: LINER TOP SIZE 7.000IN ZXP RH AND RS PROFILE AND 15.000FTEXTENSION WITH HD SIZE 8.250IN EXTENSION OUTSIDE DIAMETER SIZE 7.375IN EXT INSIDE DIAMETER SIZE 8.350IN TOOL OUTSIDE DIAMETER SIZE6.000IN TOOL INSIDE DIAMETER SIZE 7.000IN WEIGHT 35.000LB VAMTOPBOX 125KSI MINIMUM YIELD FFKM/Chemraz SEALS AND XLYAN 1052 COATING ONOD. MFG BAKER HUGHES	1	EA	CLASS A	H296430083
BAKERHUGHES:LA	10013046	PACKER:LNR TP 7IN X 9.875IN HRDE FLX LCK	PACKER: LINER TOP SIZE 7.000IN X 9.875IN ZXP HRD-E PROFILE AND 15 FTEXTENSION FLEX LOCK VAM TOP HC BOX ULTRA LINER PACKER WITH HD 8.250IN EXTENSION OD 7.375IN EXT ID 8.350IN TOOL OD 5.930IN TOOL ID7.00IN WEIGHT 35.000LB 125KSI MINIMUM YEILD 140KSI EXT. PART NUMBER H296430020	1	EA	CLASS A	H296430020
BAKERHUGHES:LA	10047013	PACKER:LP, ZXP/RH 13.7IN 98.5LB SL	PACKER:LP, ZXP/RH 13.7IN 98.5LB SL	1	EA	CLASS A	H296290694ECVA
BAKERHUGHES:LA	10047013	PACKER:LP, ZXP/RH 13.7IN 98.5LB SL	PACKER:LP, ZXP/RH 13.7IN 98.5LB SL	1	EA	CLASS A	H296290694ECVA
BAKERHUGHES:LA	10046919	SEAL ASSY:QRD S ASSY, BULT 13.5IN SL OD	SEAL ASSEMBLY: QRD S ASSY, BULT 13.5IN SL OD 13.7IN, BULLET SIZE 13.75IN WEIGHT 98.5LB SLSF BOX UP 20FT EXT LG 13.5IN SEAL OD .177 CROSS SECTION SEALS BULLET SEAL 10,000PSI SEAL RATING 3 SEALS 14.375 IN OD 12.285 IN ID 1/2 MULE SHOE GUIDE 125 KSI MYS (API 5CT), MFG PN: H297551584ECVA	1	EA	CLASS A	H297551584ECVA
BAKERHUGHES:LA	10046919	SEAL ASSY:QRD S ASSY, BULT 13.5IN SL OD	SEAL ASSEMBLY: QRD S ASSY, BULT 13.5IN SL OD 13.7IN, BULLET SIZE 13.75IN WEIGHT 98.5LB SLSF BOX UP 20FT EXT LG 13.5IN SEAL OD .177 CROSS SECTION SEALS BULLET SEAL 10,000PSI SEAL RATING 3 SEALS 14.375 IN OD 12.285 IN ID 1/2 MULE SHOE GUIDE 125 KSI MYS (API 5CT), MFG PN: H297551584ECVA	1	EA	CLASS A	H297551584ECVA

BAKERHUGHES:LA	10013225	SEAL ASSY:BULLET 7.0IN,VTOP HC 125 KSI	SEAL: ASSEMBLY BULLET SIZE 7.000IN VAM TOP HC BOX UP 15.000FT EXT LG 7.375IN SEAL OD .177 CROSS SECTION SEALS BULLET SEAL 10,000 PSISEAL RATING 3 SEALS 8.250IN OD 5.931 IN ID FLUSH ID ROUND NOSE GUIDE 125 KSI MYS (API 5CT)	1	EA	CLASS A	H297551041
BAKERHUGHES:LA	10018469	SHOE:REAMER 7IN X 8.5IN EZC404 SLIJ2	SHOE:EZCASE 8.5IN X 7IN 35LB SLIJ2 CONN, MFG: BAKER HUGHES, MFG PN:EZC404	1	EA	CLASS A	EZC404
BAKERHUGHES:LA	10025127	SHOE:REAMER 13.625IN X 14.5 SLSF EZC406	SHOE:REAMER 14.5 X 13.625IN EZC406, 88.2LB, 125KSI, SLSF CONNECTION,MFG: BAKER HUGHES	1	EA	CLASS A	EZC406
BAKERHUGHES:LA	10018267	SHOE:REAMER 7IN X 8.5IN EZR304HD SLIJ2	SHOE:REAMER 8.5IN X 7IN EZR304HD 7IN 35LB SLIJ2 CONN	1	EA	CLASS A	EZR304HD
BAKERHUGHES:LA	10046789	SUB: RS, 13.75IN 98.58LB SLSF	SUB: RS, 13.75IN 98.58LB SLSF	1	EA	CLASS A	H294010803ECVA
BAKERHUGHES:LA	10033304	SUB:REAMER, 7.625 Q125 29.7# VTOP BXP	SUB:REAMER, 7.625 Q125 29.7# VTOP BXP MYS, 8.400IN OD, 6.8IN ID LENGTH40IN LONG WITH 30 DEGREES ANGLE OD TYPICAL W/TONG ROOM ON BOTH ENDSOFEACH SUB, BYPASS-3.OIN 9.875IN 62.80# PART NO. 10566599_C	1	EA	CLASS A	10566599_C
BAKERHUGHES:LA	10033304	SUB:REAMER, 7.625 Q125 29.7# VTOP BXP	SUB:REAMER, 7.625 Q125 29.7# VTOP BXP MYS, 8.400IN OD, 6.8IN ID LENGTH40IN LONG WITH 30 DEGREES ANGLE OD TYPICAL W/TONG ROOM ON BOTH ENDSOFEACH SUB, BYPASS-3.OIN 9.875IN 62.80# PART NO. 10566599_C	1	EA	CLASS A	10566599_C
BAKERHUGHES:LA	10021695	SUB:REAMER 7IN 35LB VTP HC BXP W/O MCH	SUB:REAMER; 7.000IN 35.0LB VAM TOP HC BOX X PIN, MATERIAL P110-125 MYS 8.400IN OD W/O MACHINED TEETH ON LEADING EDGE, 5.931IN ID + or -.010IN, W/30 DEGREE ANGLES OD TYPICAL, WITH TONG ROOM ON BOTH ENDS OFSHOE, 1.0 FT CENTER BYPASS EQUALS 3.0IN in 9.875IN 62.80LB CASING	1	EA	CLASS A	10452832