			Lot Details: 15913-1400					
Location	Inventory ID	Short Description	Long Description	Qty	Make/ Brand	Model	Serial #/VIN	Model Year
OSBL Yard	5022572	2023 Velan Cast Steel Gate Valve	2023 Velan Cast Steel Gate Valve, Model 10-600, Year 2023, Serial Number 8517-009-03, 10 Inch Gate Valve, BMN61M31, Class 600, DN: 250, PN: 100, Wedge:13CR, Stem 13CR. Seat: HF, DoC: 55000, FIG: B16-2064C-02TY, Dimensions 6 In. x 4 In. x 3 In., Location OSBL Laydown Yard		1 Velan	10-600	8517-009-03	2023
OSBL Yard	5022573	2023 Velan Cast Steel Gate Valve	2023 Velan Cast Steel Gate Valve, Model 10-600, Year 2023, Serial Number 8517-009-03, 10 Inch Gate Valve, BMN61M31, Class 600, DN: 250, PN: 100, Wedge:13CR, Stem 13CR. Seat: HF, DoC: 55000, FIG: B16-2064C-02TY, Dimensions 6 In. x 4 In. x 3 In., Location OSBL Laydown Yard		1 Velan	10-600	8517-009-03	2023
OSBL Yard	5022574	2023 Velan Cast Steel Gate Valve	2023 Velan Cast Steel Gate Valve, Model 10-600, Year 2023, Serial Number 8517-009-03, 10 Inch Gate Valve, BMN61M31, Class 600, DN: 250, PN: 100, Wedge:13CR, Stem 13CR. Seat: HF, DoC: 55000, FIG: B16-2064C-02TY, Dimensions 6 In. x 4 In. x 3 In., Location OSBL Laydown Yard		1 Velan	10-600	8517-009-03	2023
OSBL Yard	5022575	2023 Velan Cast Steel Gate Valve	2023 Velan Cast Steel Gate Valve, Model 10-300, Year 2023, Serial Number 8517-001-031, 10 Inch Gate Valve, BNP6610, Class 300, DN: 250, PN: 50, Wedge:13CR, Stem 13CR. Seat: HF, DoC: 60293, FIG: F16-1064C-02TY, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard		1 Velan	10-300	8517-001-031	2023
OSBL Yard	5022576	2020 Velan Cast Steel Gate Valve	2020 Velan Cast Steel Gate Valve, Model 8-300, Year 2020, Serial Number 8516-001-031, 8 Inch Gate Valve, BNK63K20 Class 300, DN: 200, PN: 50, Seat: STELL, DoC: 28810, FIG: F15-1064C-02TY, Dimensions 48 In. x 4 In. x 3 In., Location OSBL Laydown Yard		1 Velan	8-300	8516-001-031	2020
OSBL Yard	5022577	3 ea. Velan Cast Steel Gate Valve	2 ea. Velan Cast Steel Gate Valve, Model 6-150, Serial Number KBAO2B06, Body CF8M, STEM 316, Location OSBL Laydown Yard 1 ea. Velan Cast Steel Gate Valve, Model 3-150, Body CF8M, STEM 316, Location OSBL Laydown Yard		3 Velan	6-150	KBAO2B06	
OSBL Yard	5022578	KITX Cast Steel Gate Valve	KITX Cast Steel Gate Valve, Model 6-300, Body :WCB, STEM: CR13, Disc: CR13, Seat: HF, B16.34/API600, FIG. 300 SCLS, 740psig/100F, 5.11 Mpa/38C, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard		1 KITX	6-300		
OSBL Yard	5022579	Gate & Plug Valves, Qty 3	2 ea 6in 150 Gate Valve 1 ea 3in R 150 Plug Valve Location OSBL Laydown Yard		DSI, 3 FLOSERVE	6-150, 3R- 150	37LUF-N, B30159	
OSBL Yard	5022580	SWI Cast Steel Gate Valve	SWI Cast Steel Gate Valve, Model 10-150, Serial Number 22-310-1-1, Fig. BAB-11SC-RA2A, Size DN 250, Body WCB, Stem CR13, Wedge HF, Seat HF, Bellows 321SS, Dimensions 4 In. x 3 In., Location OSBL Laydown Yard	1	1 SWI	10-150	22-310-1-1	
OSBL Yard	5022581	3 ea. Velan Cast Steel Gate Valve	3 ea. Velan Cast Steel Gate Valve, Model 6-300, DN 150, PN 150, Body WCB, Stem 13CR, Wedge 13CR, Seat HF, DoC 52775, Fig F14-1064C-02TY. Mod A, Dimensions 4 In. x 3 In. x 3 In., Location OSBL Laydown Yard		3 Velan	6-300		
OSBL Yard	5022582	2 ea. 2023 Velan Cast Steel Gate Valve	2 ea. 2023 Velan Cast Steel Gate Valve, Model 10-150, Year 2023, Serial Number K1A017981, Size 10 inch, Class 150, DN 250, PN 20, Body WCB, Stem 13CR, Wedge 13 CR, Seat HR, DoC 62764, Fig F126-DC64C-02TY, Dimensions 4 In. x 3 In. x 3 In., Location OSBL Laydown Yard		2 Velan	10-150	K1A017981	2023

		1	T		Г	1		I I
OSBL Yard	5022583	2 ea. 2023 Velan Cast Steel Gate Valve	2 ea. 2023 Velan Cast Steel Gate Valve, Model 2-300, Year 2023, Serial Number 8510-003, Size 2 inch, Class 300, DN 50, PN 50, Body WCB, Stem 13CR, Wedge 13CR, Seat HF, DoC 65659, Fig F08-1064C-02TY, Dimensions 4 In. x 3 In. x 3 In., Location OSBL Laydown Yard	2	Velan	2-300	8510-003	2023
OSBL Yard	5022584	2021 YVI Cast Steel Gate Valve	2021 YVI Cast Steel Gate Valve, Model 8-150, Year 2021, Serial Number YVI121121322, Size 8, Class 150, Body WCB, Stem F6a. Disc CR13, Seat HF, Dimensions 4 In. x 3 In. x 3 In., Location OSBL Laydown Yard	1	YVI	8-150	YVI121121322	2021
OSBL Yard	5022585	2024 Velan Cast Steel Gate Valve	2024 Velan Cast Steel Gate Valve, Model 20-300, Year 2024, Size 20, Class 300, DN 500, PN 50, Body WCB, Stem 13 CR, Wedge 13 CR, Seat HF, DoC 60223, Fig F22-1064C-02TY, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard	1	Velan	20-300		2024
OSBL Yard	5022586	2021 YVI Cast Steel Gate Valve	2021 YVI Cast Steel Gate Valve, Model 12-150, Year 2021, Serial Number YVI121121500, Size 12, Class 150, Body WCB, Stem F6a, Disc CR13, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard	1	YVI	12-150	YVI121121500	2021
OSBL Yard	5022587	SWI Cast Steel Gate Valve	SWI Cast Steel Gate Valve, Model 2-300, Serial Number 23-11-12-19, Size 2, Class 300, Body WCB, Stem CR13, Wedge HF, Seat HF, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard	1	SWI	2-300	23-11-12-19	
OSBL Yard	5022588	2008 KITZ Gate Valve	2008 KITZ Gate Valve, Model 6-150, Year 2008, Serial Number ELF0900009-03-05, Code UMC4AY, Steam S31803Seat HF, Class 150(PN20), Disc HF, Size DN150, Body A995GR4A, Dimensions 6 In. x 4 In. x 3 In., Location OSBL Laydown Yard	1	KITZ	6-150	ELF0900009-03-	2008
OSBL Yard	5022589	4 ea. 2002 Velan Cast Steel Gate Valve	4 ea. 2002 Velan Cast Steel Gate Valve, Model 12-150, Year 2002, 1 12 Inch Gate Valve, Class 150, DN 300, PN 20, Body WCB, Stem 13CR, Wedge 13 CR, Seat HF, Fig F18-0064C-02TY, 3 2 Inch Gate Valves, Class 150, DN 5-, PN 2-, Body WCB, Wedge 13 CR, Stem 13 CR, Seat HF, DoC 47690, Fig F08-0064C-02TY, Dimensions 48 In. x 4 In. x 3 In., Location OSBL Laydown Yard	4	Velan	12-150		2002
OSBL Yard	5022590	YVI Cast Steel Gate Valve	YVI Cast Steel Gate Valve, Model 10-150, Serial Number YVI21121450, YVI-10GA1R-WCB-8Body WCB, Stem F6a, Disc CR13, Seat HF, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard	1	YVI	10-150	YVI21121450	
OSBL Yard	5022591	2023 Velan Cast Steel Gate Valve	2023 Velan Cast Steel Gate Valve, Model 4-800, Year 2023, DN 100, PN 100, Body WCB, Stem 13 CR, Wedge 13 CR, Seat HF, DoC 54563, Fig F12-2064C-02TY, Dimensions 4 In. x 4 In. x 3 In., Location OSBL Laydown Yard	1	Velan	4-800		2023
OSBL Yard	5022605	2 ea. Bonney Gate Valve	2 ea. Bonney Gate Valve, Model 1.5-800, 1.5 inch Bonney HL-11-SW FSC Gate Valves, Body A105N, Seat CR13.HF, Disc CR 13, Stem CR 13, Fig HL 11-LE, Dimensions 2 In. x 2 In. x 2 In., Notes Locatiom C19, Location OSBL Laydown Yard	2	Bonney	1.5-800		
OSBL Yard	5022616	11 ea. Valves	11 ea. Valves, 2 inch 150 1-108-RF-LEDUPLEXSS BELLOWS, 2 each 1-800 Socket Weld Bellows, 1 each 3/4-800 Socket Weld Bellows, 6each 3/4-800 Socket Weld Bellows Extended Body, 1 each 3-150 KITZ Deluxe Gate Valve 150YMHA4AT, Dimensions 4 In. x 4 In. x 2 In., Notes Location E3, Location OSBL Laydown Yard	11				
OSBL Yard	5022596	2 ea. Pipe and Reducer	2 ea. Pipe and Reducer, V-Star XHSMLSA106B, X42 HN NE0316, 8 inch to 4 Inch Reducer, Dimensions 3 In. x 3 In. x 3 In., Notes Location C6, Location OSBL Laydown Yard	2				
OSBL Yard	5022592	Approx 40 pcs ea. Piping and Valves	Approx 40 pcs ea. Piping and Valves, Various Pipes, Valves, Elbows, Metal Composition Cr 21.7%, Fe 73.9%, Mn 0.78%, Mo 3.78%, Nb 0.31%, Ni 2.42%, Si 0.61%, Dimensions 20 ln. x 8 ln. x 3 ln., Location OSBL Laydown Yard	40				

OSBL Yard	5022594	7 ea. Valves, Elbows, Flanges	7 ea. Valves, Elbows, Flanges, 1 3 inch 300 WNRF SA105N, 4 inch 300 WNRF, 2 4 inch 300 Extra Heavy WNRF Weld Neck Tee, 3 inch by 2 inch, Weld Neck Elbow, # inch by 2 inch 90 degree, Weld Neck Elbow, 3 inch by 2 inch elbow, 45 degree, 0.5 Inch 800 Extended Body SW Valve, Dimensions 4 In. x 4 In. x 1 In., Notes Location C1, Location OSBL Laydown Yard	7		
OSBL Yard	5022595	Valves, Shoulder Plugs, and Blind Flanges	Valves, Shoulder Plugs, and Blind Flanges, 1 Each Bonney 3/4-800 Standard Body Gate Valve Male Socket Weld To Threaded, 1 each 3/4-800 Extended Body Gate Valve Male Socket Weld To Threaded, 1 each 3/4-800 Standard Body Gate Valve Male Socket Weld To Threaded, 2 each Blind Flange, Dimensions 2 In. x 2 In. x 1 In., Notes Location C4, Location OSBL Laydown Yard			
OSBL Yard	5022598	6 ea. Flanges	6 ea. Flanges, 6 Inch WNRF AS105N, Dimensions 3 In. x 3 In. x 1 In., Notes Location C9, Location OSBL Laydown Yard	6		
OSBL Yard	5022599	2 ea. Flanges	2 ea. Flanges, 8-300 WNRF Flange, Dimensions 4 In. x 4 In. x 1 In., Notes Location C10, Location OSBL Laydown Yard 7 ea. Flanges, 3 10 Inch WNRF, 1 10 Inch WNRF, 2 10 Inch WNRF, 1 10 inch WNRF,	2		
OSBL Yard	5022600	7 ea. Flanges	Dimensions 4 In. x 4 In. x 2 In., Notes Location C11, Location OSBL Laydown Yard	7		
OSBL Yard	5022601	2 ea. Flanges	2 ea. Flanges, 8 inch 150 WNRF, Dimensions 2 In. x 2 In. x 1 In., Notes Location B11, Location OSBL Laydown Yard	2		
OSBL Yard	5022602	8 ea. Pipe Elbows and Figure 8 Blinds	8 ea. Pipe Elbows and Figure 8 Blinds, 6 Stainless Steel Pipe Elbows, 6 inch, 90 degree, 1 3 inch Figure Eight Blind, 304 SS, 1 6 Inch Figure 8 Blind, 304 SS, Dimensions 4 In. x 4 In. x 2 In., Notes Location C13, Location OSBL Laydown Yard	8		
OSBL Yard	5022603	Flange	Flange, Model 10-600, 10 Inch 600 WNRF Alloy Steel 105N, Dimensions 3 In. x 3 In. x 2 In., Notes Location B14, Location OSBL Laydown Yard	1	10-600	
OSBL Yard	5022604	2 ea. Flange and Reducer	2 ea. Flange and Reducer, Model 6-600, 6 Inch 600 WNRF Allow Steel 105N, 10 inch by 6 inch Reducer, Dimensions 3 In. x 3 In. x 2 In., Notes Location B17, Location OSBL Laydown Yard	2	6-600	
OSBL Yard	5022606	12 ea. Flanges	12 ea. Flanges, 2 2 inch 150 XHRFSW Flange, CS A105N, 2 3 inch 150 STD WNRF A105N, 2 6 inch STD WNRF A105N, 2 2 inch 150 CS RF A105N, Blind Flange, 2 3 inch 150 CS RF A105N, Blind Flange, 2 6 inch 150 CS RF, A105N, Blind Flange, Dimensions 4 In. x 4 In. x 2 In., Notes Loaction F1, Location OSBL Laydown Yard	12		
OSBL Yard	5022607	22 ea. Pipe Elbows and Flanges	22 ea. Pipe Elbows and Flanges, 1 6 Inch CS STD Weld SR 90 Ell, 3 4 inch CS XH Weld Tee, 3 6 inch CS STD Weld Tee, 10 6 by 4 150, CS RF So Flange A105N, 5 6 Inch 150, CS RF A105N, Blind Flange, Dimensions 4 In. x 4 In. x 2 In., Notes Loaction E3, Location OSBL Laydown Yard	22		
OSBL Yard	5022608	8 ea. Pipe Elbows and Flanges	8 ea. Pipe Elbows and Flanges, 3 6 inch STD CS BLK tee 234, 2 6 inch 150 BLK CS WNRF Flange Standard Bore, 2 6 inch 300 BLK STD SO RF Flange A105N. 1 6 inch 150 BLK CS SO RF Flange A105N, Dimensions 4 In. x 4 In. x 2 In., Notes Loaction E5, Location OSBL Laydown Yard	8		
OSBL Yard	5022609	5 ea. Chain Wheels	5 ea. Chain Wheels, 1 CL Series Chain Wheel, 2 Model CL18-DI Roto Hammer, 35 feet Overhead Door Chain, 1 Model CL 12-DI Roto-Hammer, Dimensions 4 In. x 4 In. x 2 In., Notes Loaction C7, Location OSBL Laydown Yard	5		
OSBL Yard	5022610	14 ea. Bolt Kits and Pipe Seals	14 ea. Bolt Kits and Pipe Seals, 20 Bolt Kit 1 13/16 inch, 4 Pipe Seal Shape C-1, Material 304/APX2, Outer Diameter 22.5625 inches, Dimensions 3 In. x 3 In. x 1 In., Notes Loaction C8, Location OSBL Laydown Yard	14		

5022611	10 ea. Chain Wheels	10 ea. Chain Wheels, 1 Model CL-15 Roto-Hammer Clap on Chain Wheel, 2 Model CL=30 Roto Hammer Clamp On Chain Wheel, 1 35 foot Overhead Door Chain, 2 Locking Cable Kit 5/16 5 feet, 3 Model CL-12 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, Dimensions 4 In. x 4 In. x 2 In., Notes Location C14, Location OSBL Laydown Yard	10				
5022612	1 ea. Flange	2 ea. Flange	1				
5022613	701 ea. Flange and Washers	701 ea. Flange and Washers, 35 inch Flange, 100 2 inch ID F436 Hardened Washers, 100 1.5 ID F436 Hardened Washers, 50 3/8 by 1 1/2 Flat Washers, 50 3/8 -16 by 1 1/4 Hex Capscrews, 50 3/8 -16 by 1 1/4 Hex Capscrews, 50 3/8 x 1 1/2 Flat Washers, 50 3/8 by 1 1/2 Flat Washers, 50 3/8 - 16 Finished Hex Nut, 3/8 - 16 by 1 1/4 Hex Capscrews, 50 3/8 by 1 1/12 Flat Washers, 50 1/2 Flat Washers, Dimensions 4 In. x 4 In. x 2 In., Notes Location C16, Location OSBL Laydown Yard	701				
		520 ea. Shoulder Plugs, P430 1 1/8 inch 12NF 3/4 inch UH 316SS Header Pulgs and					
5022614	520 ea. Shoulder Plugs	Shoulder Plugs, Dimensions 4 In. x 4 In. x 2 In., Notes Location D1, Location OSBL Laydown Yard	520				
5022615	5 ea. Pipe Elbows and Valve	5 ea. Pipe Elbows and Valve, 4 each Carbon Steel STD SA 234 90 Degree Elbows, 1 Each Bonney Diaphram Valve 3/4 - 800, Dimensions 4 In. x 4 In. x 2 In., Notes Loaction E4, Location OSBL Laydown Yard	5				
5022617	42 ea. Flanges	42 ea. Flanges, 2 each 1.5-300 B16 SA182 326L Blinde Flange, 4 each 2 -150 WNRF Flange SA105N, 1 each 3-150 WNRF Flange SA105N, 2 each 3-150, B16 S40, WNRF Flange, 1 4-150, B16, S40, WNRF Flange, 3 each 1.5-300 SW Companion Flange, 1 each 3/4-300 SW Companion Flange, 5 each 4-150 WNRF Flange SA105N, 3 each 8-150 WRNF Flange SA105N, 10 each 10-150 WRNF Flange SA105N, 6 each 12-150 WRNF Flange SA105N, 1 each 14-150 WRNF Flange SA105N, 1 each 14-150 WRNF Flange, 1 each 4-300 SA105N Blind Flange, Dimensions 4 In. x 4 In. x 2 In., Notes Location E6 and F6, Location OSBL Laydown Yard	42				
	8 ea. Pipe Tees And	8 ea. Pipe Tees And Reducers, 1 each 14 by 10 Standard Tee, 1 each 10 inch Weld Tee Black Carbon Steel, 1 each 10 by 6 Weld Tee Black Carbon Steel, 1 each 6 by 6 Weld Tee Black Carbon Steel, 1 each 10 by 4 Reducer Black Carbon Steel, 2 10 by 8 Reducer, 1 each 36 by 8 ID Pipe, 1 each 12 by 4 ID Pipe, Dimensions 4 In. x 4 In. x 2 In., Notes Location E7,					
	5022613 5022614 5022615	5022612 1 ea. Flange 701 ea. Flange and Washers 5022614 520 ea. Shoulder Plugs 5 ea. Pipe Elbows and Valve 5022617 42 ea. Flanges 8 ea. Pipe Tees And	Roto Hammer Clamp On Chain Wheel, 1 35 foot Overhead Door Chain, 2 Locking Cable Kit 5/16 5 feet, 3 Model CL-12 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, 2 In., Notes Location Clat. 1/2 Flat Washers, 50 3/8 1/2 Flat Washe	Roto Hammer Clamp On Chain Wheel, 1 35 foot Overhead Door Chain, 2 Locking Cable Kit 5/16 5 feet, 3 Model CL-12 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, 1 Location CSBL Laydown Yard	Roto Hammer Clamp On Chain Wheel, 1 35 foot Overhead Door Chain, 2 Locking Cable Kit 5/16 5 feet, 3 Model CL-12 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, 1 Incation C14, Location OSBL Laydown Yard	Roto Hammer Clamp On Chain Wheel, 1 35 foot Overhead Door Chain, 2 Locking Cable Kit 5/16 5 feet, 3 Model CL-12 Roto Hammer Clamp On Chain Wheel, 1 Model CL-21 Roto Hammer Clamp On Chain Wheel, 1 Model Clare Hammer Clamp On Chain Wheel, 1 Lave Hammer Clamp On Chain Hammer Clamp On Chain Hammer Clamp On Chain Hammer Clamp On Chain Hammer C	Roto Hammer Clamp On Chain Wheel, 1 35 foot Overhead Door Chain, 2 Locking Cable Kit 5/16 5 feet, 3 Model CL: 12 Roto Hammer Clamp On Chain Wheel, 1 model CL: 12 Roto Hammer Clamp On Chain Wheel, Dimensions 4 ln. x 4 ln. x 2 ln., Notes Location C14, 10