

Lot Details: 15913-1433							
Location	Inventory ID	Short Description	Long Description	Make/Brand	Model	Serial #/VIN	Model Year
Sulfur Laydown Yard	5022626	Fisher ET and EAT EASY -E Valve	Fisher ET and EAT EASY -E Valve, Model CL125, Serial Number F004548246, Notes Location B 25 Low, Condition Good, Location Sulfur Laydown Yard	Fisher	CL125	F004548246	
Sulfur Laydown Yard	5022627	3 ea. Bonny Extended Body Gate Valve	3 ea. Bonny Extended Body Gate Valve, Model 1-800, CL I Dlv 1 GRPS Type 4,4x, Size :1/2 ; 1Ea. Emerson Actuator Valve, Type QS0040, Serial # 291947008., Dimensions 4 Ft. x 4 Ft. x 2 Ft., Notes Location B 25 Low, Condition Good, Location Sulfur Laydown Yard	Bonny	1-800		
Sulfur Laydown Yard	5022628	2 ea. 2023 Velan Gate Valve	2 ea. 2023 Velan Gate Valve, Model CF8M, Year 2023, To include: Valves, Pipe, and Flanges, Dimensions 1 Ft. x 1 Ft. x 1 Ft., Notes Location B 25 Low, Condition Good, Location Sulfur Laydown Yard	Velan	CF8M		2023
Sulfur Laydown Yard	5022629	Bebetz B16 Flange, Qty 2	2 ea. Bebetz B16 Flange, Model 8-1500, Dimensions 4 Ft. x 4 Ft. x 1 Ft., Notes Location B 25 Low, Condition Good, Location Sulfur Laydown Yard	Bebetz	8-1500		
Sulfur Laydown Yard	5022630	Ladish Gate Valve	Ladish Gate Valve, Model 10-300 FR BB, Serial Number 21636-025, Emerson Actuator, Type QS0040, Serial # 291947008., Dimensions 6 Ft. x 4 Ft. x 3 Ft., Notes Locationm B37, Condition Good, Location Sulfur Laydown Yard	Ladish	10-300 FR BB	21636-025	
Sulfur Laydown Yard	5022631	KITZ Gate Valve	KITZ Gate Valve, Model 10-150, 300PSI, Max Outlet Pressure 125PSI, Spring Range 2/6Psi, Max Temp 180 F, Seat / Orifice 416/416, Dimensions 5 Ft. x 4 Ft. x 3 Ft., Notes Location b37 Low, Condition Good, Location Sulfur Laydown Yard	KITZ	10-150		
Sulfur Laydown Yard	5022632	3 ea. SWI Gate Valve	3 ea. SWI Gate Valve, SIL 2/3 Capable, Diaphragm SS, MAWP 500 PSI, Fill DC200, Dimensions 5 Ft. x 5 Ft. x 3 Ft., Notes Location B38 Up, Condition Good, Location Sulfur Laydown Yard	SWI			
Sulfur Laydown Yard	5022633	Ladish Gate Valve	Ladish Gate Valve, Model 6-300, Serial Number 21636-026, 667 Diaphragm Actuator size 31/31i-76/76i, Type ET, Port Size 4 3/8, Rating CL300/720 PSI CWP, Size 4, Stem SST, Body SST, Seat Co Alloy, Dimensions 4 Ft. x 4 Ft. x 2 Ft., Notes Location B 39 Upper, Condition Good, Location Sulfur Laydown Yard	Ladish	6-300	21636-026	
Sulfur Laydown Yard	5022634	2024 Valen Globe Valve	2024 Valen Globe Valve, Model 4-300, Year 2024, Bonny 1-600 Valve, Body A105N, Seat CR13.HF, Disc CR 13, Stem CR13, Gate DN15-1-800, Fig MFL 11-LE, Dimensions 4 Ft. x 4 Ft. x 3 Ft., Notes Location B 39 Lower, Condition Good, Location Sulfur Laydown Yard	Valen	4-300		2024
Sulfur Laydown Yard	5022635	Ladish Gate Valve	Ladish Gate Valve, Model 6-300, Serial Number 20576-064, Wedge Valve, 2-150, DN 50, PN 20, Body CF8M, Stem 316, Wedge CF8M, DoC 59138, Fig F08-0064C-13SX, Dimensions 4 Ft. x 4 Ft. x 3 Ft., Notes Location B40 Lower, Condition Good, Location Sulfur Laydown Yard	Ladish	6-300	20576-064	
Sulfur Laydown Yard	5022636	4 ea. Parker Servo Valve	4 ea. Parker Servo Valve, Model 18py -711A: BD30CAMVH40, Serial Number LU0026, 2Ea. 8" 1500 Extra Heavy Weld Neck Raise Face B 16 Flange - B 29 Low, Dimensions 3 Ft. x 3 Ft. x 3 Ft., Notes Location B40 Lower, Condition Good, Location Sulfur Laydown Yard	Parker	18py -711A: BD30CAMVH40	LU0026	
Sulfur Laydown Yard	5022637	2024 Masoneilan Control Valve	2024 Masoneilan Control Valve, Model SVI3-21121110, Year 2024, Serial Number MS4H2023420223, D-24-004382, 10" 300 RF BB fp Ladish GT API 603, Stem 316, Disc CF8M, Body CF8M, Seat CF8M, Fig 8375, Dimensions 4 Ft. x 4 Ft. x 3 Ft., Notes Location B41 Lower, Condition Good, Location Sulfur Laydown Yard	Masoneilan	SVI3-21121110	MS4H2023420223, D-24-004382	2024

Sulfur Laydown Yard	5022638	YVI Globe Valve	YVI Globe Valve, Model 4-150, Serial Number YVI23060881, RF GT C12, Body C12, Disc HF, Steam CR13, Seat HF, Fig 150SCLS12CY, Dimensions 4 Ft. x 4 Ft. x 3 Ft., Notes Location B 43 Lower, Condition Good, Location Sulfur Laydown Yard	YVI	4-150	YVI23060881	
Sulfur Laydown Yard	5022639	MRC Global RF Blind Flange	MRC Global RF Blind Flange, Model 18323, 2Ea. 6" 150 RF BB FP Gate Valve; 1Ea 4" 150 RF BB FP Gate Valve., Dimensions 1 Ft. x 1 Ft. x 1 Ft., Notes Location B47 Upper, Condition Good, Location Sulfur Laydown Yard	MRC Global	18323		
Sulfur Laydown Yard	5022640	2023 Velan Flange In Gate Valve	2023 Velan Flange In Gate Valve, Model 3-150, Year 2023, RF BB FP GT API 603, Stem 316, Disc CF8M, Body CF8M, Seat CF8M, Fig 8375, Dimensions 4 Ft. x 4 Ft. x 3 Ft., Notes Location B47 Upper, Condition Good, Location Sulfur Laydown Yard	Velan	3-150		2023
Sulfur Laydown Yard	5022641	Kitz Gate Valve	Kitz Gate Valve, Model 6-150, F-107 4 C -09TS Body C12, Stem 13 CR, Disc HF, Seat HF, DN 100, PN 50, DoC 66203, Fig F12-1074C-09TS, Dimensions 4 Ft. x 3 Ft. x 3 Ft., Notes Location B47 Lower, Condition Good, Location Sulfur Laydown Yard	Kitz	6-150		
Sulfur Laydown Yard	5022642	2 ea. Bbetiz STD Flange	2 ea. Bbetiz STD Flange, Model 6-150, RF BB FP GT API 603, Class 300, Disc CF8M, Body CF8M, Seat CF8M, Fig 8375, Dimensions 2 Ft. x 2 Ft. x 1 Ft., Notes Location B47 Lower, Condition Good, Location Sulfur Laydown Yard	Bbetiz	6-150		
Sulfur Laydown Yard	5022643	8 ea. 90 Elbow	8 ea. 90 Elbow, Model 4 Inch, Model BD 30, 40 GPM, 60 Ma, Code Num Cam-VH-40, Pressure 0-3000, Dimensions 4 Ft. x 4 Ft. x 2 Ft., Notes Location B47 Lower, Condition Good, Location Sulfur Laydown Yard		4 Inch		
Sulfur Laydown Yard	5022644	12 ea. Volvosider Gate Valve	12 ea. Volvosider Gate Valve, Model 2-150, Serial Number 31611020Q2, 16 FV - 422, 9-30V 4-20 Ma, 120 PSI Max, Type \$x, Nema 4X, IP66, Dimensions 6 Ft. x 4 Ft. x 3 Ft., Notes Location B48 Lower, Condition Good, Location Sulfur Laydown Yard	Volvosider	2-150	31611020Q2	
Sulfur Laydown Yard	5022645	5 ea. Gate Valves	5 ea. Gate Valves, 316 SS, Class 150, Body WCB, Steam F316, Seat HF,, Dimensions 4 Ft. x 4 Ft. x 2 Ft., Notes Location B49 Lower, Condition Good, Location Sulfur Laydown Yard				
Sulfur Laydown Yard	5022646	2023 Valen Gate Valve	2023 Valen Gate Valve, Model 6-150, Year 2023, Fig 8 Spec Rf Blind Flang, 1/2 ' x 7 x 7 Cabon Steel Plate ASTN 8 36., Dimensions 4 Ft. x 4 Ft. x 3 Ft., Notes Location B49 Lower, Condition Good, Location Sulfur Laydown Yard	Valen	6-150		2023
Sulfur Laydown Yard	5022647	2 ea. Gate Valve	2 ea. Gate Valve, Model 2-300, Serial Number YVI21122354, CS FT, DN 80, PN 20, Body WCB, Stem 13 CR, Wedge 13CR, Seat HF, DoC 58093, Fig F10-0064C-02TY, Dimensions 4 Ft. x 2 Ft. x 2 Ft., Notes Location B49 Lower, Condition Good, Location Sulfur Laydown Yard		2-300	YVI21122354	
Sulfur Laydown Yard	5022648	Masoneilan Control Valve	Masoneilan Control Valve, Model 16 FB - 428, Serial Number D-24-0039\77, WCB 13 CR. Body WCB, Disc CR13, Steam CR13, Seat HF, Fig 150 SCLS, Dimensions 4 Ft. x 4 Ft. x 4 Ft., Notes Location B 48 Upper, Condition Good, Location Sulfur Laydown Yard	Masoneilan	16 FB - 428	D-24-0039\77	
Sulfur Laydown Yard	5022651	7 ea. Velan Gate Valve	7 ea. Velan Gate Valve, Deluxe RF BBFP Trim F51 FHF API 600, Seat S31803+HF, Disc A995GR.4A+HF, Steam S31803, Body A995GR.1B, Dimensions 6 Ft. x 4 Ft. x 3 Ft., Notes 2 Locations, First B49 Lower and B50 Upper., Condition Good, Location Sulfur Laydown Yard	Velan			

Sulfur Laydown Yard	5022653	2021 Flowserve Edward Univalve	2021 Flowserve Edward Univalve, Model B16.34SPL, Year 2021, WCB RF, DN 150, PN 20, Body WCB, Wedge 13CR, Steam 13CR, DoC 51913, Fig F14-0064C-02TY, Dimensions 2 Ft. x 2 Ft. x 2 Ft., Notes Location D19 Lower, Condition Good, Location Sulfur Laydown Yard	Flowserve	B16.34SPL		2021
Sulfur Laydown Yard	5022654	Ladish Gate Valve	Ladish Gate Valve, Model 8" 300, Serial Number 20876-003, WCB ASNE B16 API600, Dimensions 3 Ft. x 3 Ft. x 2 Ft., Notes Location B18 Lower, Condition Good, Location Sulfur Laydown Yard	Ladish	8" 300	20876-003	
Sulfur Laydown Yard	5022655	5 ea. Ladish Gate Valve	5 ea. Ladish Gate Valve, Model 2" 300, 16 FB - 428, Body-Steam-Plug-Seat CF8M/Trim.316, Range 3-15PSI, Supply 25 PSI, DN/NPS 1 IN, Dimensions 5 Ft. x 4 Ft. x 3 Ft., Notes Location B17 Lower, Condition Good, Location Sulfur Laydown Yard	Ladish	2" 300	20876-006	
Sulfur Laydown Yard	5022656	Ladish Gate Valve	Ladish Gate Valve, Model 8" 300, Serial Number 20876-004, SCH40S - CZ51A40, Dimensions 4 Ft. x 4 Ft. x 2 Ft., Notes Location B16 Lower, Condition Good, Location Sulfur Laydown Yard	Ladish	8" 300	20876-004	
Sulfur Laydown Yard	5022657	2023 Velan Gate Valve	2023 Velan Gate Valve, Model 6" 150, Year 2023, Serial Number 58433, Pipe SMLS, 316l 1.25 in, STD, Dimensions 4 Ft. x 3 Ft. x 2 Ft., Notes Location B15 Lower, Condition Good, Location Sulfur Laydown Yard	Velan	6" 150	58433	2023
Sulfur Laydown Yard	5022658	2024 Fisher Control Valve	2024 Fisher Control Valve, Model v500, Year 2024, Serial Number f004548247, Dimensions 4 Ft. x 4 Ft. x 4 Ft., Notes Location A36 Lower, Condition Good, Location Sulfur Laydown Yard	Fisher	v500	f004548247	2024
Sulfur Laydown Yard	5022659	Ladish Gate Valve	Ladish Gate Valve, Model 4-300, Serial Number 20919-007, Dimensions 4 Ft. x 3 Ft. x 3 Ft., Notes Location A35 Lower, Condition Good, Location Sulfur Laydown Yard	Ladish	4-300	20919-007	
Sulfur Laydown Yard	5022660	Velan Globe Valve	Velan Globe Valve, Model 6-300, Class 1690, size 4,000, fig: D36128, B/M B260446, Body A105, Stean 410, Disk A732GR21, Seat Int -HF, Dimensions 3 Ft. x 3 Ft. x 3 Ft., Notes Location A34 Lower, Condition Good, Location Sulfur Laydown Yard	Velan	6-300		
Sulfur Laydown Yard	5022661	Velan Gate Valve	Velan Gate Valve, Model 8-300, Body : CF8M, Fig. no 8375, Ste, : 316, Disc CF8M, Seat Cf8m, STD b16.34/API1603, P/T 720PSI @100F, Max Temp 1000F., Dimensions 4 Ft. x 3 Ft. x 3 Ft., Notes Location A 33 Lower, Condition Good, Location Sulfur Laydown Yard	Velan	8-300		
Sulfur Laydown Yard	5022662	Velan Gate Valve	Velan Gate Valve, Model 8-300, Serial Number 20876-005, Body : CF8M, Fig. no 8375, Ste, : 316, Disc CF8M, Seat CF8M, STD b16.34/API1603, P/T 720PSI @100F, Max Temp 1000F; Dimensions 4 Ft. x 3 Ft. x 3 Ft., Notes Location A39 Upper, Condition Good, Location Sulfur Laydown Yard	Velan	8-300	20876-005	
Sulfur Laydown Yard	5022663	2 ea. Kitz Gate Valve	2 ea. Kitz Gate Valve, Model 10-300, Serial Number 300SCLS12CY, Body : CF8M, Fig. no 8375, Ste, : 316, Disc CF8M, Seat CF8M, STD b16.34/API1603, P/T 720PSI @100F, Max Temp 1000F, Dimensions 5 Ft. x 5 Ft. x 3 Ft., Notes Location A38 Upper, Condition Good, Location Sulfur Laydown Yard	Kitz	10-300	300SCLS12CY	
Sulfur Laydown Yard	5022664	2 ea. Velan Gate Valve	2 ea. Velan Gate Valve, Model 10-300, Body : CG8M, Fig.F14, mod: A, Ste, : 317, Disc, Seat HF., Dimensions 5 Ft. x 5 Ft. x 3 Ft., Notes Location A37, Condition Good, Location Sulfur Laydown Yard	Velan	10-300		