

Material ID	Extended Description	Qty	Weight per unit	Total Weight	Weight Unit	Lots
AG321810423775	14" Lg Ported Drive Sub W/ 1" 8Tpi Buttress Connection	11	1.2	13.1	KG	Completion & Wellbore Intervention-Steel/others
AG131010184971	15.188" Od Packing Cup W/ 4.563" Id	1	0.1	0.1	LB	Completion & Wellbore Intervention-Steel/others
AG852H064269501RT	190-60 198-60 210-60 Flapper Anit Swabbing 41Xx Or P110 Steel 110 Mys Std W/Viton O-Rings	2	150.0	300.0	LB	Completion & Wellbore Intervention-Steel/others
AGI1310H0K0853900RT	198/218-60 Ball Catcher Sub Assembly 41Xx Or P110 Steel 110 Mys Std Baker Q3 Qual Lvl F/Ck Fraq System W/Viton Orings Special W/ Steel Shear Screws W/ Piston W/ 6 Bottom Slots	1	13.1	13.1	LB	Completion & Wellbore Intervention-Steel/others
AG78H099362700RT	2.125 Sub Knocker Assembly 1.500 In Od 5.712 In Lg Baker Q3 Qual Lvl	3	1.8	5.4	LB	Completion & Wellbore Intervention-Steel/others
AG432H047306602RT	2.130 In Delayed Inflate Valve .955 In Stub Acme Pin Up .955 In Stub Acme Box Down W/P Sleeve Baker Q3 Qual Lvl	2	10.3	20.6	LB	Completion & Wellbore Intervention-Steel/others
AGI711H047306200RT	2.130 In Packer Isolation Piston 41Xx Or L80 Steel 80 Mys Nace Zinc Or Manganese Phosphate Baker Q3 Qual Lvl	46	0.3	15.6	LB	Completion & Wellbore Intervention-Steel/others
AGI184510632392	2.500 In A1 Hstk 2.500 In Od 4 Stage Rk Baker Q3 Qual Lvl	16	1.1	17.8	LB	Completion & Wellbore Intervention-Steel/others
AG43210081796	2.875" Od Housing	4	6.0	24.2	KG	Completion & Wellbore Intervention-Steel/others
AG923H046641303RT	2.875" Od Housing W/ 1" Id - 2" Sa Box X 2.375" Pac Dsi Pin	16	22.1	353.8	LB	Completion & Wellbore Intervention-Steel/others
AGI1593HT02233910	20 Ring-Casing 20 Od 16-20 Type D Casing Spear Baker Q3 Qual Lvl	2	95.5	190.9	LB	Completion & Wellbore Intervention-Steel/others
AG1593H094259100	2-5/8" Dressed Plug	3	1.1	3.6	LB	Completion & Wellbore Intervention-Steel/others
AG3H047506800RT	3" Valve Mandrel 41Xx Or P110 Steel 110 Mys Std 3.000 In Od 1.125 In Id 9.312 In Lg F/Isap Baker Q3 Qual Lvl	2	16.1	32.2	LB	Completion & Wellbore Intervention-Steel/others
AGI4194H0K1094500RT	3.313 In Shifting Collet 3.700 In Od 1.690 In Id 29.750 In Lg 41Xx Or P110 Steel 110 Mys Std Zinc Or Manganese Phosphate Baker Q3 Qual Lvl F/Caledyne Barrier Valves Drifts 2.750 Restriction	2	12.1	24.2	LB	Completion & Wellbore Intervention-Steel/others
AG3218N913006047RT	3.375" Od Top Sub - 2.875" Pac X	39	13.5	526.5	LB	Completion & Wellbore Intervention-Steel/others
AG71H079465170	3.5" Od Ball Seat W/ 1.26" Id For 1.5" Ball Diameter	47	4.1	193.2	OZ	Completion & Wellbore Intervention-Steel/others
AG85210598478	3.5" Od Dual Cartridge Magnum Rupture Disk Sub	1	40.1	40.1	LB	Completion & Wellbore Intervention-Steel/others
AG923H038101800RT	3.5" Od X 2.76" Id X 15.250" L P110 Tube	14	10.1	141.6	LB	Completion & Wellbore Intervention-Steel/others
AGI1593H049432300RT	3.6" Body 4140-4142 125 Mys 32-38 Hrc Zinc Or Manganese Phosphate 2.375 In Reg Box Up W/3.625 Od X 3.125 Catch	2	79.1	158.2	LB	Completion & Wellbore Intervention-Steel/others
AG852H094385300RT	3.625" Od Wash Pipe Top Sub 2.375" Pac Dsi Pin	1	19.1	19.1	LB	Completion & Wellbore Intervention-Steel/others
AGI4H0U0144401	3.680 In -3.810 In Key 8620 F/Case F/Ht Zinc Or Manganese Phosphate 4.060 In Od 2.822 In Id 5.692 In Lg Baker Q3 Qual Lvl F/ Model 'Hb-2' Shifting Tool Specifically F/ Blitz System	20	1.1	22.2	LB	Completion & Wellbore Intervention-Steel/others
AGI163910607168	3.750 In Spare Parts Kit F/ H350110006Rt Injection Control Valve Baker Q3 Qual Lvl Non Critical	1	94.1	94.1	G	Completion & Wellbore Intervention-Steel/others
AG1593H0K0997400RT	4.000 In B Profile Key 4140-4142 80 Mys 22 Hrc Max Ppq Or Plasma Nitriding 13.780 In Lg Baker Q3 Qual Lvl F/2.200 Hest	13	4.1	52.1	LB	Completion & Wellbore Intervention-Steel/others
AGI163910624202	4.000 In Indicating Collet Cr-Mo Steel 125 Mys Q&T Zinc Or Manganese Phosphate Lamesco, Nigeria	2	9.1	18.2	LB	Completion & Wellbore Intervention-Steel/others
AGI3HT02140602	4.5" Horizontal Slip 8620 F/Case F/Ht F/3.625 Od B & D Spear F/4.500 16.00 Lb/Ft Csg F/Catch Range 3.625-4.125 .937 Thick Baker Q3 Qual Lvl	2	8.1	16.2	LB	Completion & Wellbore Intervention-Steel/others
AGI2324HT02140602	4.5" Horizontal Slip 8620 F/Case F/Ht F/3.625 Od B & D Spear F/4.500 16.00 Lb/Ft Csg F/Catch Range 3.625-4.125 .937 Thick Baker Q3 Qual Lvl	6	8.1	48.7	LB	Completion & Wellbore Intervention-Steel/others
AG85210598477	4.5" Od Dual Cartridge Magnum Rupture Disk Sub	1	40.1	40.1	LB	Completion & Wellbore Intervention-Steel/others
AGI4068HT01148705	4.500 In Bumper Ring 1015-1026 Zinc Or Manganese Phosphate 10.500 In Od 5.260 In Id 3.000 In Lg Baker Q3 Qual Lvl	8	38.0	304.0	LB	Completion & Wellbore Intervention-Steel/others
AG92310418233	4.630" Od X 3.510" Id Steel Cone	26	16.1	418.9	LB	Completion & Wellbore Intervention-Steel/others
AGI18510070568	4.750 In Mandrel Baker Q3 Qual Lvl	1	120.1	120.1	LB	Completion & Wellbore Intervention-Steel/others
AG20H065562303RT	5.735" Od X 4.5" Id X 13.94" L P110 Tube	2	26.0	52.0	LB	Completion & Wellbore Intervention-Steel/others
AGI2085H076002600RT	51 Seal Mandrel 41Xx Or L80 Steel 80 Mys Nace Zinc Or Manganese Phosphate 5.875 In Od 53.000 In Lg Baker Q3 Qual Lvl	1	98.0	98.0	LB	Completion & Wellbore Intervention-Steel/others
AGI1102H076002600RT	51 Seal Mandrel 41Xx Or L80 Steel 80 Mys Nace Zinc Or Manganese Phosphate 5.875 In Od 53.000 In Lg Baker Q3 Qual Lvl	3	98.0	294.0	LB	Completion & Wellbore Intervention-Steel/others
AGI977H076000300	53 Drag Block Housing 8.750 In Od 4.675 In Id 13.562 In Lg Zinc Or Manganese Phosphate Baker Q3 Qual Lvl F/Size 53 Model Gt' Lok-Set Retrievable Bridge	1	71.4	71.4	LB	Completion & Wellbore Intervention-Steel/others
AGI417210067442	6.3" Mandrel Body 6.250 In Od Baker Q3 Qual Lvl	1	103.1	103.1	LB	Completion & Wellbore Intervention-Steel/others
AGI77H096197518	6.345 In Blade Astm A105 Crbn Stl 36 Ksi Mys 07.625 In 24.0 Lb/Ft Csg 6.345 In Od 4.750 In Id 25.000 In Lg Baker Q3 Qual Lvl F/G1 Upper Watermelon	32	4.3	137.0	LB	Completion & Wellbore Intervention-Steel/others
AG228HT02181703	6.375" Od Stabilizer Sleeve W/	9	0.0	0.0	LB	Completion & Wellbore Intervention-Steel/others
AG1832H094259800RT	6.75" Od Washpipe Shoe W/ 6.375" Tswp Connections	4	177.1	775.7	LB	Completion & Wellbore Intervention-Steel/others
AG234H0G0683200	7.000 In Collet 6.555 In Od 4.245 In Id 07.000 In 23.0 Lb/Ft Csg 17.380 In Lg 4140-4142 125 Mys 32-38 Hrc Zinc Or Manganese Phosphate Baker Q3 Qual Lvl	2	16.1	33.0	LB	Completion & Wellbore Intervention-Steel/others
AG77H095702700	7.6" Od Debris Excluder Sub	32	7.0	225.8	LB	Completion & Wellbore Intervention-Steel/others
AGI2195H0E0463500RT	7.630 In Collar 7.625 In 29.70 Lb/Ft X-Line Box Up 7.625 In 29.70 Lb/Ft X-Line Box Down 8.010 In Od 6.802 In Id 24.000 In Lg 4140-4142 110Mys 30-36 Hrc Max Zinc Or Manganese Phosphate Baker Q3 Qual Lvl F/7.63 Vacs G2 Debris Retainer	1	0.1	0.1	LB	Completion & Wellbore Intervention-Steel/others
AG321810144965	8.000 In Redress Kit F/Anchor H293280002 4.5" Nc50 Box Non Critical	5	7.3	36.3	LB	Completion & Wellbore Intervention-Steel/others
AG228H0K0623703RT	8.000 In X 4.562 In Bottom Sub 4.000 In 11.60 Lb/Ft Tenarishydrit Wedge 511 Pin Down Right Hand Thread Down 41Xx Or P110 Steel 110 Mys Std Zinc Or Manganese Phosphate 4.015 In Od 2.000In Id 10.000 In Lg Baker Q3 Qual Lvl F/Service String	3	17.0	51.0	LB	Completion & Wellbore Intervention-Steel/others
AG228H0K0623603RT	8.000 In X 4.562 In Top Sub 41Xx Or P110 Steel 110 Mys Std Zinc Or Manganese Phosphate 4.000 In 11.60 Lb/Ft Tenarishydrit Wedge 511 Box Up Right Hand Thread Up 4.046 In Od 2.000In Id 10.000 In Lg F/Service String Baker Q3 Qual Lvl	3	21.0	63.0	LB	Completion & Wellbore Intervention-Steel/others
AGI1654H0K1062100RT	8.039 In X 4.562 In Shifting Collet 5.010 In Od 3.095 In Id 30.000 In Lg 41Xx Or L80 Steel 80 Mys Nace Zinc Or Manganese Phosphate Baker Q3 Qual Lvl F/ Open Only	3	18.1	54.3	LB	Completion & Wellbore Intervention-Steel/others
AGI1828HT02130440	8.2" Multi String Cutter Knife 23.000 In Lg Baker Q3 Qual Lvl	9	55.1	496.0	LB	Completion & Wellbore Intervention-Steel/others
AG1593H058467900	8.25" Od Seal Assembly For Liner Hanger	3	2.0	6.5	LB	Completion & Wellbore Intervention-Steel/others
AG1593H058467800	8.375" Od Seal Assembly For Liner Hanger	2	2.1	4.5	LB	Completion & Wellbore Intervention-Steel/others
AGI1310H064071100RT	80-40 Top Sub 4140-4142 110 Mys 30-36 Hrc Baker Q3 Qual Lvl	1	34.3	34.3	LB	Completion & Wellbore Intervention-Steel/others
AG228H079195307	9.625 In Body 41Xx Or P110 Steel 110 Mys Std Zinc Or Manganese Phosphate 10.375 In Od 5.560 In Id 36.120 In Lg F/5.500 In Od Lift Nipple Baker Q3 Qual Lvl	1	0.1	0.1	LB	Completion & Wellbore Intervention-Steel/others
AGI2324HT02134608	Adapter - Marine Swivel 14.375 Od W/24" Wellhead Od Baker Q3 Qual Lvl	2	298.1	596.2	LB	Completion & Wellbore Intervention-Steel/others
AG3HWWVMST0371	Baker Q3 Qual Lvl	25	0.3	8.2	LB	Completion & Wellbore Intervention-Steel/others
AGI1593H094527901	Bit Breaker Baker Q3 Qual Lvl F/5.500 In To 13.625 In Window Master Window Mill F/3.375" Flats, 1.500" Thk	3	48.1	144.3	LB	Completion & Wellbore Intervention-Steel/others
AGI1013H0E5624600	Blank Blade 1015-1026	84	1.1	93.3	LB	Completion & Wellbore Intervention-Steel/others
AG185H0E0501301	Blank Knife For Retrievmatic Section Mill	34	1.1	38.1	LB	Completion & Wellbore Intervention-Steel/others
AGI185H095619900	Body 41Xx Or P110 Steel 110 Mys Std 8.125 In Od 5.875 In Id W/Overshot Series 150 F/Bowen Bowl B-3711 Baker Q3 Qual Lvl	2	207.2	414.4	LB	Completion & Wellbore Intervention-Steel/others
AGI175H0E5548300RT	Body 41Xx Or P110 Steel 110 Mys Std Ppq Or Plasma Nitriding 5.500 In Od 2.125 In Id 34.000 In Lg F/ Perseus Cutter	1	120.1	120.1	LB	Completion & Wellbore Intervention-Steel/others

AG234H079930910	Body 41Xx Or P110 Steel 110 Mys Std Zinc Or Manganese Phosphate Nc50 Box Up Nc50 Pin Down 7.360 In Od 2.500 In Id 88.000 In Lg F/7.375 Seal Id 6 Ft Extension W/.235 Cross Section Bulletseals Baker Q3 Qual Lvl	3	740.1	2220.3	LB	Completion & Wellbore Intervention-Steel/others
AGI852H079506708	Bottom Connection 41Xx Or P110 Steel 110 Mys Std Surface Treatment 3.125 In Stub Acme Pin Down 4.030 In Od 2.400 In Id 22.000 In Lg Baker Q3 Qual Lvl F/ 3.055 Od Yieldable Ball Seat	2	0.1	0.2	LB	Completion & Wellbore Intervention-Steel/others
AGI2704H078974601RT	Bottom Connection 41Xx Or P110 Steel 110 Mys Std Surface Treatment Nc38 Pin Down Baker Q3 Qual Lvl	2	0.1	0.2	LB	Completion & Wellbore Intervention-Steel/others
AGI1593H0E0727901RT	Bottom Sub Cr-Mo Steel 125 Mys Q&T Zinc Or Manganese Phosphate Nc50 Pin Down Baker Q3 Qual Lvl	6	185.0	1110.0	LB	Completion & Wellbore Intervention-Steel/others
AG4068HT01022512	Bumper Ring For 6" Od Lubricated Bumper Sub	12	10.0	120.0	LB	Completion & Wellbore Intervention-Steel/others
AGI852H0E0249600	Button Type Slip Blank 4140-4142 110Mys 30-36 Hrc Max No Bcs Description	6	1.1	6.7	LB	Completion & Wellbore Intervention-Steel/others
AG3083HT10013222	Cage Baker Q3 Qual Lvl	3	4.1	12.3	LB	Completion & Wellbore Intervention-Steel/others
AG78H099365700RT	Clutch Housing For 2.875" Od Hipp Tripper	2	11.0	22.0	LB	Completion & Wellbore Intervention-Steel/others
AG4194H049451402RT	Collet 1.800 In Stub Acme Box Up 2.130 In Od Ni Alloy 718 120 Mys 40 Hrc Baker Q3 Qual Lvl Fau Service	5	0.1	0.5	LB	Completion & Wellbore Intervention-Steel/others
AG706H0E0876700	Compression Spring 42 #/In .343 In 3.248 In Od 2.562 In Id Mp35N Wire Springs 55 Hrc Max Baker Q3 Qual Lvl	10	5.4	54.0	LB	Completion & Wellbore Intervention-Steel/others
AG419410579534	Data Acquisition Informer Baker Q3 Qual Lvl Signal Analyzer & Logging Unit Waterproof Eight Ton Alum Split Plate Baker Q3 Qual Lvl F/2.875 Od Qiktech Connector W/ Suspension Groove	3	2.1	7.0	LB	Completion & Wellbore Intervention-Steel/others
AG178710557955	Electronic Cartridge For Hydrostatic Setting Tools From Omega Well Intervention	2	56.1	112.2	LB	Completion & Wellbore Intervention-Steel/others
AG163910608687	Guide Baker Q3 Qual Lvl	2	1.1	2.6	LB	Completion & Wellbore Intervention-Steel/others
AGI2334HT04004250	Hydrostatic Setting Tool Module For Omega Products	2	326.1	652.2	LB	Completion & Wellbore Intervention-Steel/others
AG163910608608	Hydrostatic Setting Tool Module For Omega Products	2	1.1	2.6	LB	Completion & Wellbore Intervention-Steel/others
AG163910608686	Hydrostatic Setting Tool Module For Omega Products	2	1.1	2.6	LB	Completion & Wellbore Intervention-Steel/others
AG3HWWW0X0020	Insert Blade For Bit - Blank Steel	84	0.1	4.2	LB	Completion & Wellbore Intervention-Steel/others
AG619H0E0827900	Knife Retraction Kit For Baker Cutters	5	1.1	5.6	LB	Completion & Wellbore Intervention-Steel/others
AGI4198H0E0493900RT	Lifting Pup Cr-Mo Steel 110 Mys Cvn Req Zinc Or Manganese Phosphate Nc50 Box Up 7.625 In 29.70 Lb/Ft X-Line Pin Down 8.010 In Od 3.750 In Id 42.010 In Lg Baker Q3 Qual Lvl F/7.63 Vacs G2 Jet Engine	2	0.1	0.2	LB	Completion & Wellbore Intervention-Steel/others
AG539H079552001	Lock .625 In Od .220 In Id 41Xx Or P110 Steel 110 Mys Std Zinc Or Manganese Phosphate 1.250 In Lg Baker Q3 Qual Lvl W/ All Outer Parts Locked	41	0.1	4.5	LB	Completion & Wellbore Intervention-Steel/others
AGI22810613682	Lock Rings F/11.750 In Fs Overshot Bowl #5331 Baker Q3 Qual Lvl	5	80.1	400.6	LB	Completion & Wellbore Intervention-Steel/others
AGI22810614343	Lock Rings F/8.125 In Od S150 Overshot Bowl # B-3711 Baker Q3 Qual Lvl	6	10.1	60.7	LB	Completion & Wellbore Intervention-Steel/others
AGI22810614345	Lock Rings F/8.375 In Sh Overshot Bowl # B-5356 Baker Q3 Qual Lvl	4	80.1	320.4	LB	Completion & Wellbore Intervention-Steel/others
AGI22810613681	Lock Rings F/9.625 In Fs Overshot Bowl #266 Baker Q3 Qual Lvl	5	80.1	400.6	LB	Completion & Wellbore Intervention-Steel/others
AGI110510178229	Mandrel 6.500 In Od Baker Q3 Qual Lvl	1	0.1	0.1	LB	Completion & Wellbore Intervention-Steel/others
AGI175H0E1007302	Mandrel Assembly No Bms Description Pqp Or Plasma Nitriding F/Perseus Cutter F/Underreaming	1	33.1	33.1	LB	Completion & Wellbore Intervention-Steel/others
AGI17510232900	Middle Body 4.750 In Od 2.250 In Id 15.500 In Stroke Lubricated Bumper Sub Baker Q3 Qual Lvl	3	50.1	150.3	LB	Completion & Wellbore Intervention-Steel/others
AGI3581H096193200	Multi Size Dressed Blade No 2 05.500 In All Weights Csg Baker Q3 Qual Lvl F/All Pathmaster & G2 Windowmaster Whipstock Systems	46	0.1	5.1	LB	Completion & Wellbore Intervention-Steel/others
AG4068H094952600	Multi Size Ring 1015-1026 Baker Q3 Qual Lvl	16	69.1	1105.8	LB	Completion & Wellbore Intervention-Steel/others
AG185H079568600RT	Multi-Plug Adapter 4130 M7 4340 110-140 Ys 28-34 Surface Treatment 9.500 In Od 4.000 In Id 43.250 In Lg Baker Q2 Qual Lvl	1	486.1	519.0	LB	Completion & Wellbore Intervention-Steel/others
AGI1513H079331000RT	Multi-Plug Adapter 4130 M7 4340 110-140 Ys 28-34 Zinc Or Manganese Phosphate 9.500 In Od 4.000 In Id 43.25 In Lg Baker Q3 Qual Lvl	2	700.1	1400.2	LB	Completion & Wellbore Intervention-Steel/others
AGI2085H079331000RT	Multi-Plug Adapter 4130 M7 4340 110-140 Ys 28-34 Zinc Or Manganese Phosphate 9.500 In Od 4.000 In Id 43.25 In Lg Baker Q3 Qual Lvl	1	700.1	700.1	LB	Completion & Wellbore Intervention-Steel/others
AG185H079568601RT	Multi-Plug Adapter 4130 M7 4340 110-140 Ys 28-34 Zinc Or Manganese Phosphate F/8 Keys 9.500 In Od 4.000 In Id 43.250 In Lg Baker Q2 Qual Lvl	1	457.1	483.4	LB	Completion & Wellbore Intervention-Steel/others
AGI61110579579	Networked Frequency Standard Configured Per Quote 11557 Option: -Gmr-Gnss Option: -Gmr-Tcg Option: -Gmr-10Mhz-Out Option: -Plug-Na Option: Gnss-Kit-Stnd Option: Pkg-Stnd Baker Q3 Qual Lvl	1	3.5	3.5	LB	Completion & Wellbore Intervention-Steel/others
AG85210600122	Packer Cup For 16" - 109Ppf Csg.	2	50.1	100.2	LB	Completion & Wellbore Intervention-Steel/others
AG234H0J0996001RT	Ported Sub 4.555 In 4.550 In Od 2.084 In Id 33.500 In Lg 41Xx Or P110 Steel 110 Mys Std Pqp Or Plasma Nitriding F/ Soft Opening Ball Seat F/ 4.555 Packer Bore Baker Q3 Qual Lvl	2	85.1	173.8	LB	Completion & Wellbore Intervention-Steel/others
AG358110234011	Rap Frame 8.000 - 8.300 In Od Drilltec Rap Bolstering System F/Transporting Linexx F/Pipe And Accessories 3 Components Per Row 3 Rows Tall 1 Each Is 1 Frame 2 Frames Required For 20 Ft4 Frames Required For 40 Ft	50	0.1	5.6	LB	Completion & Wellbore Intervention-Steel/others
AG70510488091	Redress Kit F/H265530015 Baker Q3 Qual Lvl	2	9.1	20.2	LB	Completion & Wellbore Intervention-Steel/others
AG7010530168	Release Piston For 2.875" Od Tj Hydraulic Disconnect	15	2.1	31.7	LB	Completion & Wellbore Intervention-Steel/others
AG20H065220501RT	Releasing Sleeve For	4	3.4	13.6	LB	Completion & Wellbore Intervention-Steel/others
AGI4080H0E0456400	Scraper Sleeve 8620 F/Case F/Ht 13.375 In All Weights Csg 11.100 In Od 7.868 In Id 37.500 In Lg Baker Q3 Qual Lvl	1	0.1	0.1	LB	Completion & Wellbore Intervention-Steel/others
AGI97710595566	Setting Sleeve Baker Q3 Qual Lvl	2	1.1	2.2	LB	Completion & Wellbore Intervention-Steel/others
AG228H0E0608000RT	Slip 16.000 In All Weights Csg Zinc Or Manganese Phosphate Baker Q3 Qual Lvl	8	9.9	79.2	LB	Completion & Wellbore Intervention-Steel/others
AG53910556801	Slip Segment For 30" Csg.	6	221.1	1351.1	LB	Completion & Wellbore Intervention-Steel/others
AG432H046881160RT	Spacer Ring 2.13" Od X 1.25" Id	6	33.1	198.7	LB	Completion & Wellbore Intervention-Steel/others
AG2010496920	Straddle Tool 3.500 In 9.30 Lb/Ft Eu 8Rd Box Up 3.500 In 9.30 Lb/Ft Eu 8Rd Pin Down 41Xx Or L80 Steel 80 Mys Nace Baker Q3 Qual Lvl Burns Four Cup Straddle Tl	2	65.0	130.0	LB	Completion & Wellbore Intervention-Steel/others
AG539H079627900	Swivel Shield Baker Q3 Qual Lvl	2	1.1	2.3	LB	Completion & Wellbore Intervention-Steel/others
AG163910608684	Timer For Hydrostatic Setting Tools From Omega Well Intervention	2	1.1	2.6	LB	Completion & Wellbore Intervention-Steel/others
AGI852H079506609	Top Connection 41Xx Or P110 Steel 110 Mys Std Surface Treatment 3.125 In Stub Acme Box Up 4.030 In Od 2.400 In Id 18.000 In Lg F/ 3.055 Od Yieldable Ball Baker Q3 Qual Lvl	2	0.1	0.2	LB	Completion & Wellbore Intervention-Steel/others
AGI185H079330910RT	Top Connection 5.875 In Xt-57 Box Up 4130 M7 4340 110-140 Ys 28-34 Zinc Or Manganese Phosphate 9.500 In Od 4.000 In Id 72.500 In Lg Baker Q3 Qual Lvl W/Accessory Bevel	1	710.0	710.0	LB	Completion & Wellbore Intervention-Steel/others
AG228H0A3464400	Upper Linkage Arm 4140-4142 110Mys 30-36 Hrc Max Pqp Or Plasma Nitriding 3.000 In Od 1.375 In Id 4.668 In Lg Baker Q3 Qual Lvl	6	0.7	4.4	LB	Completion & Wellbore Intervention-Steel/others
AG705H094387304	3/16" Silver Solder Rod - 1 Lb	95	1.0	95.4	LB	Completion & Wellbore Intervention-Silver
AGI977H046855400RT	1.812 In Motor Assembly	12	1.1	13.3	LB	Completion & Wellbore Intervention-Motor
AGI092310486707	Flexible Shaft Threaded Version 3.3/8" X-Treme Workover Rental Traceable	21	4.2	88.2	KG	Completion & Wellbore Intervention-Motor
AGI000410486707	Flexible Shaft Threaded Version 3.3/8" X-Treme Workover Rental Traceable	12	4.2	50.4	KG	Completion & Wellbore Intervention-Motor
AGI007010486707	Flexible Shaft Threaded Version 3.3/8" X-Treme Workover Rental Traceable	3	4.2	12.6	KG	Completion & Wellbore Intervention-Motor
AGI057510486707	Flexible Shaft Threaded Version 3.3/8" X-Treme Workover Rental Traceable	6	4.2	25.2	KG	Completion & Wellbore Intervention-Motor
AGI358110486707	Flexible Shaft Threaded Version 3.3/8" X-Treme Workover Rental Traceable	77	4.2	323.2	KG	Completion & Wellbore Intervention-Motor
AGI187810498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	2	3.5	7.0	KG	Completion & Wellbore Intervention-Motor
AGI061910498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	1	3.5	3.5	KG	Completion & Wellbore Intervention-Motor
AGI000410498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	18	3.5	63.4	KG	Completion & Wellbore Intervention-Motor
AGI007810498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	1	3.5	3.5	KG	Completion & Wellbore Intervention-Motor

AGI018510498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	1	3.5	3.5	KG	Completion & Wellbore Intervention-Motor
AGI057510498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	3	3.5	10.6	KG	Completion & Wellbore Intervention-Motor
AGI070610498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	8	3.5	28.2	KG	Completion & Wellbore Intervention-Motor
AGI092310498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	2	3.5	7.0	KG	Completion & Wellbore Intervention-Motor
AGI110510498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	5	3.5	17.6	KG	Completion & Wellbore Intervention-Motor
AGI159310498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	3	3.5	10.6	KG	Completion & Wellbore Intervention-Motor
AGI358110498077	Flexible Shaft Threaded Version Material: Ti03 Bhi Spec 2.7/8" X-Treme Workover	203	3.5	715.2	KG	Completion & Wellbore Intervention-Motor
AG308310377564	Pcp Rotor For 2-7/8" Od Motor	4	52.0	208.0	KG	Completion & Wellbore Intervention-Motor
AGI7010365421	Rotor 2.7/8" Mach 1W1 T5-Plated M30X2 Box Down 2.7/8" Ultra Navi-Drill_Workover	15	21.1	316.8	KG	Completion & Wellbore Intervention-Motor
AGI3581N10081784RT	Rotor 2.7/8" Mach 1X-Pv T5- Plated, Bhi Thread Down 2.7/8" X-Treme Workover Rental Traceable	3	18.1	54.4	KG	Completion & Wellbore Intervention-Motor
AGI308310369714	Rotor 2.7/8" Mach 2P G2-Coated	7	19.3	135.1	KG	Completion & Wellbore Intervention-Motor
AGI4N913006052	Rotor 3.3/8" 1W/Ad, T5-Plated M36 X 3 Box Thread Down 3.3/8" Workover	1	77.0	77.0	LB	Completion & Wellbore Intervention-Motor
AG321810364967	Titanium Coated Rotor For Baker Motor	3	5.4	16.1	KG	Completion & Wellbore Intervention-Motor
AG977H040487900	10.4" Inflatable Element	1	348.3	348.3	LB	Completion & Wellbore Intervention-Inflatables
AG3218H046986812	2.125" Od Rib Type Inflatable Elements	4	19.0	76.3	LB	Completion & Wellbore Intervention-Inflatables
AG3218H046732112	2.5" Od Rib Type Inflatable Element	9	20.0	170.1	LB	Completion & Wellbore Intervention-Inflatables
AG25H047918612	3.375" Od Rib Type Inflatable Elements	4	52.0	187.0	LB	Completion & Wellbore Intervention-Inflatables
AGI977H048014100RT	Chassis Sub-Assembly 2.000 In Id Baker Q3 Qual Lvl 103.25 In Lg Element	1	610.0	610.0	LB	Completion & Wellbore Intervention-Inflatables
AGI706H049595212	Inflatable Element 2.500 In Element Od 48.00 In Element Lg Dual Seal Element 886 Tube 886 Cover Baker Q3 Qual Lvl	2	19.1	38.2	LB	Completion & Wellbore Intervention-Inflatables
AGI1105H047504912	Inflatable Element 2.500 In Element Od 66.13 In Element Lg Modified Open Hole 886 Tube 886 Cover Baker Q3 Qual Lvl	4	34.0	136.0	LB	Completion & Wellbore Intervention-Inflatables
AGI228H047504912	Inflatable Element 2.500 In Element Od 66.13 In Element Lg Modified Open Hole 886 Tube 886 Cover Baker Q3 Qual Lvl	3	34.0	102.0	LB	Completion & Wellbore Intervention-Inflatables
AGI2324H046785412	Inflatable Element 3.380 In Element Od 66.00 In Element Lg Dbl Anchor Dual Seal Element 886 Tube 886 Cover Baker Q3 Qual Lvl F/H2S Service	1	64.0	64.0	LB	Completion & Wellbore Intervention-Inflatables
AGI3060H038102000	Unloader Element 90 Hd Hnbr Nitrile Pe 2.812 In Od 2.187 In Id 1.136 In Lg Baker Q3 Qual Lvl	75	4.1	308.3	OZ	Completion & Wellbore Intervention-Inflatables
AGI539HMCP33011RC1125	11." Mill Control Packer 33011R 13.750 In Od Series 150 11.250 In Nominal Catch B#33008 Baker Q3 Qual Lvl	5	50.0	250.0	LB	Completion & Wellbore Intervention-Fishing
AG185HSPG9283C1239	12.39" Od Grapple For 8.25" Fishing Spear	1	216.1	232.4	LB	Completion & Wellbore Intervention-Fishing
AG4068HSPG9283C1700	17" Od Grapple For 8.25" Od Fishing Spear	1	0.1	0.1	LB	Completion & Wellbore Intervention-Fishing
AG852HSPG9283C1700	17" Od Grapple For 8.25" Od Fishing Spear	2	0.1	0.2	LB	Completion & Wellbore Intervention-Fishing
AG4172HSPG17248C1800	18" Grapple For 8.25" Od Fishing Spear	1	430.1	430.1	LB	Completion & Wellbore Intervention-Fishing
AGI1654HSPG17248C1902	19" Grapple 19.024 In Nominal Catch 18.862 In Min Catch 19.187 In Max Catch Baker Q3 Qual Lvl	2	925.0	1850.0	LB	Completion & Wellbore Intervention-Fishing
AGI1849HSPG17248C1902	19" Grapple 19.024 In Nominal Catch 18.862 In Min Catch 19.187 In Max Catch Baker Q3 Qual Lvl	1	925.0	925.0	LB	Completion & Wellbore Intervention-Fishing
AGI670HSPG17248C1902	19" Grapple 19.024 In Nominal Catch 18.862 In Min Catch 19.187 In Max Catch Baker Q3 Qual Lvl	4	925.0	3700.0	LB	Completion & Wellbore Intervention-Fishing
AGI539HSPG17248C1902	19" Grapple 19.024 In Nominal Catch 18.862 In Min Catch 19.187 In Max Catch Baker Q3 Qual Lvl	1	925.0	925.0	LB	Completion & Wellbore Intervention-Fishing
AG2480HSPG17248C0890	8.9" Od Grapple For 8.25" Od Fishing Spear	2	47.3	96.2	KG	Completion & Wellbore Intervention-Fishing
AGI539HSPG9283C1469	Grapple 14.688 In Nominal Catch 14.525 In Min Catch 14.850 In Max Catch Baker Q3 Qual Lvl	1	0.1	0.1	LB	Completion & Wellbore Intervention-Fishing
AGI1654HSPG17248C1509	Grapple 15.087 In Nominal Catch 14.925 In Min Catch 15.250 In Max Catch Baker Q3 Qual Lvl	3	550.0	1650.0	LB	Completion & Wellbore Intervention-Fishing
AGI269HSPG17248C1509	Grapple 15.087 In Nominal Catch 14.925 In Min Catch 15.250 In Max Catch Baker Q3 Qual Lvl	1	550.0	550.0	LB	Completion & Wellbore Intervention-Fishing
AGI1654HSPG17248C1876	Grapple 18.757 In Nominal Catch 18.595 In Min Catch 18.920 In Max Catch Baker Q3 Qual Lvl	1	0.1	0.1	LB	Completion & Wellbore Intervention-Fishing
AG4172H0A3289100	5.125" Carbide Dressed Knife For 11.5" Cutter	12	13.8	165.3	LB	Completion & Wellbore Intervention-Carbide
AGI1828HT02130406	8.250 In Superloy Dressed Knife 13.000 In Lg Baker Q3 Qual Lvl	9	32.1	289.0	LB	Completion & Wellbore Intervention-Carbide
AG2480H094917200	Carbide Dressed Knife For Casing Cutter	8	7.7	63.0	LB	Completion & Wellbore Intervention-Carbide
AGI619H0E0367501	Dressed Blade Lower Zinc Or Manganese Phosphate 09.625 In 36.0-53.5 Lb/Ft Csg Baker Q3 Qual Lvl	8	6.0	48.0	LB	Completion & Wellbore Intervention-Carbide