



Aircraft Status Report

Med-Trans Corporation
2200 Westcourt Rd
Denton, Texas 76207

Aircraft #	Model # / Config Class	Aircraft Parameter	Aircraft Base / Last Flight Date and Time	Engine Parameter
N14UH	EC145 / C2	10585.10FH ~ 25874.00FC	- / 1/21/2026 10:37	Eng-Position Code: ENGINE 1 ~ PN: 0292005460 ~ SN: 18195 ~ 7528.40FH ~ 10029.40N1 ~ 13121.40N2 Eng-Position Code: ENGINE 2 ~ PN: 0292005460 ~ SN: 18800 ~ 13022.20FH ~ 16146.90N1 ~ 13194.50N2

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-INSP-0659 30 DAY FIRE EXTINGUISHER INSPECTION			INSP	30 Days			1/19/2026	CAL	7 Days	2/18/2026	2/18/2026
	EC145-ACFT-INSP-0606 800 HR / 12 MO HYDRAULIC PUMP DRIVE SHAFT SPLINE LUBE - LUB/SVC 29/00/00/000/000/007			INSP	12 Month End 800 FH			2/24/2025 10199.40 FH	CAL	17 Days 414.30 FH	2/28/2026 10999.40 FH	2/28/2026
	EC145-ACFT-ICA-0675 50 FH METRO AIR CONDITIONER INSPECTION			INSP	50 FH			10584.60 FH	FH	49.50 FH	10634.60 FH	3/17/2026
	EC145-ACFT-INSP-0638 60 DAY FLASHLIGHT INSPECTION -VC 25/60/00/000/000/005			INSP	60 Days			1/19/2026	CAL	37 Days	3/20/2026	3/20/2026
	EC145-ACFT-ICA-0625 100 HR TAILBOOM BALLAST INSPECTION			INSP	100 FH			10572.70 FH	FH	87.60 FH	10672.70 FH	4/12/2026
	EC145-ACFT-ICA-0627 100 FH ASU NVIS INSPECTION			INSP	100 FH			10572.70 FH	FH	87.60 FH	10672.70 FH	4/12/2026

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-INSP-0661 100 HR AIRFRAME INSPECTION			INSP	100 FH			10572.70 FH	FH	87.60 FH	10672.70 FH	4/12/2026
	EC145-ACFT-INSP-0693 100 FH / 12 MO ICA AAIP INSPECTION GUIDE			INSP	12 Month End 100 FH			12/4/2025 10572.70 FH	FH	323 Days 87.60 FH	12/31/2026 10672.70 FH	4/12/2026
	EC145-ACFT-INSP-0692 90 DAY MTC AIRFRAME CORROSION CONTROL AND PREVENTION INSPECTION			INSP	90 Days			1/19/2026	CAL	67 Days	4/19/2026	4/19/2026
	EC145-ACFT-ICA-0700 6 MO ISOLETTE / LITTER LUBE AND INSPECTION			OTH	6 Month End			10/27/2025	CAL	78 Days	4/30/2026	4/30/2026
	EC145-ACFT-ICA-0626 600 FH / 12MO TAILBOOM BALLAST INSPECTION			INSP	12 Month End 600 FH			4/20/2025 10297.00 FH	CAL	78 Days 311.90 FH	4/30/2026 10897.00 FH	4/30/2026
	EC145-ACFT-AAIP-1061 800 FH POWER PLANT GASKET INSPECTION LH AND RH - DI 71/00/00/000/000/007			INSP	Threshold 800 FH 800 FH			9932.10 FH	FH	147.00 FH	10732.10 FH	5/23/2026
	EC145-ACFT-INSP-1076 1600 HR PILOT AND COPILOT SEAT TRACKS INSPECTION - DI SEATS REMOVED 25/12/00/000/000/007			INSP	Threshold 1600 FH 1600 FH			9139.00 FH	FH	153.90 FH	10739.00 FH	5/28/2026
	EC145-ACFT-INSP-1077 1600 HR PASSENGER SEAT ATTACHING DEVICE AND FLOOR RAILS INSPECTION - DI SEATS REMOVED 25/22/01/000/000/007			INSP	Threshold 1600 FH 1600 FH			9139.00 FH	FH	153.90 FH	10739.00 FH	5/28/2026

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-ICA-0631 400 FH / 12 MO METRO BK117 C2 SERIES AVIONICS			INSP	Threshold 12 Month End 400 FH 12 Month End 400 FH			5/12/2025 10341.40 FH	FH	109 Days 156.30 FH	5/31/2026 10741.40 FH	5/29/2026
	EC145-ACFT-INSP-0616 12 MO TAIL ROTOR SLIDING SLEEVE ASSEMBLY LUBE – LUB/SVC 67/20/00/000/000/012			INSP	12 Month End			5/17/2025	CAL	109 Days	5/31/2026	5/31/2026
	EC145-ACFT-MTCSPCL-1070 6 MONTH STATUS SHEET SERIAL NUMBER VERIFICATION			INSP	Threshold 6 Month End 6 Month End			11/26/2025	CAL	109 Days	5/31/2026	5/31/2026
	EC145-ACFT-INSP-0669 12 MO AIRFRAME INSPECTION			INSP	12 Month End			10/15/2025	CAL	139 Days	6/30/2026	6/30/2026
	EC145-ACFT-INSP-0671 12 MO AIRFRAME INSPECTION 0523			INSP	12 Month End			10/15/2025	CAL	139 Days	6/30/2026	6/30/2026
	EC145-ACFT-ICA-0628 12 MO ASU NVIS INSPECTION			INSP	12 Month End			6/27/2025	CAL	139 Days	6/30/2026	6/30/2026
	EC145-ACFT-ICA-0776 300 FH / 12 MO CONCORDE LEAD ACID BATTERY INSPECTION			INSP	Threshold 12 Month End 300 FH 12 Month End 300 FH			10/15/2025 10507.00 FH	FH	262 Days 221.90 FH	10/31/2026 10807.00 FH	7/13/2026
	EC145-ACFT-INSP-1084 2 YR PORTABLE FIRE EXTINGUISHER INSPECTION – VC AND WGH HALON FIRE EXTINGUISHER 26/25/00/000/000/007 AND 26/25/00/000/000/013			INSP	Threshold 2 Years 2 Years			8/19/2024	CAL	189 Days	8/19/2026	8/19/2026

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-INSP-0648 400 HR SWASHPLATE INSPECTION – SDI POST ASB MBB BK117C-2-62A- 007 REV.5 62/32/00/000/000/014			INSP	400 FH			10474.80 FH	FH	289.70 FH	10874.80 FH	8/29/2026
	EC145-ACFT-INSP-0662 300 HR AIRFRAME INSPECTION			INSP	300 FH			10584.60 FH	FH	299.50 FH	10884.60 FH	9/5/2026
	EC145-ACFT-INSP-0633 400 HR INTERMEDIATE INSPECTION			INSP	400 FH			10507.00 FH	FH	321.90 FH	10907.00 FH	9/20/2026
	EC145-ACFT-INSP-0663 1600 HR AIRFRAME INSPECTION			INSP	1600 FH			9311.80 FH	FH	326.70 FH	10911.80 FH	9/24/2026
	EC145-ACFT-FAR-0618 36 MO Aircraft Weighing 14 CFR 135.185(a)			INSP	36 Month End			9/13/2023	CAL	231 Days	9/30/2026	9/30/2026
	EC145-ACFT-INSP-1087 2400 HR TAIL ROTOR DRIVE SHAFT INSPECTION FOR PLAY – DI 65/11/00/000/000/035			INSP	Threshold 2400 FH 2400 FH			8522.60 FH	FH	337.50 FH	10922.60 FH	10/1/2026
	EC145-ACFT-INSP-0608 12 MO SWASHPLATE BEARING LUBE – LUB/SVC 62/13/00/000/000/009			INSP	Threshold 12 Month End 12 Month End			10/15/2025	CAL	262 Days	10/31/2026	10/31/2026
	EC145-ACFT-INSP-0610 600 HR / 12 MO MAIN GEARBOX OIL CHANGE – LUB/SVC AFTER 63/21/00/000/000/044 63/21/00/000/000/050			INSP	Threshold 50 FH 12 Month End 600 FH			10/15/2025 10507.00 FH	CAL	262 Days 521.90 FH	10/31/2026 11107.00 FH	10/31/2026

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-INSP-0613 600 HR / 12 MO TAIL GEARBOX OIL CHANGE – LUB/SVC POST SB MBB-BK117 C-2-65-004 AFTER 65/22/00/000/000/025 65/22/00/000/000/026			INSP	Threshold 50 FH 12 Month End 600 FH			10/27/2025 10507.00 FH	CAL	262 Days 521.90 FH	10/31/2026 11107.00 FH	10/31/2026
	EC145-ACFT-INSP-0615 600 HR / 12 MO INTERMEDIATE GEARBOX OIL CHANGE – LUB/SVC POST SB MBB-BK117 C-2-65-004 AFTER 65/32/00/000/000/013 65/32/00/000/000/014			INSP	Threshold 600 FH 12 Month End 600 FH			10/27/2025 10507.00 FH	CAL	262 Days 521.90 FH	10/31/2026 11107.00 FH	10/31/2026
	EC145-ACFT-INSP-0605 800 HR / 12 MO HYDRAULIC FLUID AND FILTER CHANGE- DRN/SVC 29/00/00/000/000/002			INSP	12 Month End 800 FH			11/26/2025 10556.30 FH	CAL	292 Days 771.20 FH	11/30/2026 11356.30 FH	11/30/2026
	EC145-ACFT-INSP-0670 24 MONTH EMERGENCY EXIT FUNCTIONAL TEST – FT EFFECTIVITY: NON-JETTISONABLE SLIDING DOORS 56/30/00/000/000/002			INSP	24 Month End			11/27/2024	CAL	292 Days	11/30/2026	11/30/2026
	EC145-ACFT-INSP-1067 12 MO MAIN ROTOR ACTUATOR NUTS INSPECTION - VC 67/33/00/000/000/013			INSP	Threshold 12 Month End 12 Month End			1/19/2026	CAL	354 Days	1/31/2027	1/31/2027
	EC145-ACFT-INSP-0611 800 HR / 36 MO ROTOR BRAKE FLUID CHANGE - DRN 63/51/00/000/000/006			INSP	36 Month End 800 FH			5/17/2025 10362.70 FH	FH	840 Days 577.60 FH	5/31/2028 11162.70 FH	3/15/2027

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-ICA-0632 600 FH / 24 MO ICA AAIP INSPECTION GUIDE			INSP	Threshold 24 Month End 600 FH 24 Month End 600 FH			1/19/2026 10584.60 FH	FH	719 Days 599.50 FH	1/31/2028 11184.60 FH	3/31/2027
	EC145-ACFT-INSP-1086 5600 HR HYDRAULIC SYSTEM PLATE ASSEMBLY INSPECTION - DI 29/14/00/000/000/004			INSP	Threshold 5600 FH 5600 FH				FH	614.90 FH	11200.00 FH	4/10/2027
	EC145-ACFT-INSP-1088 5600 HR MAIN ROTOR CONTROLS BREAKOUT FORCE MEASUREMENT - DI 67/10/00/000/000/012			INSP	Threshold 5600 FH 5600 FH				FH	614.90 FH	11200.00 FH	4/10/2027
	EC145-ACFT-INSP-1089 5600 HR MAIN ROTOR CONTROLS HYDRAULIC UNIT / BELLCRANK CONTROL ROD INSPECTION - DI 67/10/00/000/000/014			INSP	Threshold 5600 FH 5600 FH				FH	614.90 FH	11200.00 FH	4/10/2027
	EC145-ACFT-INSP-1090 5600 HR CYCLIC SHAFT INSIDE INSPECTION - DI 67/10/00/000/000/015			INSP	Threshold 5600 FH 5600 FH				FH	614.90 FH	11200.00 FH	4/10/2027
	EC145-ACFT-INSP-1238 5600HR MEASURE THE BREAKOUT FORCES OF THE TAIL ROTOR CONTROLS - VC- 67/20/00/000/000/024			INSP	Threshold 5600 FH 5600 FH				FH	614.90 FH	11200.00 FH	4/10/2027
	EC145-ACFT-INSP-0649 4800 HR / 6 YR ENGINE / GEARBOX INPUT SHAFT INSPECTION - DI 63/11/00/000/000/003			INSP	72 Month End 4800 FH			4/6/2021 7555.50 FH	CAL	443 Days 1770.40 FH	4/30/2027 12355.50 FH	4/30/2027

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-AAIP-1053 2400 HR ENGINE MOUNT TRUSS SUPPORT INSPECTION - DI 71/21/00/000/000/023			INSP	Threshold 2400 FH 2400 FH			8833.30 FH	FH	648.20 FH	11233.30 FH	5/3/2027
	EC145-ACFT-AAIP-1054 2400 HR ENGINE MOUNT SIDE MOUNT INSPECTION - DI 71/21/00/000/000/024			INSP	Threshold 2400 FH 2400 FH			8833.30 FH	FH	648.20 FH	11233.30 FH	5/3/2027
	EC145-ACFT-AAIP-1055 2400 HR ENGINE MOUNT FLEXIBLE BUSHING INSPECTION - DI 71/21/00/000/000/025			INSP	Threshold 2400 FH 2400 FH			8833.30 FH	FH	648.20 FH	11233.30 FH	5/3/2027
	EC145-ACFT-AAIP-1056 2400 HR ENGINE MOUNT REAR MOUNT INSPECTION - DI 71/21/00/000/000/026			INSP	Threshold 2400 FH 2400 FH			8833.30 FH	FH	648.20 FH	11233.30 FH	5/3/2027
	EC145-ACFT-INSP-0654 2400 HR / 6 YR TAIL ROTOR HEAD INSPECTION - DI 64/20/00/000/000/001			INSP	72 Month End 2400 FH			4/12/2023 8834.10 FH	FH	1174 Days 649.00 FH	4/30/2029 11234.10 FH	5/4/2027
	EC145-ACFT-INSP-0634 800 HR / 36 MO PERIODICAL INSPECTION			INSP	36 Month End 800 FH			10/15/2025 10507.00 FH	FH	993 Days 721.90 FH	10/31/2028 11307.00 FH	6/23/2027
	EC145-ACFT-INSP-0607 800 HR / 3 YR MAIN ROTOR VIBRATION ABSORBERS OIL LEVEL CHECK - SVC 62/13/00/000/000/010			INSP	36 Month End 800 FH			10/27/2025 10507.00 FH	FH	993 Days 721.90 FH	10/31/2028 11307.00 FH	6/23/2027

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-ICA-0686 800 FH / 36 MO METRO SPIFR/DUAL PILOT IFR AVIONICS INSPECTION			INSP	36 Month End 800 FH			10/15/2025 10507.00 FH	FH	993 Days 721.90 FH	10/31/2028 11307.00 FH	6/23/2027
	EC145-ACFT-FAR-0620 24 MO Altimeter 14 CFR Part 91.411			INSP	24 Month End			10/15/2025	CAL	627 Days	10/31/2027	10/31/2027
	EC145-ACFT-FAR-0622 24 MO Transponder 14 CFR Part 91.413			INSP	24 Month End			10/15/2025	CAL	627 Days	10/31/2027	10/31/2027
	EC145-ACFT-INSP-0651 2400 HR / 6 YR TAIL ROTOR BLADE CLOSE-TOLERANCE BOLTS INSPECTION - VC 64/10/00/000/000/002			INSP	72 Month End 2400 FH			8/7/2023 9139.00 FH	FH	1297 Days 953.90 FH	8/31/2029 11539.00 FH	11/30/2027
	EC145-ACFT-INSP-0636 1600 HR / 3 YR GENERATOR BONDING / GROUNDING TERMINAL INSPECTION – SDI AFTER 24/00/00/000/000/003 24/00/00/000/000/004			INSP	Threshold 72 Month End 2400 FH 36 Month End 1600 FH			12/26/2024 10166.80 FH	CAL	688 Days 1181.70 FH	12/31/2027 11766.80 FH	12/31/2027
	EC145-ACFT-INSP-0691 1200 HR HORIZONTAL STABILIZER WITH END PLATES INSPECTION – DI HORIZONTAL STABILIZER REMOVED 53/53/00/000/000/001			INSP	1200 FH			10430.80 FH	FH	1045.70 FH	11630.80 FH	2/1/2028

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-ACFT-INSP-0645 1200 HR HORIZONTAL STABILIZER SCREW HOLE INSPECTION – DI HORIZONTAL STABILIZER REMOVED 53/53/00/000/000/002			INSP	1200 FH			10430.80 FH	FH	1045.70 FH	11630.80 FH	2/1/2028
	EC145-ACFT-RPL-1253 3200HR REPLACEMENT OF THE AVIONICS COOLING BLOWER MOTOR (C2 - 21/21/02/000/000/003) (C2e - 21/21/02/000/000/005)			OTH	Threshold 3200 FH 3200 FH			8451.60 FH	FH	1066.50 FH	11651.60 FH	2/15/2028
	EC145-ACFT-INSP-1074 36 MO COLLECTIVE SHAFT INSPECTION – DI AFTER 67/12/00/000/000/004 IF NO CORROSION IS DETECTED 67/12/00/000/000/007			INSP	Threshold 36 Month End 36 Month End			10/15/2025	CAL	993 Days	10/31/2028	10/31/2028
	EC145-ACFT-INSP-0655 1800 HR COWLINGS AND FARINGS INSPECTION - DI 71/10/00/000/000/003			INSP	1800 FH			10584.60 FH	FH	1799.50 FH	12384.60 FH	7/4/2029
	EC145-ACFT-INSP-1072 2400 HR N2 CONTROLS OVERRIDE SPRING ASSEMBLY INSPECTION – DI AFTER 76/12/00/000/000/002 76/12/00/000/000/003			INSP	Threshold 2400 FH 2400 FH			10243.10 FH	FH	2058.00 FH	12643.10 FH	12/29/2029

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	ACFT-MTCSPCL-Registration-0001 Verify Registration Is Current and Properly Installed In Aircraft (Due Date Is Expiration Date)			OTH	Threshold 7 Years 7 Years				CAL	1478 Days	2/28/2030	2/28/2030
	EC145-ACFT-INSP-0664 2400 HR AIRFRAME INSPECTION			INSP	Threshold 2400 FH 2400 FH			10507.00 FH	FH	2184.60 FH	12769.70 FH	3/27/2030
	EC145-ACFT-INSP-0665 3200 HR / 6 YR TAIL ROTOR AIRFRAME INSPECTION			INSP	72 Month End 3200 FH			3/7/2024 9577.90 FH	CAL	1509 Days 2192.80 FH	3/31/2030 12777.90 FH	3/31/2030
	EC145-ACFT-INSP-1008 3200 HR / 6 YR FLIGHT CONTROL AIRFRAME INSPECTION			INSP	Threshold 72 Month End 3200 FH 72 Month End 3200 FH			3/7/2024 9577.90 FH	CAL	1509 Days 2192.80 FH	3/31/2030 12777.90 FH	3/31/2030
	EC145-ACFT-INSP-0643 2400 HR LANDING GEAR INSPECTION - DI 32/10/00/000/000/003			INSP	Threshold 2400 FH 2400 FH			10507.00 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
	EC145-ACFT-INSP-0642 5600 HR 7 YR HYDRAULIC LINES AT HYDRAULIC MODULE PLATE INSPECTION - VC 29/15/00/000/000/007			INSP	84 Month End 5600 FH			6/29/2024 9734.10 FH	CAL	1965 Days 4749.00 FH	6/30/2031 15334.10 FH	6/30/2031
	EC145-ACFT-INSP-1071 5000 HR OIL COOLER AND FAN INSPECTION - VC 79/00/00/000/000/003			INSP	Threshold 5000 FH 5000 FH			8833.30 FH	FH	3248.20 FH	13833.30 FH	3/28/2032
	EC145-ACFT-INSP-1075 5600 HR FLEXBALL CABLE INSPECTION FOR MOVEMENT - DI 67/10/00/000/000/017			INSP	Threshold 5600 FH 5600 FH			9311.80 FH	FH	4326.70 FH	14911.80 FH	4/10/2034

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B621M1002104 / 1182 LOWER FITTING 1.10.1	COMP-INSP-1008 100 HR BLADE FITTINGS INSPECTION – VC AFTER 62/11/00/000/000/030 62/11/00/000/000/031		B621M1002201 ~ Blade Fitting ~ 3620	INSP	Threshold 100 FH 100 FH	5414.60 FH		5402.20 FH	FH	87.60 FH	10672.70 FH	4/12/2026
B621M1002104 / 550 LOWER FITTING 1.9.1	COMP-INSP-1008 100 HR BLADE FITTINGS INSPECTION – VC AFTER 62/11/00/000/000/030 62/11/00/000/000/031		B621M1002201 ~ Blade Fitting ~ 527	INSP	Threshold 100 FH 100 FH	5515.10 FH	156.00 FH INS	5502.70 FH	FH	87.60 FH	10672.70 FH	4/12/2026
B621M1002104 / 550 UPPER FITTING 1.9.2	COMP-INSP-1008 100 HR BLADE FITTINGS INSPECTION – VC AFTER 62/11/00/000/000/030 62/11/00/000/000/031		B621M1001201 ~ Blade Fitting ~ 527	INSP	Threshold 100 FH 100 FH	5515.10 FH	156.00 FH INS	5502.70 FH	FH	87.60 FH	10672.70 FH	4/12/2026
B621M1002104 / 926 LOWER FITTING 1.11.1	COMP-INSP-1008 100 HR BLADE FITTINGS INSPECTION – VC AFTER 62/11/00/000/000/030 62/11/00/000/000/031		B621M1002201 ~ Blade Fitting ~ 1092	INSP	Threshold 100 FH 100 FH	8535.50 FH	2063.90 FH INS	8523.10 FH	FH	87.60 FH	10672.70 FH	4/12/2026
B621M1002104 / 1144 LOWER FITTING 1.8.1	COMP-INSP-1008 100 HR BLADE FITTINGS INSPECTION – VC AFTER 62/11/00/000/000/030 62/11/00/000/000/031		B621M1002201 ~ Blade Fitting ~ 281	INSP	Threshold 100 FH 100 FH	10195.40 FH		10183.00 FH	FH	87.60 FH	10672.70 FH	4/12/2026
EMER POWER 1.58	COMP-INSP-1092 3 MO EMERGENCY POWER SUPPLY INSPECTION – VC 501-1228-03 (PS- 835C) (24/33/00/000/000/014) (BK117)		501-1228-03 ~ Emergency Power Supply ~ 5184	INSP	3 Month End		4 MO INS	1/19/2026	CAL	78 Days	4/30/2026	4/30/2026
B621M1002104 / 1144 UPPER FITTING 1.8.2	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1001201 ~ Blade Fitting ~ 281	INSP	Threshold 800 FH 200 FH	10195.40 FH		10117.30 FH	FH	121.90 FH	10707.00 FH	5/5/2026

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B621M1002104 / 926 UPPER FITTING 1.11.2	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1001201 ~ Blade Fitting ~ 1092	INSP	Threshold 800 FH 200 FH	8535.50 FH	2063.90 FH INS	8457.40 FH	FH	121.90 FH	10707.00 FH	5/5/2026
B621M1002104 / 1144 LOWER FITTING 1.8.1	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1002201 ~ Blade Fitting ~ 281	INSP	Threshold 800 FH 200 FH	10195.40 FH		10117.30 FH	FH	121.90 FH	10707.00 FH	5/5/2026
B621M1002104 / 926 LOWER FITTING 1.11.1	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1002201 ~ Blade Fitting ~ 1092	INSP	Threshold 800 FH 200 FH	8535.50 FH	2063.90 FH INS	8457.40 FH	FH	121.90 FH	10707.00 FH	5/5/2026
B621M1002104 / 550 UPPER FITTING 1.9.2	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1001201 ~ Blade Fitting ~ 527	INSP	Threshold 200 FH 200 FH	5515.10 FH	156.00 FH INS	5437.00 FH	FH	121.90 FH	10707.00 FH	5/5/2026
B621M1002104 / 550 LOWER FITTING 1.9.1	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1002201 ~ Blade Fitting ~ 527	INSP	Threshold 200 FH 200 FH	5515.10 FH	156.00 FH INS	5437.00 FH	FH	121.90 FH	10707.00 FH	5/5/2026
B621M1002104 / 1182 UPPER FITTING 1.10.2	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1001201 ~ Blade Fitting ~ 3620	INSP	Threshold 800 FH 200 FH	5414.60 FH		5336.50 FH	FH	121.90 FH	10707.00 FH	5/5/2026
B621M1002104 / 1182 LOWER FITTING 1.10.1	COMP-INSP-0999 200 HR MAIN ROTOR BLADE FITTING INSPECTION - VC MORE THAN 800 FH TSN 62/11/00/000/000/025		B621M1002201 ~ Blade Fitting ~ 3620	INSP	Threshold 800 FH 200 FH	5414.60 FH		5336.50 FH	FH	121.90 FH	10707.00 FH	5/5/2026

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B651M1003101 / 1123 FLEX COUPLING 2 1.98.5	COMP-INSP-1108 800 HR / 36 MO TAIL ROTOR FWD DRIVE SHAFT (16) SHEET METAL PACKS INSPECTION - VC 65/11/00/000/000/015		B651M1006101 ~ Flex Coupling ~ 2527	INSP	36 Month End 800 FH	7406.70 FH		5/17/2025 7184.30 FH	FH	840 Days 577.60 FH	5/31/2028 11162.70 FH	3/15/2027
B651M2001101 / 0249 FLEX COUPLING 1 1.100.4	COMP-INSP-1107 800 HR / 36 MO TAIL ROTOR AFT DRIVE SHAFT (12) SHEET METAL PACKS INSPECTION - VC 65/11/00/000/000/014		B651M2004101 ~ Flex Coupling ~ 1669	INSP	36 Month End 800 FH	8306.70 FH		5/17/2025 8084.30 FH	FH	840 Days 577.60 FH	5/31/2028 11162.70 FH	3/15/2027
B651M2001101 / 0249 FLEX COUPLING 2 1.100.5	COMP-INSP-1107 800 HR / 36 MO TAIL ROTOR AFT DRIVE SHAFT (12) SHEET METAL PACKS INSPECTION - VC 65/11/00/000/000/014		B651M2004101 ~ Flex Coupling ~ 0833	INSP	36 Month End 800 FH	10585.10 FH		5/17/2025 10362.70 FH	FH	840 Days 577.60 FH	5/31/2028 11162.70 FH	3/15/2027
B651M1001101 / 1163 FLEX COUPLING 1.99.5	COMP-INSP-1108 800 HR / 36 MO TAIL ROTOR FWD DRIVE SHAFT (16) SHEET METAL PACKS INSPECTION - VC 65/11/00/000/000/015		B651M1006101 ~ Flex Coupling ~ 2523	INSP	36 Month End 800 FH	7406.80 FH		5/17/2025 7184.40 FH	FH	840 Days 577.60 FH	5/31/2028 11162.70 FH	3/15/2027
B621M1002104 / 550 LOWER FITTING 1.9.1	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION - DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1002201 ~ Blade Fitting ~ 527	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	5515.10 FH	2 MO INS 156.00 FH INS	11/27/2024 5359.10 FH	FH	654 Days 644.00 FH	11/27/2027 11229.10 FH	4/30/2027
B621M1002104 / 550 UPPER FITTING 1.9.2	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION - DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1001201 ~ Blade Fitting ~ 527	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	5515.10 FH	2 MO INS 156.00 FH INS	11/27/2024 5359.10 FH	FH	654 Days 644.00 FH	11/27/2027 11229.10 FH	4/30/2027
B621M1002104 / 926 LOWER FITTING 1.11.1	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION - DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1002201 ~ Blade Fitting ~ 1092	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	8535.50 FH	2 MO INS 2063.90 FH INS	10/15/2025 8457.40 FH	FH	977 Days 721.90 FH	10/15/2028 11307.00 FH	6/23/2027

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B621M1002104 / 1182 LOWER FITTING 1.10.1	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION – DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1002201 ~ Blade Fitting ~ 3620	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	5414.60 FH		10/15/2025 5336.50 FH	FH	977 Days 721.90 FH	10/15/2028 11307.00 FH	6/23/2027
B621M1002104 / 1182 UPPER FITTING 1.10.2	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION – DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1001201 ~ Blade Fitting ~ 3620	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	5414.60 FH		10/15/2025 5336.50 FH	FH	977 Days 721.90 FH	10/15/2028 11307.00 FH	6/23/2027
B651M1003101 / 1123 FLEX COUPLING 1 1.98.4	COMP-INSP-1108 800 HR / 36 MO TAIL ROTOR FWD DRIVE SHAFT (16) SHEET METAL PACKS INSPECTION - VC 65/11/00/000/000/015		B651M1006101 ~ Flex Coupling ~ 5396	INSP	36 Month End 800 FH	78.10 FH			FH	870 Days 721.90 FH	6/30/2028 11307.00 FH	6/23/2027
B621M1002104 / 1144 LOWER FITTING 1.8.1	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION – DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1002201 ~ Blade Fitting ~ 281	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	10195.40 FH		10/15/2025 10117.30 FH	FH	977 Days 721.90 FH	10/15/2028 11307.00 FH	6/23/2027
B621M1002104 / 926 UPPER FITTING 1.11.2	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION – DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1001201 ~ Blade Fitting ~ 1092	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	8535.50 FH	4 MO INS 2063.90 FH INS	10/15/2025 8457.40 FH	FH	977 Days 721.90 FH	10/15/2028 11307.00 FH	6/23/2027
B621M1002104 / 1144 UPPER FITTING 1.8.2	COMP-INSP-1005 800 HR / 3 YR BLADE FITTINGS AND LUGS INSPECTION – DI AFTER 62/11/00/000/000/027 62/11/00/000/000/028		B621M1001201 ~ Blade Fitting ~ 281	INSP	Threshold 3 Years 800 FH 3 Years 800 FH	10195.40 FH		10/15/2025 10117.30 FH	FH	977 Days 721.90 FH	10/15/2028 11307.00 FH	6/23/2027
B621M1002104 / 550 VIBRATION ABSORBER 1.9.3	COMP-INSP-1001 1600 HR / 4 YR VIBRATION ABSORBER INSPECTION - DI 62/13/00/000/000/007		B621M3001101 ~ Vibration Absorber ~ 550	INSP	48 Month End 1600 FH	5515.10 FH	15 MO INS 156.00 FH INS	11/17/2024 5359.10 FH	FH	1023 Days 1444.00 FH	11/30/2028 12029.10 FH	11/1/2028

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B621M1002104 / 1144 VIBRATION ABSORBER 1.8.3	COMP-INSP-1001 1600 HR / 4 YR VIBRATION ABSORBER INSPECTION - DI 62/13/00/000/000/007		B621M3001101 ~ Vibration Absorber ~ 5739	INSP	48 Month End 1600 FH	4631.30 FH		10/15/2025 4553.20 FH	FH	1358 Days 1448.20 FH	10/31/2029 12033.30 FH	11/4/2028
B621M1002104 / 926 VIBRATION ABSOR BER 1.11.3	COMP-INSP-1001 1600 HR / 4 YR VIBRATION ABSORBER INSPECTION - DI 62/13/00/000/000/007		B621M3001103 ~ Vibration Absorber Assy ~ 8136	INSP	48 Month End 1600 FH	3245.20 FH		10/15/2025 3167.10 FH	FH	1358 Days 1448.20 FH	10/31/2029 12033.30 FH	11/4/2028
MAIN TRANSMISSION 1.12	COMP-INSP-1028 1600 HR MAIN GEARBOX SPACER TUBE INSPECTION - DI 63/21/00/000/000/055		B632K1001-051 ~ Main Transmission ~ KA- 0759	INSP	1600 FH	4920.60 FH		4842.50 FH	FH	1521.90 FH	12107.00 FH	12/25/2028
FIRE EXTINGUISHER AFT 1.67	COMP-INSP-1096 5 YR ENGINE FIRE EXTINGUISHER BOTTLE WEIGHING - WGH 26/21/00/000/000/011		33000061-1 ~ FIRE EXTINGUISHER ~ 66907A1	INSP	60 Month End		23 MO INS	3/8/2024	CAL	1144 Days	3/31/2029	3/31/2029
MAIN ROTOR HEAD 1.3	ACFT-INSP-0597 4800 HR / 6 YR TO 5280 FH / 8 YR 9 MO MAIN ROTOR HEAD INSPECTION - DI AFTER 62/21/00/000/000/003 62/21/00/000/000/007 PERFORM ONCE		B622M1002101 ~ Main Rotor Head ~ 0239	INSP	Threshold 96 Month End 72 Month End 4800 FH	7828.00 FH	35 MO INS 851.00 FH INS	4/8/2023 6076.20 FH	CAL	1174 Days 3048.20 FH	4/30/2029 13633.30 FH	4/30/2029
B622M1002101 / 0239 HEX BOLT 1 1.3.5	COMP-INSP-1015 2400 HR MAIN ROTOR HEAD SECONDARY BOLTS INSPECTION - DI 62/21/00/000/000/002		B621M1061202 ~ HEX BOLT SMALL ~ 5217- G	INSP	2400 FH	3356.70 FH		3278.60 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
B622M1002101 / 0239 HEX BOLT 2 1.3.6	COMP-INSP-1015 2400 HR MAIN ROTOR HEAD SECONDARY BOLTS INSPECTION - DI 62/21/00/000/000/002		B621M1061202 ~ HEX BOLT SMALL ~ 5220-B	INSP	2400 FH	3356.70 FH		3278.60 FH	FH	2321.90 FH	12907.00 FH	6/29/2030

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B622M1002101 / 0239 HEX BOLT 3 1.3.7	COMP-INSP-1015 2400 HR MAIN ROTOR HEAD SECONDARY BOLTS INSPECTION - DI 62/21/00/000/000/002		B621M1061202 ~ HEX BOLT SMALL ~ 5248-R	INSP	2400 FH	3356.70 FH		3278.60 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
B622M1002101 / 0239 HEX BOLT 4 1.3.8	COMP-INSP-1015 2400 HR MAIN ROTOR HEAD SECONDARY BOLTS INSPECTION - DI 62/21/00/000/000/002		B621M1061202 ~ HEX BOLT SMALL ~ 5221-Y	INSP	2400 FH	3356.70 FH		3278.60 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
B622M1002101 / 0239 MAIN BOLT 1 1.3.1	COMP-INSP-1013 2400 HR MAIN ROTOR HEAD PRIMARY BOLTS INSPECTION - DI 62/21/00/000/000/001		B621M1060201 ~ Bolt ~ 6597	INSP	2400 FH	2596.40 FH		2518.30 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
B622M1002101 / 0239 MAIN BOLT 2 1.3.2	COMP-INSP-1013 2400 HR MAIN ROTOR HEAD PRIMARY BOLTS INSPECTION - DI 62/21/00/000/000/001		B621M1060201 ~ Bolt ~ 6598	INSP	2400 FH	2596.40 FH		2518.30 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
B622M1002101 / 0239 MAIN BOLT 3 1.3.3	COMP-INSP-1013 2400 HR MAIN ROTOR HEAD PRIMARY BOLTS INSPECTION - DI 62/21/00/000/000/001		B621M1060201 ~ Bolt ~ 6606	INSP	2400 FH	2596.40 FH		2518.30 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
B622M1002101 / 0239 MAIN BOLT 4 1.3.4	COMP-INSP-1013 2400 HR MAIN ROTOR HEAD PRIMARY BOLTS INSPECTION - DI 62/21/00/000/000/001		B621M1060201 ~ Bolt ~ 6812	INSP	2400 FH	2596.40 FH		2518.30 FH	FH	2321.90 FH	12907.00 FH	6/29/2030
FIRE EXTINGUISHER FWD 1.66	COMP-INSP-1096 5 YR ENGINE FIRE EXTINGUISHER BOTTLE WEIGHING - WGH 26/21/00/000/000/011		33000061-1 ~ FIRE EXTINGUISHER ~ 89002A1	INSP	60 Month End		8 MO INS	6/22/2025	CAL	1600 Days	6/30/2030	6/30/2030
B622M1002101 / 0239 INNER SLEEVE 3 1.3.38	COMP-INSP-1291 4800HR / 6YR MAIN ROTOR HEAD INNER SLEEVE ASSEMBLY INSPECTION - DI - 62/21/00/000/000/008 AFTER 62/21/00/000/000/009		B622M1009201 ~ Inner Sleeve ~ B10893-B	INSP	6 Years 4800 FH	7827.20 FH	35 MO INS 1751.00 FH INS	3/16/2023 6076.20 FH	CAL	1611 Days 3049.00 FH	7/11/2030 13634.10 FH	7/11/2030

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B622M1002101 / 0239 INNER SLEEVE 4 1.3.39	COMP-INSP-1291 4800HR / 6YR MAIN ROTOR HEAD INNER SLEEVE ASSEMBLY INSPECTION - DI - 62/21/00/000/000/008 AFTER 62/21/00/000/000/009		B622M1009201 ~ Inner Sleeve ~ B10896-R	INSP	6 Years 4800 FH	7827.20 FH	35 MO INS 1751.00 FH INS	3/16/2023 6076.20 FH	CAL	1611 Days 3049.00 FH	7/11/2030 13634.10 FH	7/11/2030
B622M1002101 / 0239 INNER SLEEVE 1 1.3.36	COMP-INSP-1291 4800HR / 6YR MAIN ROTOR HEAD INNER SLEEVE ASSEMBLY INSPECTION - DI - 62/21/00/000/000/008 AFTER 62/21/00/000/000/009		B622M1009201 ~ Inner Sleeve ~ B10872-Y	INSP	6 Years 4800 FH	7827.20 FH	35 MO INS 1751.00 FH INS	3/16/2023 6076.20 FH	CAL	1611 Days 3049.00 FH	7/11/2030 13634.10 FH	7/11/2030
B622M1002101 / 0239 INNER SLEEVE 2 1.3.37	COMP-INSP-1291 4800HR / 6YR MAIN ROTOR HEAD INNER SLEEVE ASSEMBLY INSPECTION - DI - 62/21/00/000/000/008 AFTER 62/21/00/000/000/009		B622M1009201 ~ Inner Sleeve ~ B10885-G	INSP	6 Years 4800 FH	7827.20 FH	35 MO INS 1751.00 FH INS	3/16/2023 6076.20 FH	CAL	1611 Days 3049.00 FH	7/11/2030 13634.10 FH	7/11/2030
B632K1001-051 / KA-0759 SWASHPLATE 1.12.24	COMP-INSP-1093 5000 HR SWASHPLATE INSPECTION - DI 62/32/00/000/000/015		B623M2002102 ~ SWASHPLATE ~ 05-0182	INSP	Threshold 5000 FH 5000 FH	4920.60 FH		2304.90 FH	FH	2384.30 FH	12969.40 FH	8/11/2030
CYCLIC HORIZONTAL CNTRL 1.138	COMP-INSP-1110 9200 HR CYCLIC TUBE HORIZONTAL CONTROL ROD INSPECTION - DI 67/13/00/000/000/009		D671M4201202 ~ Horizontal Control Rod ~ 9365	INSP	9200 FH	10585.10 FH		9139.00 FH	FH	7753.90 FH	18339.00 FH	9/27/2040
105-13122 / 1879 ROD END UPPER 1.6.2	COMP-INSP-1106 20400 HR ROTATING CONTROL ROD INSPECTION - DI M10x1.5 62/33/00/000/000/011		D623M3301121 ~ Rod End ~ 7065	INSP	20400 FH	3029.60 FH			FH	17370.40 FH	27955.50 FH	11/17/2058
105-13122 / 1887 ROD END UPPER 1.5.2	COMP-INSP-1106 20400 HR ROTATING CONTROL ROD INSPECTION - DI M10x1.5 62/33/00/000/000/011		D623M3301121 ~ Rod End ~ 7070	INSP	20400 FH	3029.60 FH			FH	17370.40 FH	27955.50 FH	11/17/2058

Airframe / Component Inspection

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
105-13122 / 1889 ROD END UPPER 1.7.2	COMP-INSP-1106 20400 HR ROTATING CONTROL ROD INSPECTION – DI M10x1.5 62/33/00/000/000/011		D623M3301121 ~ Rod End ~ 7079	INSP	20400 FH	3029.60 FH			FH	17370.40 FH	27955.50 FH	11/17/2058
105-13122 / 1881 ROD END UPPER 1.4.2	COMP-INSP-1106 20400 HR ROTATING CONTROL ROD INSPECTION – DI M10x1.5 62/33/00/000/000/011		D623M3301121 ~ Rod End ~ 7096	INSP	20400 FH	3029.60 FH			FH	17370.40 FH	27955.50 FH	11/17/2058
105-13122 / 1881 ROD END LOWER 1.4.1	COMP-INSP-1105 20400 HR ROTATING CONTROL ROD INSPECTION – DI M10x1 62/33/00/000/000/010		D623M3301111 ~ Rod End ~ 9504	INSP	20400 FH	1751.80 FH			FH	18648.20 FH	29233.30 FH	4/16/2061
105-13122 / 1889 ROD END LOWER 1.7.1	COMP-INSP-1105 20400 HR ROTATING CONTROL ROD INSPECTION – DI M10x1 62/33/00/000/000/010		D623M3301111 ~ Rod End ~ 9412	INSP	20400 FH	1751.80 FH			FH	18648.20 FH	29233.30 FH	4/16/2061
105-13122 / 1887 ROD END LOWER 1.5.1	COMP-INSP-1105 20400 HR ROTATING CONTROL ROD INSPECTION – DI M10x1 62/33/00/000/000/010		D623M3301111 ~ Rod End ~ 9500	INSP	20400 FH	1751.80 FH			FH	18648.20 FH	29233.30 FH	4/16/2061
105-13122 / 1879 ROD END LOWER 1.6.1	COMP-INSP-1105 20400 HR ROTATING CONTROL ROD INSPECTION – DI M10x1 62/33/00/000/000/010		D623M3301111 ~ Rod End ~ 9502	INSP	20400 FH	1751.80 FH			FH	18648.20 FH	29233.30 FH	4/16/2061

Engine: ENGINE 1 ; Part# 0292005460 ; Serial# 18195

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
ENGINE 1 1.1	ENG-INSP-0088 ARRIEL 1E2 INSPECTION AT 30 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	30 FH	7528.40 FH	0.50 FH INS	7527.90 FH	FH	29.50 FH	7557.90 FH	3/3/2026
ENGINE 1 1.1	ENG-INSP-0090 ARRIEL 1E2 INSPECTION AT 100 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	100 FH	7528.40 FH	0.50 FH INS	7527.90 FH	FH	99.50 FH	7627.90 FH	4/20/2026

Engine: ENGINE 1 ; Part# 0292005460 ; Serial# 18195

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
ENGINE 1 1.1	ENG-AAIP-0106 ARRIEL 1E2 100 FH CLEANING		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	Threshold 100 FH 100 FH	7528.40 FH	0.50 FH INS	7527.90 FH	FH	99.50 FH	7627.90 FH	4/20/2026
ENGINE 1 1.1	ENG-AAIP-0107 ARRIEL 1E2 100 FH POWER CHECK		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	Threshold 100 FH 100 FH	7528.40 FH	0.50 FH INS	7527.90 FH	FH	99.50 FH	7627.90 FH	4/20/2026
ENGINE 1 1.1	ENG-INSP-0092 ARRIEL 1E2 INSPECTION AT 200 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	200 FH	7528.40 FH	0.50 FH INS	7499.60 FH	FH	171.20 FH	7699.60 FH	6/8/2026
ENGINE 1 1.1	ENG-INSP-0093 ARRIEL 1E2 INSPECTION AT 300 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	300 FH	7528.40 FH	0.50 FH INS	7418.10 FH	FH	189.70 FH	7718.10 FH	6/21/2026
ENGINE 1 1.1	ENG-INSP-0094 ARRIEL 1E2 INSPECTION AT 400 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	400 FH	7528.40 FH	0.50 FH INS	7527.90 FH	FH	399.50 FH	7927.90 FH	11/13/2026
ENGINE 1 1.1	ENG-INSP-0103 ARRIEL 1E2 INSPECTION AT 400 HR / 12 MO INSPECTION		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	12 Month End 400 FH	7528.40 FH	1 MO INS 0.50 FH INS	1/19/2026 7527.90 FH	FH	354 Days 399.50 FH	1/31/2027 7927.90 FH	11/13/2026
ENGINE 1 1.1	ENG-INSP-0112 ARRIEL 1E2 INSPECTION AT 800 HR / 24 MO INSPECTION		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	Threshold 24 Month End 800 FH 24 Month End 800 FH	7528.40 FH	1 MO INS 0.50 FH INS	1/24/2025 7142.70 FH	FH	354 Days 414.30 FH	1/31/2027 7942.70 FH	11/23/2026
ENGINE 1 1.1	ENG-INSP-0095 ARRIEL 1E2 INSPECTION AT 800 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	800 FH	7528.40 FH	0.50 FH INS	7142.70 FH	FH	414.30 FH	7942.70 FH	11/23/2026
ENGINE 1 1.1	ENG-INSP-0097 ARRIEL 1E2 INSPECTION AT 1200 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	1200 FH	7528.40 FH	0.50 FH INS	7142.70 FH	FH	814.30 FH	8342.70 FH	8/26/2027
ENGINE 1 1.1	ENG-INSP-0098 ARRIEL 1E2 INSPECTION AT 1600 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	1600 FH	7528.40 FH	0.50 FH INS	7142.70 FH	FH	1214.30 FH	8742.70 FH	5/27/2028

Engine: ENGINE 1 ; Part# 0292005460 ; Serial# 18195

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
0292005460 / 18195 FUEL CONTROL UNIT 1.1.6	COMP-OH-0962 Overhaul Fuel Control Unit		0164851330 ~ FCU Assembly, Adjusted ~ 1229M	OVH	120 Month End 3600 FH	11074.00 FH	47 MO OVH 2311.10 FH OVH	3/31/2022 8762.90 FH	FH	2240 Days 1288.90 FH	3/31/2032 8817.30 FH	7/18/2028
0292005460 / 18195 M01 ACCESSORY GEARBOX 1.1.1	COMP-INSP-1125 3600 FH M01 GEARBOX INTERMEDIATE INSPECTION (05-20-10-201-886-A01)		70BM013110 ~ M01 Accessory Gearbox ~ 7113	INSP	3600 FH	7385.90 FH	385.70 FH INS	7000.20 FH	FH	3214.30 FH	10742.70 FH	3/5/2032
70BM053110 / 14324 COUPLING SLEEVE 1.1.5.1	COMP-RTR-0539 Retire Equipped Sleeve		0292708020 ~ Equipped Sleeve ~ 2390DMP	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	10742.70 FH	3/5/2032
70BM053110 / 14324 LH THREADED NUT 1.1.5.2	COMP-RTR-0540 Retire Free Turbine Nut		0292701370 ~ Free Turbine Nut ~ 11754	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	10742.70 FH	3/5/2032
0292005460 / 18195 M02 AXIAL COMPRESSOR 1.1.2	COMP-INSP-0961 3600 FH M02 AXIAL COMPRESSOR INTERMEDIATE INSPECTION POST TU275 (05-20-10-201-886-A01)		70BM027300 ~ M02 Axial Compressor ~ 15302	INSP	3600 FH	7528.40 FH	385.70 FH INS	7142.70 FH	FH	3214.30 FH	10742.70 FH	3/5/2032
0292005460 / 18195 M03 GAS GENERATOR 1.1.3	COMP-OH-0953 Overhaul M03 Gas Generator		70BM033150 ~ M03 Gas Generator ~ 14325	OVH	3600 FH	7528.40 FH	385.70 FH OVH	7142.70 FH	FH	3214.30 FH	10742.70 FH	3/5/2032
0292005460 / 18195 M04 FREE TURBINE ASSY 1.1.4	COMP-INSP-1124 3600 FH M04 POWER TURBINE ASSY INTERMEDIATE INSPECTION (05-20-10-201-886-A01)		70BM043110 ~ M04 Free Turbine ~ 14325	INSP	3600 FH	7528.40 FH	385.70 FH INS	7142.70 FH	FH	3214.30 FH	10742.70 FH	3/5/2032
0292005460 / 18195 M05 FT REDUCTION GEAR 1.1.5	COMP-OH-0955 Overhaul M05 Reduction Gear		70BM053110 ~ M05 Reduction Gear ~ 14324	OVH	3600 FH	7528.40 FH	385.70 FH OVH	7142.70 FH	FH	3214.30 FH	10742.70 FH	3/5/2032
ENGINE 1 1.1	ENG-INSP-0100 ARRIEL 1E2 INSPECTION AT 3600 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18195	INSP	3600 FH	7528.40 FH	0.50 FH INS	7142.70 FH	FH	3214.30 FH	10742.70 FH	3/5/2032
70BM033150 / 14325 NVG HUB FRONT 1.1.3.5	COMP-RTR-0522 Retire Front NGV Hub		2292401800 ~ NGV HUB FRONT ~ 60MPP	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	10742.70 FH	3/5/2032
70BM033150 / 14325 NVG HUB REAR 1.1.3.6	COMP-RTR-0523 Retire Rear NGV Hub		2292401810 ~ NGV HUB REAR ~ 2286COU	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	10742.70 FH	3/5/2032

Engine: ENGINE 1 ; Part# 0292005460 ; Serial# 18195

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
70BM027300 / 15302 WHEEL 1.1.2.1	COMP-RTR-0862 Retire Axial Compressor Wheel		2292152910 ~ Axial Compressor Wheel ~ 3135FB	RTR	Threshold 22000 N1	15622.30 N1			N1	6377.70 N1	16407.10 N1	9/12/2032
0292005460 / 18195 STRATING DRAIN VALVE 1.1.7	COMP-OH-0514 Overhaul Starting Drain Valve Assembly		0174078030 ~ Valve Assy ~ 2392	OVH	Threshold 10 Years 10 Years				CAL	3214 Days	11/30/2034	11/30/2034
0292005460 / 18195 ADJUSTED DRAIN VALVE 1.1.8	COMP-OH-0513 Overhaul Drain Valve Assembly		0174120130 ~ Overspeed / Adjusted Drain Valve ~ D121B	OVH	Threshold 10 Years 10 Years				CAL	3214 Days	11/30/2034	11/30/2034
70BM043110 / 14325 FREE TURBINE DISC 1.1.4.2	COMP-RTR-0532 Retire HP Turbine Disc		2292802500 ~ DISC, HP Turbine ~ AE10333AD	RTR	Threshold 10000 N2	1042.80 N2			N2	8957.20 N2	22078.60 N2	2/5/2035
70BM033150 / 14325 2ND STAGE T DISC 1.1.3.4	COMP-RTR-0973 Retire Turbine Disc		0292251210 ~ Disk, Turbine ~ AE7485AD	RTR	Threshold 10000 N1	1013.00 N1			N1	8987.00 N1	19016.40 N1	5/23/2035
70BM033150 / 14325 2ND STAGE T WHEEL 1.1.3.8	COMP-RTR-0971 Retire Second Stage Blade		029225A1J0 ~ HP TURBINE BLADE ~ 188826	RTR	Threshold 6000 FH 10000 N1	385.70 FH 1013.00 N1			N1	5614.30 FH 8987.00 N1	13142.70 FH 19016.40 N1	5/23/2035
70BM033150 / 14325 1ST STAGE T DISC 1.1.3.3	COMP-RTR-0527 Retire Turbine Disc		0292253240 ~ Turbine Disc ~ AE10535AD	RTR	Threshold 10000 N1	1013.00 N1			N1	8987.00 N1	19016.40 N1	5/23/2035
70BM033150 / 14325 INJECTION WHEEL 1.1.3.2	COMP-RTR-0526 Retire Injection Wheel		0292254010 ~ Injection Wheel ~ 15007AD	RTR	Threshold 10000 N1	1013.00 N1			N1	8987.00 N1	19016.40 N1	5/23/2035
70BM033150 / 14325 1ST STAGE T WHEEL 1.1.3.7	COMP-RTR-0970 Retire First Stage Blade		229225A1Z0 ~ REAR INNER PART ~ 73200	RTR	Threshold 6000 FH 12000 N1	385.70 FH 1013.00 N1			FH	5614.30 FH 10987.00 N1	13142.70 FH 21016.40 N1	9/14/2036
0292005460 / 18195 M04 FREE TURBINE ASSY 1.1.4	COMP-OH-0954 Overhaul M04 Free Turbine		70BM043110 ~ M04 Free Turbine ~ 14325	OVH	7200 FH	7528.40 FH	385.70 FH OVH	7142.70 FH	FH	6814.30 FH	14342.70 FH	12/19/2038
0292005460 / 18195 M02 AXIAL COMPRESSOR 1.1.2	COMP-OH-0952 Overhaul M02 Axial Compressor		70BM027300 ~ M02 Axial Compressor ~ 15302	OVH	7200 FH	7528.40 FH	385.70 FH OVH	7142.70 FH	FH	6814.30 FH	14342.70 FH	12/19/2038
70BM053110 / 14324 BEARING 1 1.1.5.3	COMP-RTR-0537 Retire Bearing		9609000247 ~ BEARING ~ 15095	RTR	Threshold 7200 FH	385.70 FH			FH	6814.30 FH	14342.70 FH	12/19/2038
70BM053110 / 14324 BEARING 2 1.1.5.4	COMP-RTR-0537 Retire Bearing		9609000247 ~ BEARING ~ 15174	RTR	Threshold 7200 FH	385.70 FH			FH	6814.30 FH	14342.70 FH	12/19/2038

Engine: ENGINE 1 ; Part# 0292005460 ; Serial# 18195

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
70BM043110 / 14325 FREE TURBINE BLADES 1.1.4.1	COMP-RTR-0533 Retire Free Turbine Blades		029280A6G0 ~ Turbine Blades, Free ~ 15712	RTR	Threshold 7200 FH	385.70 FH			FH	6814.30 FH	14342.70 FH	12/19/2038
70BM033150 / 14325 IMPELLER 1.1.3.1	COMP-RTR-0972 Retire Centrifugal Impeller		0292254050 ~ CENTRIFUGAL IMPELLER ~ 7096CAR	RTR	Threshold 14000 N1	1013.00 N1			N1	12987.00 N1	23016.40 N1	7/10/2039
0292005460 / 18195 M03 GAS GENERATOR 1.1.3	ENG-INSP-0101 ARRIEL 2B1, 2D AND 1E2 MODULE 3 INSPECTION AT 15 YEARS		70BM033150 ~ M03 Gas Generator ~ 14325	INSP	180 Month End			1/24/2025	CAL	5102 Days	1/31/2040	1/31/2040
0292005460 / 18195 M01 ACCESSORY GEARBOX 1.1.1	COMP-OH-0951 Overhaul M01 Accessory Gearbox		70BM013110 ~ M01 Accessory Gearbox ~ 7113	OVH	180 Month End		13 MO OVH	1/24/2025	CAL	5102 Days	1/31/2040	1/31/2040

Engine: ENGINE 2 ; Part# 0292005460 ; Serial# 18800

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
ENGINE 2 1.2	ENG-INSP-0088 ARRIEL 1E2 INSPECTION AT 30 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	30 FH	13022.20 FH	0.50 FH INS	13021.70 FH	FH	29.50 FH	13051.70 FH	3/3/2026
ENGINE 2 1.2	ENG-INSP-0090 ARRIEL 1E2 INSPECTION AT 100 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	100 FH	13022.20 FH	0.50 FH INS	13021.70 FH	FH	99.50 FH	13121.70 FH	4/20/2026
ENGINE 2 1.2	ENG-AAIP-0106 ARRIEL 1E2 100 FH CLEANING		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	Threshold 100 FH 100 FH	13022.20 FH	0.50 FH INS	13021.70 FH	FH	99.50 FH	13121.70 FH	4/20/2026
ENGINE 2 1.2	ENG-AAIP-0107 ARRIEL 1E2 100 FH POWER CHECK		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	Threshold 100 FH 100 FH	13022.20 FH	0.50 FH INS	13021.70 FH	FH	99.50 FH	13121.70 FH	4/20/2026
ENGINE 2 1.2	ENG-INSP-0092 ARRIEL1E2 INSPECTION AT 200 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	200 FH	13022.20 FH	0.50 FH INS	12993.40 FH	FH	171.20 FH	13193.40 FH	6/8/2026
ENGINE 2 1.2	ENG-INSP-0093 ARRIEL 1E2 INSPECTION AT 300 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	300 FH	13022.20 FH	0.50 FH INS	12911.90 FH	FH	189.70 FH	13211.90 FH	6/21/2026

Engine: ENGINE 2 ; Part# 0292005460 ; Serial# 18800

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
ENGINE 2 1.2	ENG-INSP-0094 ARRIEL 1E2 INSPECTION AT 400 FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	400 FH	13022.20 FH	0.50 FH INS	13021.70 FH	FH	399.50 FH	13421.70 FH	11/13/2026
ENGINE 2 1.2	ENG-INSP-0103 ARRIEL 1E2 INSPECTION AT 400 HR / 12 MO INSPECTION		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	12 Month End 400 FH	13022.20 FH	1 MO INS 0.50 FH INS	1/19/2026 13021.70 FH	FH	354 Days 399.50 FH	1/31/2027 13421.70 FH	11/13/2026
ENGINE 2 1.2	ENG-INSP-0112 ARRIEL 1E2 INSPECTION AT 800 HR / 24 MO INSPECTION		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	Threshold 24 Month End 800 FH 24 Month End 800 FH	13022.20 FH	1 MO INS 0.50 FH INS	2/5/2025 12636.50 FH	FH	382 Days 414.30 FH	2/28/2027 13436.50 FH	11/23/2026
ENGINE 2 1.2	ENG-INSP-0095 ARRIEL 1E2 INSPECTION AT 800 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	800 FH	13022.20 FH	0.50 FH INS	12636.50 FH	FH	414.30 FH	13436.50 FH	11/23/2026
0292005460 / 18800 FUEL CONTROL UNIT 1.2.6	COMP-OH-0962 Overhaul Fuel Control Unit		0164851840 ~ Fuel Control ~ 209TEC	OVH	120 Month End 3600 FH	6629.50 FH	3029.60 FH OVH		FH	1874 Days 570.40 FH	3/31/2031 13592.60 FH	3/10/2027
ENGINE 2 1.2	ENG-INSP-0097 ARRIEL 1E2 INSPECTION AT 1200 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	1200 FH	13022.20 FH	0.50 FH INS	12636.50 FH	FH	814.30 FH	13836.50 FH	8/26/2027
ENGINE 2 1.2	ENG-INSP-0098 ARRIEL 1E2 INSPECTION AT 1600 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	1600 FH	13022.20 FH	0.50 FH INS	12636.50 FH	FH	1214.30 FH	14236.50 FH	5/27/2028
0292005460 / 18800 M01 ACCESSORY GEARBOX 1.2.1	COMP-INSP-1125 3600 FH M01 GEARBOX INTERMEDIATE INSPECTION (05-20- 10-201-886-A01)		70BM013110 ~ M01 Accessory Gearbox ~ 14282	INSP	3600 FH	15236.40 FH	385.70 FH INS	14850.70 FH	FH	3214.30 FH	16236.50 FH	3/5/2032
0292005460 / 18800 M02 AXIAL COMPRESSOR 1.2.2	COMP-INSP-0961 3600 FH M02 AXIAL COMPRESSOR INTERMEDIATE INSPECTION POST TU275 (05-20-10-201- 886-A01)		70BM027300 ~ M02 Axial Compressor ~ 15234	INSP	3600 FH	12936.50 FH	385.70 FH INS	12550.80 FH	FH	3214.30 FH	16236.50 FH	3/5/2032
0292005460 / 18800 M03 GAS GENERATOR 1.2.3	COMP-OH-0953 Overhaul M03 Gas Generator		70BM033150 ~ M03 Gas Generator ~ 14059	OVH	3600 FH	9483.20 FH	385.70 FH OVH	9097.50 FH	FH	3214.30 FH	16236.50 FH	3/5/2032

Engine: ENGINE 2 ; Part# 0292005460 ; Serial# 18800

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
0292005460 / 18800 M04 FREE TURBINE ASSY 1.2.4	COMP-INSP-1124 3600 FH M04 POWER TURBINE ASSY INTERMEDIATE INSPECTION (05-20-10-201-886-A01)		70BM043110 ~ M04 Free Turbine ~ 14258	INSP	3600 FH	12504.30 FH	385.70 FH INS	12118.60 FH	FH	3214.30 FH	16236.50 FH	3/5/2032
70BM033150 / 14059 NVG HUB FRONT 1.2.3.5	COMP-RTR-0522 Retire Front NGV Hub		2292401800 ~ NGV HUB FRONT ~ 225MPP	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	16236.50 FH	3/5/2032
70BM033150 / 14059 NVG HUB REAR 1.2.3.6	COMP-RTR-0523 Retire Rear NGV Hub		2292401810 ~ NGV HUB REAR ~ 2214COU	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	16236.50 FH	3/5/2032
70BM053110 / 23074 COUPLING ASSY 1.2.5.1	COMP-RTR-0539 Retire Equipped Sleeve		0292708020 ~ Equipped Sleeve ~ 2488DMP	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	16236.50 FH	3/5/2032
70BM053110 / 23074 LH TREADED NUT 1.2.5.2	COMP-RTR-0540 Retire Free Turbine Nut		0292701370 ~ Free Turbine Nut ~ 11780	RTR	Threshold 3600 FH	385.70 FH			FH	3214.30 FH	16236.50 FH	3/5/2032
ENGINE 2 1.2	ENG-INSP-0100 ARRIEL 1E2 INSPECTION AT 3600 HR FLIGHT HOURS		0292005460 ~ Arriel 1E2 Engine Assembly ~ 18800	INSP	3600 FH	13022.20 FH	0.50 FH INS	12636.50 FH	FH	3214.30 FH	16236.50 FH	3/5/2032
0292005460 / 18800 M05 FT REDUCTION GEAR 1.2.5	COMP-OH-0955 Overhaul M05 Reduction Gear		70BM053110 ~ M05 Reduction Gear ~ 23074	OVH	3600 FH	6416.80 FH	385.70 FH OVH	6031.10 FH	FH	3214.30 FH	16236.50 FH	3/5/2032
70BM043110 / 14258 FREE TURBINE DISC 1.2.4.2	COMP-RTR-0532 Retire HP Turbine Disc		2292802500 ~ DISC, HP Turbine ~ AC956AD	RTR	Threshold 10000 N2	3277.40 N2			N2	6722.60 N2	19917.10 N2	8/27/2032
70BM033150 / 14059 IMPELLER 1.2.3.1	COMP-RTR-0972 Retire Centrifugal Impeller		0292254050 ~ CENTRIFUGAL IMPELLER ~ 1257FRF	RTR	Threshold 14000 N1	5430.20 N1			N1	8569.80 N1	24716.70 N1	9/10/2034
0292005460 / 18800 ADJUSTED DRAIN VALVE 1.2.8	COMP-OH-0513 Overhaul Drain Valve Assembly		0174120130 ~ Overspeed / Adjusted Drain Valve ~ 522M	OVH	Threshold 10 Years 10 Years				CAL	3153 Days	9/30/2034	9/30/2034
0292005460 / 18800 STRATING DRAIN VALVE 1.2.7	COMP-OH-0514 Overhaul Starting Drain Valve Assembly		0174078030 ~ Valve Assy ~ B624B	OVH	Threshold 10 Years 10 Years				CAL	3244 Days	12/30/2034	12/30/2034
70BM033150 / 14059 1ST STAGE T DISC 1.2.3.3	COMP-RTR-0527 Retire Turbine Disc		0292253240 ~ Turbine Disc ~ AE8499AD	RTR	Threshold 10000 N1	1011.80 N1			N1	8988.20 N1	25135.10 N1	2/10/2035
70BM033150 / 14059 2ND STAGE T DISC 1.2.3.4	COMP-RTR-0973 Retire Turbine Disc		0292251210 ~ Disk, Turbine ~ AE7459AD	RTR	Threshold 10000 N1	1011.80 N1			N1	8988.20 N1	25135.10 N1	2/10/2035

Engine: ENGINE 2 ; Part# 0292005460 ; Serial# 18800

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
70BM033150 / 14059 2ND STAGE T WHEEL 1.2.3.8	COMP-RTR-0971 Retire Second Stage Blade		029225A1J0 ~ HP TURBINE BLADE ~ 191219	RTR	Threshold 6000 FH 10000 N1	385.70 FH 1011.80 N1			N1	5614.30 FH 8988.20 N1	18636.50 FH 25135.10 N1	2/10/2035
70BM033150 / 14059 INJECTION WHEEL 1.2.3.2	COMP-RTR-0526 Retire Injection Wheel		0292254010 ~ Injection Wheel ~ GN685CTF	RTR	Threshold 10000 N1	1011.80 N1			N1	8988.20 N1	25135.10 N1	2/10/2035
70BM033150 / 14059 1ST STAGE T WHEEL 1.2.3.7	COMP-RTR-0970 Retire First Stage Blade		229225A1Z0 ~ REAR INNER PART ~ 75390	RTR	Threshold 6000 FH 12000 N1	385.70 FH 1011.80 N1			FH	5614.30 FH 10988.20 N1	18636.50 FH 27135.10 N1	9/14/2036
70BM043110 / 14258 FREE TURBINE BLADES 1.2.4.1	COMP-RTR-0533 Retire Free Turbine Blades		029280A6G0 ~ Turbine Blades, Free ~ 21447	RTR	Threshold 7200 FH	385.70 FH			FH	6814.30 FH	19836.50 FH	12/19/2038
70BM053110 / 23074 BEARING 1 1.2.5.3	COMP-RTR-1323 Retire Bearing		9609000394 ~ Bearing ~ 4659	RTR	Threshold 7200 FH	385.70 FH			FH	6814.30 FH	19836.50 FH	12/19/2038
70BM053110 / 23074 BEARING 2 1.2.5.4	COMP-RTR-1323 Retire Bearing		9609000394 ~ Bearing ~ 4710	RTR	Threshold 7200 FH	385.70 FH			FH	6814.30 FH	19836.50 FH	12/19/2038
0292005460 / 18800 M04 FREE TURBINE ASSY 1.2.4	COMP-OH-0954 Overhaul M04 Free Turbine		70BM043110 ~ M04 Free Turbine ~ 14258	OVH	7200 FH	12504.30 FH	385.70 FH OVH	12118.60 FH	FH	6814.30 FH	19836.50 FH	12/19/2038
0292005460 / 18800 M02 AXIAL COMPRESSOR 1.2.2	COMP-OH-0952 Overhaul M02 Axial Compressor		70BM027300 ~ M02 Axial Compressor ~ 15234	OVH	7200 FH	12936.50 FH	385.70 FH OVH	12550.80 FH	FH	6814.30 FH	19836.50 FH	12/19/2038
70BM027300 / 15234 WHEEL 1.2.2.1	COMP-RTR-0972 Retire Centrifugal Impeller		2292150190 ~ Axial Compressor Wheel ~ 8385FB	RTR	Threshold 14000 N1	1011.80 N1			N1	12988.20 N1	29135.10 N1	2/12/2039
0292005460 / 18800 M01 ACCESSORY GEARBOX 1.2.1	COMP-OH-0951 Overhaul M01 Accessory Gearbox		70BM013110 ~ M01 Accessory Gearbox ~ 14282	OVH	180 Month End		12 MO OVH	2/5/2025	CAL	5131 Days	2/29/2040	2/29/2040
0292005460 / 18800 M03 GAS GENERATOR 1.2.3	ENG-INSP-0101 ARRIEL 2B1, 2D AND 1E2 MODULE 3 INSPECTION AT 15 YEARS		70BM033150 ~ M03 Gas Generator ~ 14059	INSP	180 Month End			2/5/2025	CAL	5131 Days	2/29/2040	2/29/2040

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
--	-------------------------	-------	-----------------------------	-----------	----------	-----------	-----------------------------	----------------	--------------	-----------------	-----------	--------------------------

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B642M1002105 / 0153 FITTED BOLT 1 1.61.2	COMP-RTR-1044 Retire Fitted Bolt		B642M1003201 ~ Fitted Bolt ~ 3400	RTR	Threshold 2630 FH 17100 FC	6617.00 FC 2492.40 FH			FH	137.60 FH 10483.00 FC	10722.70 FH 36357.00 FC	5/16/2026
B642M1002105 / 0153 FITTED BOLT 2 1.61.3	COMP-RTR-1044 Retire Fitted Bolt		B642M1003201 ~ Fitted Bolt ~ 3426	RTR	Threshold 2630 FH 17100 FC	6617.00 FC 2492.40 FH			FH	137.60 FH 10483.00 FC	10722.70 FH 36357.00 FC	5/16/2026
EMER POWER 1.58	COMP-INSP-1100 12 MO EMERGENCY POWER SUPPLY CAP CHECK (REPLACEMENT) – 501-1228-03 & 501- 1228-04		501-1228-03 ~ Emergency Power Supply ~ 5184	INSP	12 Month End		4 MO INS	5/30/2025	CAL	109 Days	5/31/2026	5/31/2026
B673M30A1002 / 00577 LATERAL AXIS 1.15.3	COMP-OH-1090 Overhaul Lateral Actuator		B673M30A1301 ~ ACTUATOR, MHA LAT. ~ 00610	OVH	7500 FH	7339.20 FH			FH	160.80 FH	10745.90 FH	6/1/2026
AC DRIVE BELT 1.147	COMP-RTR-1131 Retire A/C Drive Belt		9385 ~ AC BELT ~ 1086	RTR	Threshold 12 Month End 1000 FH	137.80 FH			CAL	139 Days 862.20 FH	6/30/2026 11447.30 FH	6/30/2026
TRUSS SCREW 1 1.116	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23508	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
TRUSS SCREW 2 1.117	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23386	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
TRUSS SCREW 3 1.118	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23500	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
TRUSS SCREW 4 1.119	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23521	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
TRUSS SCREW 5 1.120	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23501	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
TRUSS SCREW 6 1.121	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23429	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
TRUSS SCREW 7 1.122	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23461	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
TRUSS SCREW 8 1.123	COMP-RTR-1067 Retire Screw		B712M0003201 ~ Screw ~ 23399	RTR	Threshold 2400 FH	2062.50 FH			FH	337.50 FH	10922.60 FH	10/1/2026
MAIN BATTERY 1.17	COMP-ICA-0097 1000 HR / 12 MO BATTERY REPLACEMENT		RG380E44 ~ BATTERY, SEALED LEAD ACID ~ 70047725	INSP	Threshold 12 Month End 1000 FH 6 Month End 500 FH	78.10 FH			CAL	262 Days 921.90 FH	10/31/2026 11507.00 FH	10/31/2026
STARTER 2 1.27	COMP-OH-1135 Overhaul Starter		23081-072 ~ STARTER- GENERATOR ~ P1044/CA	OVH	1000 FH	385.70 FH	385.70 FH OVH	0.00 FH	FH	614.30 FH	11199.40 FH	4/10/2027
STARTER 1 1.26	COMP-OH-1135 Overhaul Starter		23081-072 ~ STARTER- GENERATOR ~ P1394/CA	OVH	1000 FH	2489.70 FH	16.70 FH OVH	2473.00 FH	FH	983.30 FH	11568.40 FH	12/20/2027
B632K1001-051 / KA- 0759 FREEWHEEL LH 1.12.1	COMP-RTR-1022 Retire Freewheeling Clutch		4639302044 ~ Freewheel Clutch ~ 5616	RTR	Threshold 3600 FH	2615.70 FH			FH	984.30 FH	11569.40 FH	12/21/2027
B632K1001-051 / KA- 0759 FREEWHEEL RH 1.12.2	COMP-RTR-1022 Retire Freewheeling Clutch		4639302044 ~ Freewheel Clutch ~ 5673	RTR	Threshold 3600 FH	2615.70 FH			FH	984.30 FH	11569.40 FH	12/21/2027
INT GEARBOX 1.96	COMP-OH-1101 Overhaul Intermediate Gearbox		4639002011 ~ Intermediate Gearbox ~ 3081	OVH	Threshold 1500 FH 1500 FH	1954.90 FH	319.80 FH OVH	1635.10 FH	FH	1180.20 FH	11765.30 FH	5/4/2028
TRUSS BOLT 1 1.112	COMP-RTR-1066 Retire Bolt Lug		B712M0002201 ~ Bolt (lug) ~ 9083	RTR	Threshold 3000 FH	1751.80 FH			FH	1248.20 FH	11833.30 FH	6/19/2028
TRUSS BOLT 2 1.113	COMP-RTR-1066 Retire Bolt Lug		B712M0002201 ~ Bolt (lug) ~ 9128	RTR	Threshold 3000 FH	1751.80 FH			FH	1248.20 FH	11833.30 FH	6/19/2028
TRUSS BOLT 3 1.114	COMP-RTR-1066 Retire Bolt Lug		B712M0002201 ~ Bolt (lug) ~ 9103	RTR	Threshold 3000 FH	1751.80 FH			FH	1248.20 FH	11833.30 FH	6/19/2028

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
TRUSS BOLT 4 1.115	COMP-RTR-1066 Retire Bolt Lug		B712M0002201 ~ Bolt (lug) ~ 9126	RTR	Threshold 3000 FH	1751.80 FH			FH	1248.20 FH	11833.30 FH	6/19/2028
B642M1002105 / 0153 LAMINATED PILE 1.61.1	COMP-RTR-1042 Retire Laminated Pile Assembly		B642M1005101 ~ Laminated Pile Assy ~ 3976	RTR	Threshold 2153 FH 14000 FC	2297.00 FC 851.00 FH			FH	1302.00 FH 11703.00 FC	11887.10 FH 37577.00 FC	7/27/2028
TAIL GEARBOX 1.97	COMP-OH-1103 Overhaul Tail Rotor Gearbox		4639003013 ~ Tail Rotor Gearbox ~ 3811	OVH	1800 FH	458.70 FH			FH	1341.30 FH	11926.40 FH	8/23/2028
CARTRIDGE AFT 1.28	COMP-OH-0083 Overhaul Motor Pump Cartridge		130100 ~ FUEL PUMP CARTRIDGE ~ 2005	OVH	Threshold 5000 FH 5000 FH	8634.30 FH			FH	1357.10 FH	11942.20 FH	9/3/2028
B622M1002101 / 0239 TT STRAP 4 1.3.43	COMP-RTR-0994 Retire Tension Torsion Strap		B622M10T1001 ~ Tension Torsion Strap ~ LK16870	RTR	Threshold 144 Month End 30000 FC	14081.00 FC			CAL	962 Days 15919.00 FC	9/30/2028 41793.00 FC	9/30/2028
B622M1002101 / 0239 TT STRAP 1 1.3.40	COMP-RTR-0994 Retire Tension Torsion Strap		B622M10T1001 ~ Tension Torsion Strap ~ LK16885	RTR	Threshold 144 Month End 30000 FC	14081.00 FC			CAL	962 Days 15919.00 FC	9/30/2028 41793.00 FC	9/30/2028
33000061-1 / 89002A1 EXPL CARTRIDGE RH 1.66.2	COMP-RTR-0929 Retire Explosive Cartridge		30903896 ~ Cartridge Explo ~ 0376WG	RTR	Threshold 120 Month End				CAL	1023 Days	11/30/2028	11/30/2028
B621M1002104 / 1182 VIBRATION ABSORBER 1.10.3	COMP-INSP-1001 1600 HR / 4 YR VIBRATION ABSORBER INSPECTION - DI 62/13/00/000/000/007		B621M3001201 ~ Upper Vibration Absorber ~ 10224	INSP	Threshold 4 Years 1600 FH 4 Years 1600 FH	78.10 FH			FH	1358 Days 1521.90 FH	10/31/2029 12107.00 FH	12/25/2028
SIDEWARD LINK BEARING 1 1.134	COMP-RTR-1069 Retire Rod End Bearing		117-601071.10 ~ Rod End Bearing ~ 1955	RTR	Threshold 9000 FH	7406.70 FH			FH	1593.30 FH	12178.40 FH	2/12/2029
33000061-1 / 89002A1 EXPL CARTRIDGE LH 1.66.1	COMP-RTR-0929 Retire Explosive Cartridge		30903896 ~ Cartridge Explo ~ 4124WK	RTR	Threshold 120 Month End				CAL	1144 Days	3/31/2029	3/31/2029

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
FIRE EXTINGUISHER FWD 1.66	COMP-OH-1122 Overhaul Fire Extinguisher		33000061-1 ~ FIRE EXTINGUISHER ~ 89002A1	OVH	120 Month End				CAL	1174 Days	4/30/2029	4/30/2029
B622M1002101 / 0239 BOLT 1 1.3.12	COMP-RTR-0984 Retire Bolt		B622M1006201 ~ Bolt ~ 5649	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 6 1.3.17	COMP-RTR-0984 Retire Bolt		B622M1007201 ~ Bolt ~ 13002	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 7 1.3.18	COMP-RTR-0984 Retire Bolt		B622M1007201 ~ Bolt ~ 13007	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 8 1.3.19	COMP-RTR-0984 Retire Bolt		B622M1007201 ~ Bolt ~ 13010	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 2 1.3.13	COMP-RTR-0986 Retire Bolt		B622M1006201 ~ Bolt ~ 5660	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 3 1.3.14	COMP-RTR-0986 Retire Bolt		B622M1006201 ~ Bolt ~ 5669	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 4 1.3.15	COMP-RTR-0986 Retire Bolt		B622M1006201 ~ Bolt ~ 5696	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
B622M1002101 / 0239 BOLT 5 1.3.16	COMP-RTR-0986 Retire Bolt		B622M1007201 ~ Bolt ~ 12980	RTR	Threshold 4800 FH 31200 FC	7999.00 FC 3028.80 FH			FH	1771.20 FH 23201.00 FC	12356.30 FH 49075.00 FC	6/15/2029
C406-NHM / 09779 BATTERY 1.137.1	COMP-RTR-0060 Retire ELT Battery		452-0133 ~ ELT Battery ~ 1015467-010	RTR	Threshold 60 Month End				CAL	1478 Days	2/28/2030	2/28/2030
B622M1002101 / 0239 NUT 1 1.3.32	COMP-RTR-0990 Retire Nut		B622M1003201 ~ Nut ~ 1050-B	RTR	Threshold 10123 FH 65800 FC	24953.00 FC 7827.20 FH			FH	2295.80 FH 40847.00 FC	12880.90 FH 66721.00 FC	6/11/2030
B622M1002101 / 0239 NUT 2 1.3.33	COMP-RTR-0990 Retire Nut		B622M1003201 ~ Nut ~ 1030-G	RTR	Threshold 10123 FH 65800 FC	24953.00 FC 7827.20 FH			FH	2295.80 FH 40847.00 FC	12880.90 FH 66721.00 FC	6/11/2030

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B622M1002101 / 0239 NUT 3 1.3.34	COMP-RTR-0990 Retire Nut		B622M1003201 ~ Nut ~ 1047-R	RTR	Threshold 10123 FH 65800 FC	24953.00 FC 7827.20 FH			FH	2295.80 FH 40847.00 FC	12880.90 FH 66721.00 FC	6/11/2030
B622M1002101 / 0239 NUT 4 1.3.35	COMP-RTR-0990 Retire Nut		B622M1003201 ~ Nut ~ 1042-Y	RTR	Threshold 10123 FH 65800 FC	24953.00 FC 7827.20 FH			FH	2295.80 FH 40847.00 FC	12880.90 FH 66721.00 FC	6/11/2030
MAIN TRANSMISSION 1.12	COMP-OH-1026 Overhaul Main Transmission		B632K1001-051 ~ Main Transmission ~ KA-0759	OVH	5400 FH	4920.60 FH	2615.70 FH OVH	2304.90 FH	FH	2384.30 FH	12969.40 FH	8/11/2030
O2 BOTTLE 1 1.145	COMP-INSP-0150 5 Year Hydrostatic Test and Cleaning		4110-120-3 ~ 77CF CYL ASSY ~ ALT281-68907	INSP	Threshold 60 Month End 60 Month End				CAL	1692 Days	9/30/2030	9/30/2030
O2 BOTTLE 2 1.146	COMP-RTR-0057 Retire Oxygen Cylinder		4110-120-3 ~ 77CF CYL ASSY ~ ALT281-34486	RTR	Threshold 180 Month End				CAL	1753 Days	11/30/2030	11/30/2030
O2 BOTTLE 2 1.146	COMP-INSP-0150 5 Year Hydrostatic Test and Cleaning		4110-120-3 ~ 77CF CYL ASSY ~ ALT281-34486	INSP	Threshold 60 Month End 60 Month End				CAL	1815 Days	1/31/2031	1/31/2031
TAIL ROTOR BLADE 2 1.60	COMP-RTR-1039 Retire Tail Rotor Blade		B641M1001101 ~ Tail Rotor Blade Assy ~ 812	RTR	Threshold 9300 FH	6097.00 FH			FH	3203.00 FH	13788.10 FH	2/26/2032
TAIL ROTOR BLADE 1 1.59	COMP-RTR-1039 Retire Tail Rotor Blade		B641M1001101 ~ Tail Rotor Blade Assy ~ 1457	RTR	Threshold 9300 FH	5538.40 FH			FH	3761.60 FH	14346.70 FH	3/17/2033
B712M1002104 / 1685/1700 CONNECTING PIN 1 1.13.4	COMP-RTR-1068 Retire Connecting Pin		B712M0006201 ~ Connecting Pin ~ 5357	RTR	Threshold 7200 FH	3386.40 FH			FH	3813.60 FH	14398.70 FH	4/22/2033
B712M1002104 / 1685/1700 CONNECTING PIN 2 1.13.5	COMP-RTR-1068 Retire Connecting Pin		B712M0006201 ~ Connecting Pin ~ 5385	RTR	Threshold 7200 FH	3386.40 FH			FH	3813.60 FH	14398.70 FH	4/22/2033
B712M2002104 / 1659/1668 CONNECTING PIN 1 1.14.4	COMP-RTR-1068 Retire Connecting Pin		B712M0006201 ~ Connecting Pin ~ 5352	RTR	Threshold 7200 FH	3386.40 FH			FH	3813.60 FH	14398.70 FH	4/22/2033

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B712M2002104 / 1659/1668 CONNECTING PIN 2 1.14.5	COMP-RTR-1068 Retire Connecting Pin		B712M0006201 ~ Connecting Pin ~ 5341	RTR	Threshold 7200 FH	3386.40 FH			FH	3813.60 FH	14398.70 FH	4/22/2033
FIRE EXTINGUISHER AFT 1.67	COMP-OH-1122 Overhaul Fire Extinguisher		33000061-1 ~ FIRE EXTINGUISHER ~ 66907A1	OVH	120 Month End		23 MO OVH	3/8/2024	CAL	2970 Days	3/31/2034	3/31/2034
HAND FIRE EXTINGUISHER 1 1.62	COMP-OH-0149 120 MO Fire Ext O/H		HAL1-74-00 ~ Hand Fire Extinguisher ~ A036806	INSP	Threshold 120 Month End 120 Month End				CAL	3000 Days	4/30/2034	4/30/2034
HAND FIRE EXTINGUISHER 2 1.63	COMP-OH-0149 120 MO Fire Ext O/H		HAL1-74-00 ~ Hand Fire Extinguisher ~ A036811	INSP	Threshold 120 Month End 120 Month End				CAL	3000 Days	4/30/2034	4/30/2034
CARTRIDGE FWD 1.29	COMP-OH-0083 Overhaul Motor Pump Cartridge		130100 ~ FUEL PUMP CARTRIDGE ~ 13270	OVH	Threshold 5000 FH 5000 FH	607.40 FH			FH	4392.60 FH	14977.70 FH	5/26/2034
CARTRIDGE LH 1.30	COMP-OH-0083 Overhaul Motor Pump Cartridge		130100 ~ FUEL PUMP CARTRIDGE ~ 7166	OVH	Threshold 5000 FH 5000 FH	5528.60 FH	607.40 FH OVH	4921.20 FH	FH	4392.60 FH	14977.70 FH	5/26/2034
CARTRIDGE RH 1.31	COMP-OH-0083 Overhaul Motor Pump Cartridge		130100 ~ FUEL PUMP CARTRIDGE ~ 7175	OVH	Threshold 5000 FH 5000 FH	5528.60 FH	607.40 FH OVH	4921.20 FH	FH	4392.60 FH	14977.70 FH	5/26/2034
B651M1001101 / 1163 HEX SCREW AFT 1 1.99.9	COMP-RTR-1051 Retire Hexagonal Head Screw		B651M0004201 ~ Hexagonal Head Screw ~ 2610	RTR	Threshold 15000 FH	10585.10 FH			FH	4414.90 FH	15000.00 FH	6/10/2034
B651M1001101 / 1163 HEX SCREW AFT 2 1.99.10	COMP-RTR-1051 Retire Hexagonal Head Screw		B651M0004201 ~ Hexagonal Head Screw ~ 2493	RTR	Threshold 15000 FH	10585.10 FH			FH	4414.90 FH	15000.00 FH	6/10/2034
B651M1001101 / 1163 HEX SCREW AFT 3 1.99.11	COMP-RTR-1051 Retire Hexagonal Head Screw		B651M0004201 ~ Hexagonal Head Screw ~ 2469	RTR	Threshold 15000 FH	10585.10 FH			FH	4414.90 FH	15000.00 FH	6/10/2034
B651M1001101 / 1163 HEX SCREW FWD 1 1.99.6	COMP-RTR-1051 Retire Hexagonal Head Screw		B651M0004201 ~ Hexagonal Head Screw ~ 2672	RTR	Threshold 15000 FH	10585.10 FH			FH	4414.90 FH	15000.00 FH	6/10/2034

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B651M1001101 / 1163 HEX SCREW FWD 2 1.99.7	COMP-RTR-1051 Retire Hexagonal Head Screw		B651M0004201 ~ Hexagonal Head Screw ~ 2578	RTR	Threshold 15000 FH	10585.10 FH			FH	4414.90 FH	15000.00 FH	6/10/2034
B651M1001101 / 1163 HEX SCREW FWD 3 1.99.8	COMP-RTR-1051 Retire Hexagonal Head Screw		B651M0004201 ~ Hexagonal Head Screw ~ 2676	RTR	Threshold 15000 FH	10585.10 FH			FH	4414.90 FH	15000.00 FH	6/10/2034
B673M30A1002 / 00577 COLLECTIVE AXIS 1.15.2	COMP-OH-1089 Overhaul Collective Actuator		B673M30A1203 ~ ACTUATOR, MHA COLL. ~ 00472	OVH	7500 FH	8675.80 FH	2839.70 FH OVH		FH	4660.30 FH	15245.40 FH	11/26/2034
FITTING 1 1.86	COMP-RTR-1033 Retire Fitting		B633K1172-201 ~ Fitting ~ 1497 LHAFT	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING 2 1.87	COMP-RTR-1033 Retire Fitting		B633K1172-201 ~ Fitting ~ 1496-LHFWD	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING 3 1.88	COMP-RTR-1033 Retire Fitting		B633K1172-201 ~ Fitting ~ 1499-RHAFT	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING 4 1.89	COMP-RTR-1033 Retire Fitting		B633K1172-201 ~ Fitting ~ 1498-RHFWD	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING ASSY LF AFT 1.82	COMP-RTR-1034 Retire Fitting		B633K1170-101 ~ Fitting Assy ~ 1437	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING ASSY LH FWD 1.83	COMP-RTR-1034 Retire Fitting		B633K1170-101 ~ Fitting Assy ~ 1407	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING ASSY RH AFT 1.84	COMP-RTR-1034 Retire Fitting		B633K1170-101 ~ Fitting Assy ~ 1438	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
FITTING ASSY RH FWD 1.85	COMP-RTR-1034 Retire Fitting		B633K1170-101 ~ Fitting Assy ~ 1436	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
ROD ASSY LH FWD 1.90	COMP-RTR-1035 Retire Stay (Rod) Assy LH (FWD)		B633K1181-101 ~ Stay (Rod) Assy LH (FWD) ~ 0352	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
ROD ASSY RH FWD 1.91	COMP-RTR-1036 Retire Stay (Rod) Assy RH (FWD)		B633K1181-102 ~ Stay (Rod) Assy RH (FWD) ~ 0369	RTR	Threshold 15400 FH	10585.10 FH			FH	4814.90 FH	15400.00 FH	3/13/2035
B622M1002101 / 0239 TT STRAP 2 1.3.41	COMP-RTR-0994 Retire Tension Torsion Strap		B622M10T1001 ~ Tension Torsion Strap ~ LK21741	RTR	Threshold 144 Month End 30000 FC	4639.00 FC			CAL	3335 Days 25361.00 FC	3/31/2035 51235.00 FC	3/31/2035
B622M1002101 / 0239 TT STRAP 3 1.3.42	COMP-RTR-0994 Retire Tension Torsion Strap		B622M10T1001 ~ Tension Torsion Strap ~ LK21715	RTR	Threshold 144 Month End 30000 FC	4639.00 FC			CAL	3335 Days 25361.00 FC	3/31/2035 51235.00 FC	3/31/2035
B673M30A1002 / 00577 LONGITUDINAL AXIS 1.15.1	COMP-OH-1088 Overhaul Longitudinal Actuator		B673M30A1101 ~ ACTUATOR, MHA LONG. AXIS ~ 10312	OVH	7500 FH	2564.90 FH			FH	4935.10 FH	15520.20 FH	6/4/2035
33000061-1 / 66907A1 EXPL CARTRIDGE LH 1.67.1	COMP-RTR-1244 Retire Cartridge Explosive		M30903894 ~ Cartridge Explosive ~ 03092	RTR	Threshold 12 Years				CAL	3678 Days	3/8/2036	3/8/2036
33000061-1 / 66907A1 EXPL CARTRIDGE RH 1.67.2	COMP-RTR-1244 Retire Cartridge Explosive		M30903896 ~ Cartridge, Explosive ~ 02271	RTR	Threshold 12 Years				CAL	3678 Days	3/8/2036	3/8/2036
B622M1002101 / 0239 INNER SLEEVE 1 1.3.36	COMP-RTR-0992 Retire Inner Sleeve		B622M1009201 ~ Inner Sleeve ~ B10872-Y	RTR	Threshold 13300 FH	7827.20 FH			FH	5472.80 FH	16057.90 FH	6/8/2036
B622M1002101 / 0239 INNER SLEEVE 2 1.3.37	COMP-RTR-0992 Retire Inner Sleeve		B622M1009201 ~ Inner Sleeve ~ B10885-G	RTR	Threshold 13300 FH	7827.20 FH			FH	5472.80 FH	16057.90 FH	6/8/2036
B622M1002101 / 0239 INNER SLEEVE 3 1.3.38	COMP-RTR-0992 Retire Inner Sleeve		B622M1009201 ~ Inner Sleeve ~ B10893-B	RTR	Threshold 13300 FH	7827.20 FH			FH	5472.80 FH	16057.90 FH	6/8/2036
B622M1002101 / 0239 INNER SLEEVE 4 1.3.39	COMP-RTR-0992 Retire Inner Sleeve		B622M1009201 ~ Inner Sleeve ~ B10896-R	RTR	Threshold 13300 FH	7827.20 FH			FH	5472.80 FH	16057.90 FH	6/8/2036

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
ENGINE MOUNT BOLT 1 1.124	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20216	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 10 1.133	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20154	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 2 1.125	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20205	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 3 1.126	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20190	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 4 1.127	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20179	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 5 1.128	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20141	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 6 1.129	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20215	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 7 1.130	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20143	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 8 1.131	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20186	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036
ENGINE MOUNT BOLT 9 1.132	COMP-RTR-1070 Retire Bolt		B712M0004201 ~ Bolt ~ 20151	RTR	Threshold 8100 FH	2492.40 FH			FH	5607.60 FH	16192.70 FH	9/9/2036

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
4639002011 / 3081 BEVEL GEAR 1.96.1	COMP-RTR-1055 Retire Input Shaft (Bevel Gear)		4639310082 ~ Input Shaft (Bevel Gear) ~ 1236	RTR	Threshold 6200 FH	319.80 FH			FH	5880.20 FH	16465.30 FH	3/16/2037
4639002011 / 3081 BEVEL PINION 1.96.2	COMP-RTR-1056 Retire Output Shaft (Bevel Gear Pinion)		4639310083 ~ Output Shaft (Bevel Gear Pinion) ~ 1203	RTR	Threshold 6200 FH	319.80 FH			FH	5880.20 FH	16465.30 FH	3/16/2037
4639003013 / 3811 BEVEL PINION 1.97.2	COMP-RTR-1053 Retire Input Shaft (Bevel Gear Shaft)		4639311054 ~ Input Shaft (Bevel Gear Shaft) ~ 1037	RTR	Threshold 6700 FH	458.70 FH			FH	6241.30 FH	16826.40 FH	11/20/2037
4639003013 / 3811 BEVEL GEAR 1.97.1	COMP-RTR-1054 Retire Output Shaft (Bevel Gear)		4639311053 ~ Output Shaft (Bevel Gear) ~ 921	RTR	Threshold 6700 FH	458.70 FH			FH	6241.30 FH	16826.40 FH	11/20/2037
ROD ASSY RH AFT 1.93	COMP-RTR-1038 Retire Stay (Rod) Assy RH (FWD)		B633K1182-102 ~ Stay (Rod) Assy RH (FWD) ~ 0237	RTR	Threshold 15400 FH	8581.00 FH			FH	6819.00 FH	17404.10 FH	12/23/2038
B622M1002101 / 0239 QUAD NUT TOP 1.3.10	COMP-RTR-0980 Retire Quad Nut		B622M1004201 ~ Quad Nut ~ 1287	RTR	Threshold 9230 FH 60000 FC	4639.00 FC 1751.00 FH			FH	7479.00 FH 55361.00 FC	18064.10 FH 81235.00 FC	3/21/2040
B622M1002101 / 0239 QUAD NUT BOTTOM 1.3.11	COMP-RTR-0982 Retire Quad Nut		B622M1005201 ~ Quad Nut ~ 1266	RTR	Threshold 9230 FH 60000 FC	4639.00 FC 1751.00 FH			FH	7479.00 FH 55361.00 FC	18064.10 FH 81235.00 FC	3/21/2040
O2 BOTTLE 1 1.145	COMP-RTR-0057 Retire Oxygen Cylinder		4110-120-3 ~ 77CF CYL ASSY ~ ALT281- 68907	RTR	Threshold 180 Month End				CAL	5345 Days	9/30/2040	9/30/2040
ROD ASSY LH AFT 1.92	COMP-RTR-1037 Retire Stay (Rod) Assy LH (FWD)		B633K1182-101 ~ Stay (Rod) Assy LH (FWD) ~ 0298	RTR	Threshold 15400 FH	7622.60 FH			FH	7777.40 FH	18362.50 FH	10/13/2040
B632K1001-051 / KA- 0759 CASE ASSY 1.12.6	COMP-RTR-1019 Retire Main Transmission Case		B632K1020-101 ~ Main Transmission Case Assy ~ KA-5027	RTR	Threshold 15000 FH	6689.80 FH			FH	8310.20 FH	18895.30 FH	10/15/2041
SIDEWARD LINK BEARING 2 1.135	COMP-RTR-1069 Retire Rod End Bearing		117-601071 ~ Rod End Bearing ~ 7360	RTR	Threshold 9000 FH	385.70 FH			FH	8614.30 FH	19199.40 FH	5/13/2042
B622M1002101 / 0239 STUD BOLT 1 1.3.20	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 2948	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 10 1.3.29	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3116	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B622M1002101 / 0239 STUD BOLT 11 1.3.30	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3118	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 12 1.3.31	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3120	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 2 1.3.21	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 2952	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 3 1.3.22	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 2996	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 4 1.3.23	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3025	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 5 1.3.24	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3031	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 6 1.3.25	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3038	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 7 1.3.26	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3042	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 8 1.3.27	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3044	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B622M1002101 / 0239 STUD BOLT 9 1.3.28	COMP-RTR-0988 Retire Bolt		B622M1002201 ~ Bolt ~ 3067	RTR	Threshold 17000 FH	7827.20 FH			FH	9172.80 FH	19757.90 FH	6/1/2043
B632K1001-051 / KA- 0759 BEVEL PINION 1.12.8	COMP-RTR-1029 Retire Bevel Pinion		B632K1215-201 ~ Bevel Pinion ~ KA-0819	RTR	Threshold 15300 FH	4920.60 FH			FH	10379.40 FH	20964.50 FH	9/10/2045
B632K1001-051 / KA- 0759 SUPPORT ASSY 1 1.12.11	COMP-RTR-1020 Retire Support Assembly		B632K1321-101 ~ Support Assy ~ KA- 3730	RTR	Threshold 15400 FH	4920.60 FH			FH	10479.40 FH	21064.50 FH	11/18/2045

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B632K1001-051 / KA-0759 SUPPORT ASSY 2 1.12.12	COMP-RTR-1020 Retire Support Assembly		B632K1321-101 ~ Support Assy ~ KA- 3732	RTR	Threshold 15400 FH	4920.60 FH			FH	10479.40 FH	21064.50 FH	11/18/2045
B632K1001-051 / KA-0759 SUPPORT ASSY 3 1.12.13	COMP-RTR-1020 Retire Support Assembly		B632K1321-101 ~ Support Assy ~ KA- 3731	RTR	Threshold 15400 FH	4920.60 FH			FH	10479.40 FH	21064.50 FH	11/18/2045
B632K1001-051 / KA-0759 SUPPORT ASSY 4 1.12.14	COMP-RTR-1020 Retire Support Assembly		B632K1321-101 ~ Support Assy ~ KA- 3733	RTR	Threshold 15400 FH	4920.60 FH			FH	10479.40 FH	21064.50 FH	11/18/2045
B632K1001-051 / KA-0759 BEVEL GEAR 1.12.10	COMP-RTR-1031 Retire Bevel Gear		B632K1253-201 ~ Bevel Gear ~ KA-5257	RTR	Threshold 17000 FH	4982.80 FH			FH	12017.20 FH	22602.30 FH	10/12/2048
B632K1001-051 / KA-0759 HEX SCREW 1 1.12.15	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 22441	RTR	Threshold 15000 FH	2615.70 FH			FH	12384.30 FH	22969.40 FH	6/22/2049
B632K1001-051 / KA-0759 HEX SCREW 2 1.12.16	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 22448	RTR	Threshold 15000 FH	2615.70 FH			FH	12384.30 FH	22969.40 FH	6/22/2049
B632K1001-051 / KA-0759 HEX SCREW 3 1.12.17	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 22455	RTR	Threshold 15000 FH	2615.70 FH			FH	12384.30 FH	22969.40 FH	6/22/2049
B651M1001101 / 1163 SHAFT ASSY 1.99.1	COMP-RTR-1048 Retire Long Shaft		B651M1002102 ~ Long Shaft ~ 1163	RTR	Threshold 15000 FH	1007.20 FH			FH	13992.80 FH	24577.90 FH	7/4/2052
4639003013 / 3811 SCREW 1 1.97.3	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 27603	RTR	Threshold 15000 FH	458.70 FH			FH	14541.30 FH	25126.40 FH	7/17/2053
4639003013 / 3811 SCREW 2 1.97.4	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 27596	RTR	Threshold 15000 FH	458.70 FH			FH	14541.30 FH	25126.40 FH	7/17/2053
4639003013 / 3811 SCREW 3 1.97.5	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 27593	RTR	Threshold 15000 FH	458.70 FH			FH	14541.30 FH	25126.40 FH	7/17/2053
4639002011 / 3081 SCREW 1 1.96.3	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 34525	RTR	Threshold 15000 FH	319.80 FH			FH	14680.20 FH	25265.30 FH	10/21/2053
4639002011 / 3081 SCREW 2 1.96.4	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 34522	RTR	Threshold 15000 FH	319.80 FH			FH	14680.20 FH	25265.30 FH	10/21/2053

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
4639002011 / 3081 SCREW 3 1.96.5	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 34519	RTR	Threshold 15000 FH	319.80 FH			FH	14680.20 FH	25265.30 FH	10/21/2053
4639002011 / 3081 SCREW 4 1.96.6	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 34515	RTR	Threshold 15000 FH	319.80 FH			FH	14680.20 FH	25265.30 FH	10/21/2053
4639002011 / 3081 SCREW 5 1.96.7	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 34507	RTR	Threshold 15000 FH	319.80 FH			FH	14680.20 FH	25265.30 FH	10/21/2053
4639002011 / 3081 SCREW 6 1.96.8	COMP-RTR-1023 Retire Hexagonal Head Screw		B651M0003201 ~ Hexagonal Head Screw ~ 34502	RTR	Threshold 15000 FH	319.80 FH			FH	14680.20 FH	25265.30 FH	10/21/2053
B671M7018102 / 745 FORK 1.141.1	COMP-RTR-1063 Retire Fork Lever		B671M7007201 ~ Fork ~ 745	RTR	Threshold 22500 FH	7406.70 FH			FH	15093.30 FH	25678.40 FH	8/1/2054
Z MOUNT FITTING LH AFT 1 1.68	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-101 ~ Z Mount Fitting Assy ~ 9365-2	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
Z MOUNT FITTING LH AFT 2 1.72	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-102 ~ Z Mount Fitting Assy ~ 9365-2	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
Z MOUNT FITTING LH FWD 1 1.69	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-101 ~ Z Mount Fitting Assy ~ 9365-1	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
Z MOUNT FITTING LH FWD 2 1.73	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-102 ~ Z Mount Fitting Assy ~ 9365-1	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
Z MOUNT FITTING RH AFT 1 1.70	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-101 ~ Z Mount Fitting Assy ~ 9365-4	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
Z MOUNT FITTING RH AFT 2 1.74	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-102 ~ Z Mount Fitting Assy ~ 9365-4	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
Z MOUNT FITTING RH FWD 1 1.71	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-101 ~ Z Mount Fitting Assy ~ 9365-3	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
Z MOUNT FITTING RH FWD 2 1.75	COMP-RTR-1016 Retire Z Mount Fitting Assembly		B533K3124-102 ~ Z Mount Fitting Assy ~ 9365-3	RTR	Threshold 26000 FH	10585.10 FH			FH	15414.90 FH	26000.00 FH	3/11/2055
MR BLADE Y 1.8	COMP-RTR-0997 Retire Main Rotor Blade 62/11/00/000/000/018		B621M1002104 ~ Main Rotor Blade ~ 1144	RTR	Threshold 25000 FH	8601.50 FH			FH	16398.50 FH	26983.60 FH	1/17/2057
MR BLADE R 1.11	COMP-RTR-0997 Retire Main Rotor Blade 62/11/00/000/000/018		B621M1002104 ~ Main Rotor Blade ~ 926	RTR	Threshold 25000 FH	8535.50 FH			FH	16464.50 FH	27049.60 FH	3/3/2057
MR BLADE B 1.10	COMP-RTR-0997 Retire Main Rotor Blade 62/11/00/000/000/018		B621M1002104 ~ Main Rotor Blade ~ 1182	RTR	Threshold 25000 FH	7880.30 FH			FH	17119.70 FH	27704.80 FH	5/29/2058
B651M1003101 / 1123 SHORT FRONT SHAFT 1.98.3	COMP-RTR-1046 Retire Short Front Shaft		B651M1005101 ~ Short Front Shaft ~ 1123	RTR	Threshold 28000 FH	10585.10 FH			FH	17414.90 FH	28000.00 FH	12/18/2058
B712M1002104 / 1685/1700 HINGE COVER 1 1.13.2	COMP-RTR-1065 Retire Detent		B712M0001201 ~ Detent ~ 1685	RTR	Threshold 29400 FH	10585.10 FH			FH	18814.90 FH	29400.00 FH	8/8/2061
B712M1002104 / 1685/1700 HINGE COVER 2 1.13.3	COMP-RTR-1065 Retire Detent		B712M0001201 ~ Detent ~ 1700	RTR	Threshold 29400 FH	10585.10 FH			FH	18814.90 FH	29400.00 FH	8/8/2061
B712M2002104 / 1659/1668 HINGE COVER 1 1.14.2	COMP-RTR-1065 Retire Detent		B712M0001201 ~ Detent ~ 1659	RTR	Threshold 29400 FH	10585.10 FH			FH	18814.90 FH	29400.00 FH	8/8/2061
B712M2002104 / 1659/1668 HINGE COVER 2 1.14.3	COMP-RTR-1065 Retire Detent		B712M0001201 ~ Detent ~ 1668	RTR	Threshold 29400 FH	10585.10 FH			FH	18814.90 FH	29400.00 FH	8/8/2061
TRUSS FWD RH 1.14	COMP-RTR-1065 Retire Detent		B712M2002104 ~ TRUSS FWD RH ~ 1659/1668	RTR	Threshold 29400 FH	10585.10 FH			FH	18814.90 FH	29400.00 FH	8/8/2061

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
TRUSS FWD LH 1.13	COMP-RTR-1259 RETIRE TRUSS FWD LH B712M1002104		B712M1002104 ~ TRUSS FWD LH ~ 1685/1700	RTR	Threshold 29400 FH	10585.10 FH			FH	18814.90 FH	29400.00 FH	8/8/2061
B622M1002101 / 0239 ROTORSTAR 1.3.9	COMP-RTR-0978 Retire Rotor Star		B622M1001201 ~ Rotor Star ~ B3189	RTR	Threshold 26800 FH	7827.20 FH			FH	18972.80 FH	29557.90 FH	11/25/2061
LAT CYCLIC TUBE 1.143	COMP-RPL-1074 Replace Control Rod Tube		B291M1015201 ~ Control Rod Tube ~ 1144	RTR	Threshold 30000 FH	10585.10 FH			FH	19414.90 FH	30000.00 FH	9/26/2062
LONG CYCLIC TUBE 1.144	COMP-RPL-1074 Replace Control Rod Tube		B291M1015201 ~ Control Rod Tube ~ 1130	RTR	Threshold 30000 FH	10585.10 FH			FH	19414.90 FH	30000.00 FH	9/26/2062
COLL CYCLIC TUBE 1.142	COMP-RPL-1074 Replace Control Rod Tube		B291M1015201 ~ Control Rod Tube ~ 1134	RTR	Threshold 30000 FH	10585.10 FH			FH	19414.90 FH	30000.00 FH	9/26/2062
CYCLIC CONTROL ROD 1.136	COMP-RPL-1074 Replace Control Rod Tube		B291M1015201 ~ Control Rod Tube ~ 9365	RTR	Threshold 30000 FH	10585.10 FH			FH	19414.90 FH	30000.00 FH	9/26/2062
BOLT 1 1.110	COMP-RTR-1061 Retire Bolt		B671M7033201 ~ BOLT ~ 0762	RTR	Threshold 30000 FH	10585.10 FH			FH	19414.90 FH	30000.00 FH	9/26/2062
BOLT 2 1.111	COMP-RTR-1061 Retire Bolt		B671M7033201 ~ BOLT ~ 0831	RTR	Threshold 30000 FH	10585.10 FH			FH	19414.90 FH	30000.00 FH	9/26/2062
MR BLADE G 1.9	COMP-RTR-0997 Retire Main Rotor Blade 62/11/00/000/000/018		B621M1002104 ~ Main Rotor Blade ~ 550	RTR	Threshold 25000 FH	5515.10 FH			FH	19484.90 FH	30070.00 FH	11/13/2062
B622M1002101 / 0239 HEX BOLT 1 1.3.5	COMP-RTR-0976 Retire Bolt		B621M1061202 ~ HEX BOLT SMALL ~ 5217- G	RTR	Threshold 25000 FH	3356.70 FH			FH	21643.30 FH	32228.40 FH	12/9/2066
B622M1002101 / 0239 HEX BOLT 2 1.3.6	COMP-RTR-0976 Retire Bolt		B621M1061202 ~ HEX BOLT SMALL ~ 5220-B	RTR	Threshold 25000 FH	3356.70 FH			FH	21643.30 FH	32228.40 FH	12/9/2066
B622M1002101 / 0239 HEX BOLT 3 1.3.7	COMP-RTR-0976 Retire Bolt		B621M1061202 ~ HEX BOLT SMALL ~ 5248-R	RTR	Threshold 25000 FH	3356.70 FH			FH	21643.30 FH	32228.40 FH	12/9/2066

Component Due Items

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B622M1002101 / 0239 HEX BOLT 4 1.3.8	COMP-RTR-0976 Retire Bolt		B621M1061202 ~ HEX BOLT SMALL ~ 5221-Y	RTR	Threshold 25000 FH	3356.70 FH			FH	21643.30 FH	32228.40 FH	12/9/2066
B622M1002101 / 0239 MAIN BOLT 1 1.3.1	COMP-RTR-0974 Retire Bolt		B621M1060201 ~ Bolt ~ 6597	RTR	Threshold 25000 FH	2596.40 FH			FH	22403.60 FH	32988.70 FH	5/16/2068
B622M1002101 / 0239 MAIN BOLT 2 1.3.2	COMP-RTR-0974 Retire Bolt		B621M1060201 ~ Bolt ~ 6598	RTR	Threshold 25000 FH	2596.40 FH			FH	22403.60 FH	32988.70 FH	5/16/2068
B622M1002101 / 0239 MAIN BOLT 3 1.3.3	COMP-RTR-0974 Retire Bolt		B621M1060201 ~ Bolt ~ 6606	RTR	Threshold 25000 FH	2596.40 FH			FH	22403.60 FH	32988.70 FH	5/16/2068
B622M1002101 / 0239 MAIN BOLT 4 1.3.4	COMP-RTR-0974 Retire Bolt		B621M1060201 ~ Bolt ~ 6812	RTR	Threshold 25000 FH	2596.40 FH			FH	22403.60 FH	32988.70 FH	5/16/2068
B623M2002102 / 05- 0182 CONTROL RING ASSY 1.12.24.1	COMP-RTR-1018 Retire Control Ring		B623M2001101 ~ Control Ring Assy ~ 2888	RTR	Threshold 27600 FH	4920.60 FH			FH	22679.40 FH	33264.50 FH	11/22/2068
B632K1001-051 / KA- 0759 ROTOR SHAFT ASSY 1.12.18	COMP-RTR-1032 Retire Main Rotor Shaft		4639205027 ~ Main Rotor Shaft ~ 7318	RTR	Threshold 30000 FH	5046.50 FH			FH	24953.50 FH	35538.60 FH	3/8/2073
CONTROL ROD 2 1.109	COMP-RTR-1062 Retire Control Rod		B671M7032102 ~ CONTROL ROD ASSY ~ 1449	RTR	Threshold 30000 FH	78.10 FH			FH	29921.90 FH	40507.00 FH	7/22/2082

Airworthiness Directives

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	GNRL-2800-EO-297 AD 2025-04-10 Operational check of the fuel emergency off switches. (Reference EASA AD 2024-0249)			OTH	Threshold 12 Month End 12 Month End				CAL	48 Days	3/31/2026	3/31/2026

Airworthiness Directives

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-6400-EO-333 AD 2025-16-02 One-time check for play of the spherical bearings of the rotating control rods.			OTH					FH	99.50 FH	10684.60 FH	4/20/2026
	EC145-6200-EO-116 AD 2021-10-21/ ASB MBB-BK117 C-2-62A-007 Removal of Swashplate Bellows and Inspection of Swashplate Assembly			OTH	Threshold 400 FH 400 FH			10507.00 FH	FH	321.90 FH	10907.00 FH	9/20/2026
	EC145-7600-EO-112 AD 2016-01-14 Recurring Inspection of the N2 Control Arm			OTH	12 Month End			11/26/2025	CAL	292 Days	11/30/2026	11/30/2026
TAIL GEARBOX 1.97	EC145-6500-EO-115 AD 2019-06-05/ASB MBB-BK117 C-2-65A-007 Repetitive Inspection of Tail Rotor Gearbox Housing		4639003013 ~ Tail Rotor Gearbox ~ 3811	OTH	100 FH	458.70 FH		446.30 FH	FH	87.60 FH	10672.70 FH	4/12/2026

Engineering Documents

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	EC145-8500-EO-314 ASB MBB-BK117-25-97-0012 External load systems - Hook conversion			OTH	Threshold 12 Month End				CAL	170 Days	7/31/2026	7/31/2026
B673M30A1002 / 00577 LONGITUDINAL AXIS 1.15.1	EC145-6700-EO-118 AD 2021-12-16 / ASB MBB-BK117 C-2-67A-028 Visual Inspection of the Nuts on the Pistons of the MRA for Cracks, Damage, Black Coloring and Corrosion		B673M30A1101 ~ ACTUATOR, MHA LONG. AXIS ~ 10312	OTH	300 FH	2564.90 FH		2454.60 FH	FH	189.70 FH	10774.80 FH	6/21/2026
B673M30A1002 / 00577 COLLECTIVE AXIS 1.15.2	EC145-6700-EO-118 AD 2021-12-16 / ASB MBB-BK117 C-2-67A-028 Visual Inspection of the Nuts on the Pistons of the MRA for Cracks, Damage, Black Coloring and Corrosion		B673M30A1203 ~ ACTUATOR, MHA COLL. ~ 00472	OTH	300 FH	8675.80 FH		8597.70 FH	FH	221.90 FH	10807.00 FH	7/13/2026

Engineering Documents

NHA Part/Serial Position Code Level Code	Task # Task Description	AME #	Part # ~ Part Desc ~ Serial	Task Type	Interval	Since New	Since Overhaul / Inspection	Last Performed	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
B673M30A1002 / 00577 LATERAL AXIS 1.15.3	EC145-6700-EO-118 AD 2021-12-16 / ASB MBB-BK117 C-2-67A- 028 Visual Inspection of the Nuts on the Pistons of the MRA for Cracks, Damage, Black Coloring and Corrosion		B673M30A1301 ~ ACTUATOR, MHA LAT. ~ 00610	OTH	300 FH	7339.20 FH		7261.10 FH	FH	221.90 FH	10807.00 FH	7/13/2026
MAIN ROTOR ACTUATOR 1.15	EC145-6700-EO-118 AD 2021-12-16 / ASB MBB-BK117 C-2-67A- 028 Visual Inspection of the Nuts on the Pistons of the MRA for Cracks, Damage, Black Coloring and Corrosion		B673M30A1002 ~ MAIN ROTOR ACTUATOR - MHA ~ 00577	OTH	300 FH	8166.70 FH		8088.60 FH	FH	221.90 FH	10807.00 FH	7/13/2026

Open MEL Items

Discrepancy #	Discrepancy Description	Log Item #	AME #	ATA	Trigg. Param	Remaining Units	Due Value	Forecasted / Due at Date
	NIL							