

Description	Qty
NIPPLE,PIPE,CONDUIT,1"X8",GALV	14
ELBOW,PIPE,GALV/CADMIUM,45DEG,FEM,1-1/2"	15
WEATHERHEAD,ENTRANCE 7 CONDCTR	13
RING,SEAL,2" CONNECTOR,LIQUID-TIGHT	18
BUSHING,CONDUIT,3",BAKELITE	7
CONNECTOR,TERMINAL,COMP,TINNED CU,2-WAY	12
CONNECTOR,TERMINAL,GROUND ROD,1/2"CUCLAD	74
TERMINAL, 600MCM CABLE TO 2HOLE FLAT PAD	30

GRND CONNECTOR, 300-400 CU TO	11
SCREW,WOOD,3/4", ROUND HEAD	406
SCREW,WOOD,10 X 1",ROUND HEAD	370
SCREW,WOOD,10 X 1-1/4",ROUND HEAD	532
SCREW,WOOD,10 X 1-3/4",ROUND HEAD	305
SCREW,WOOD,ROU ND HEAD,10 X 2"	256
WASHER,BELLEVILL E,STEEL,3/8"BOLT	292
WASHER,ROUND,FL AT,BRONZE,5/8"BOL T	626
BOLT,SQ HD,3/8"X1&1/4",A307 W/1 SQ NUT	175
CLIP,CU GRND	512
LAMP,FLSHLGT 5.95V .5A	60

GRAYHILL PB GUARD,MODEL 10-C- 1	10
GROUND STRIP, GEC 19" RACK	5
CNNCTR,CONTACT CRIMP TYPE 8.5	113
RECEPTACLE,56 CONTACT POSITION	3
CONTACT,SOLDERL ESS,WIRE-WRAP,SZ 26-38	18
RELAY,CONTROL,MU LTI- CONTACT,700OHM,2 4VDC	13
RELAY,CONTROL,MU LTI-CONTACT,15.0K OHM	11
RESISTOR,METAL FILM 10KOHMS,1%	77
RESISTOR,5100 OHM,5W	4
CAPACITOR,CERAMI C DISC,0.01MFD	66

SUPPRESSOR,TRAN SIENT VOLTAGE 2	14
RELAY-MULTI- CONTACT 700 OHM CO	23
IND.RELAY TYPE TIR 30A DC	5
REVERSE POWER FLOW BOARD	1
RESISTOR,25 WATT,3750 OHM	1
RESISTOR FOR LED LAMP, 125V SYSTEM	55
TERMINAL BLOCK,3 CIRCUIT	3
MINALITE ASSY-125V SWBD IND LA	8
MINALITE ASSY-125V SWBD IND LA	8
MINALITE ASSY-125V SWBD IND LA	8

CABLE CLAMP P/N 97-3057-1024 SZ36 2-18	6
22 PIN STRAIGHT PLUG P/N MS3106A36-1P	6
22 SOCKET STRAIGHT PLUG P/N MS3106A36-1S	4
CHARGER,BATTERY, 130VDC 25A	1
GLOVES,GENERAL PURPOSE,KNIT WRIST,	15
GUARD,GAFF, KLIEN,PLASTIC COATED,METAL	19
GLOVES,PLASTIC DOT	14
CONNECTOR,UHF ANGLE ADAPTER (JACK-PLUG)	27
NUT,HEX,1/2"NC,SILI CON BRONZE	100

RESISTOR BRACKET #9	42
SURGE ARRESTER FOR PTS MOTOR OPERATOR	10
SWITCH,AUTO RCMS BOARD,38KV,POP	12
SURGE PROTECTOR,DB9- RS232	14
POWER SUPPLY,DC,LOW- VOLTAGE,SEL9321	39
BNC CONNECTOR- LEAD FREE	110
CABLE,SEL C225A, 3FT (400)	5
TERMINAL BLOCK/SPLICER,250 MCM-#6,2 CKT	22
RF ADAPTERS, BETWEEN SERIES	48

SOCKET,RELAY OCTAL BASE 600v, 10A RB-08	3
CABLE-RG-58/U, N- MALE TO SMA MALE	52
CAPG FOR BULGIN PX0412/02S CNNTR	14
CONNECTOR,PANEL MT, SHIELD RJ45 PLUG	26
RELAY, TIMING, 11 PIN, OFF DELAY, 24V	2
CONTROL BOARD, PRIMAX BATTERY CHARGER	2
CABLE, MULTITECH DC MODEM POWER	6
MODULE, SURGE SUPPR, RAYCAPSTRIKE,120V AC	23

RESISTOR, 56 OHM, 5W, 5% TOL; AXIAL	17
TERMINAL BLOCK,5.2MM UNLABLD MARKER, DIN	10
TERMINAL BLOCK,6.2MM UNLABLD MARKER, DIN	10
CABLE, 21" COAX, N- MALE/SMA- MALE,W/CNCTR	37
RESISTOR 50W 350 OHM WIREWOUND	13
CABLE TIE STRAP MOUNT, 1"x1"x1" (100/PK)	2
BREAKER, 20 AMP, SINGLE POLE, SQUARE D	12

BREAKER, 16 AMP, TWO POLE, DC, EATON	12
INSULATED JUMPER BAR, WIELAND	50
FEED THROUGH DIN RAIL TERMINAL BLOCK	128
CONNECTOR, DIN RAIL, END CLAMP STRAIGHT	52
MARKER CARRIER, DIN MOUNT, 60 X 10 MM	42
LIGHTNING, SURGE ARRESTOR COMB. DIN MT.	10
LUG,AL,SOLDERLES S,14 AWG-1/0 AWG,2C, 1H	10
NEUTRAL BAR,STACKED,AL,12 TAP, 14-6 STR	10

SURGE PROTECTION MODULE, 150VAC RATING	2
SPLICE,COMP,CU REDUCE,500- 300KCMIL	32
ADAPTER, RJ45 TO DB9, MODULAR	5
CONVERTER, M/F, SEL 240-1550	10
RELAY, PANEL PLUG- IN, DC	5
SOCKET, RELAY, DIN- RAIL MOUNT	25
FUSE, QUICK ACTINGFUSE, QUICK ACTINGFUSE	22
FUSE, QUICK ACTING	6
FUSE, END PLATE	4
FUSE TERMINAL	28
FUSE, CROSS- CONNECTOR	16

TERMINAL, RING, 1/2" STUD	300
TERMINAL, RING, 3/8" STUD	800