

### 1-Combustion InspConsumables

| Name                      | Item | Part number  | Loc | Caixa | Quantidade |
|---------------------------|------|--------------|-----|-------|------------|
| EXHAUST THERMOCOUPLE      | 1.1  | 328A8483P001 | C 0 | 95    | 18         |
| XFIRE RETAINER            | 2.1  | 207C3708G001 | E 3 | 49    | 20         |
| X-FIRE TUBE-OUTER         | 3.1  | 207C3709P002 | C 1 | 31.1  | 10         |
| RING PACKG                | 4.1  | 287A1614P004 | C 1 | 31.2  | 40         |
| STOP SEAL-EPE             | 5.1  | 356B3460G001 | D 3 | 15    | 10         |
| SPRING, WASHER            | 6.1  | 158A7887P001 | C 1 | 31.3  | 64         |
| BUSHING                   | 7.1  | 158A7888P002 | C 1 | 31.3  | 128        |
| TUBING                    | 8.1  | 215A4468P009 | D 3 | 39    | 64         |
| SCREW, SOCKET HEAD CAP    | 9.1  | N170AP21008  | C 1 | 31.3  | 63         |
| WASHER, PLAIN             | 10.1 | N400P00071   | E 3 | 44    | 63         |
| STL STR PIN               | 11.1 | N512P02512B  | C 1 | 31.3  | 64         |
| FLAME DETECTOR (2-WIRE)   | 12.1 | 362A1052P104 | C 0 | 95    | 4          |
| CABLE,SIC FLAME DET2-WIRE | 13.1 | 362A3342P002 | D 3 | 86    | 4          |
| ALY STL 12PT SCREW        | 15.1 | N733AP29032  | C 1 | 31.   | 4          |
| GASKET                    | 16.1 | 302A4594P302 | C 1 | 31.3  | 1          |
| IGNITER ASSY,SPARK PLUG   | 18.1 | 356A3217P003 | G 1 | 110   | 1          |
| ANT SEIZE COMPOUND        | 14.1 | 368A1182P001 | G 2 | 57    | 1          |

### 2-Hot Gas Path

|                      |      |                |     |    |    |
|----------------------|------|----------------|-----|----|----|
| FITTED BULLHORN-EPE  | 1.1  | 239C7206G002   | C 3 | 61 | 10 |
| TUBE TEE             | 2.1  | 156A1084P013   | E 3 | 10 | 3  |
| TUBE CONN            | 3.1  | 156A1075P019   | E 3 | 10 | 5  |
| BOLT HEX HEAD        | 4.1  | N14DP35036     | C 3 | 61 | 16 |
| HX HD CAP SCR & BOLT | 5.1  | N14DP35072B7   | C 3 | 61 | 48 |
| STL LOCK NUT         | 6.1  | N265DP00035B7  | C 3 | 61 | 48 |
| GASKET, SPIRAL WOUND | 7.1  | N5606P06001G11 | C 3 | 61 | 2  |
| GASKET, SPIRAL WOUND | 8.1  | N5606P06003G11 | C 3 | 61 | 4  |
| GASKET SPIRAL, WOUND | 9.1  | 91446641P003   | D 2 | 19 | 3  |
| STL LOCK NUT         | 10.1 | N265DP00035    | C 3 | 61 | 16 |
| HX HD CAP SCR & BOLT | 11.1 | N14DP35032     | C 3 | 61 | 16 |
| HX HD CAP SCR & BOLT | 12.1 | N14DP35048     | C 3 | 61 | 8  |

|                      |      |              |     |    |   |
|----------------------|------|--------------|-----|----|---|
| GASKET               | 13.1 | 91446641P004 | E 3 | 10 | 1 |
| HX HD CAP SCR & BOLT | 14.1 | N14DP35060   | C 3 | 61 | 8 |

**3- MI consum**

|                          |      |              |     |    |    |
|--------------------------|------|--------------|-----|----|----|
| PIN DOWEL                | 6.1  | 114A1904P047 | F 2 | 24 | 1  |
| BEARING,INACT THRUST 6B  | 23.1 | 164C2817G002 | F 2 | 24 | 1  |
| GEAR, IGV 5001,5002,6-B  | 10.1 | 184A9773P008 | C1  | 58 | 64 |
| SHIM, HSG-BEARING-2      | 19.1 | 213B1323P001 | G1  | 90 | 1  |
| SHIM,HSG-BRG-2           | 20.1 | 213B1323P002 | F 2 | 24 | 1  |
| SHIM STRAP               | 18.1 | 213B1324P001 | G2  | 84 | 1  |
| SHIM STRAP               | 17.1 | 213B1324P002 | G 1 | 91 | 1  |
| LOCK PLATE               | 22.1 | 294A0150P008 | F 2 | 24 | 4  |
| EXHAUST GASKET           | 27.1 | 385A7144P001 | D 3 | 73 | 2  |
| SEALING RING             | 25.1 | 91308647G01  | C 2 | 8  | 1  |
| COUPLING,ACCESSORY       | 13.1 | 91417162P001 | B 0 | 68 | 1  |
| STIRRUP                  | 26.1 | 91424233P001 | C2  | 8  | 14 |
| BOLT, HEX HD - ALLOY STL | 21.1 | N14P44144    | F 2 | 24 | 4  |
| BOLT, HEX HD             | 9.1  | N22P21014    | F 2 | 24 | 16 |
| WASHER, PLAIN            | 11.1 | N402P00021B7 | E 3 | 43 | 14 |
| WASHER, PLAIN            | 8.1  | N402P00041   | F 2 | 24 | 16 |
| LK WASHER, EXT TOOTH     | 12.1 | N403P00100   | F 2 | 24 | 8  |
| PIN, GRVD STR            | 7.1  | N511P01910   | D 1 | 42 | 4  |

**4- COMBUSTION CAP.**

|                   |     |              |     |    |    |
|-------------------|-----|--------------|-----|----|----|
| CAP & LINER DLN 1 | 4.1 | 117E8209G001 | A 0 | 21 | 8  |
| CAP & LINER DLN 1 | 5.1 | 117E8209G002 | A 0 | 21 | 2  |
| X-FIRE TUBE-OUTER | 3.1 | 207C3709P002 | F 2 | 32 | 10 |
| XFIRE TUBE MALE   | 1.1 | 239C7202G003 | F 2 | 32 | 10 |
| XFIRE TUBE FEMALE | 2.1 | 239C7203G003 | F 2 | 32 | 10 |

**5- MK IV**

|                       |      |             |     |    |    |
|-----------------------|------|-------------|-----|----|----|
| FUSE (SLO-BLO) 3.15A  | 2.1  | 259A9266P16 | F 0 | 56 | 10 |
| RESISTOR              | 44.1 | 323A2354P1  | F 0 | 56 | 1  |
| RESISTOR              | 45.1 | 323A2354P2  | F 0 | 56 | 1  |
| FUSE,5A,250VOLT,GLASS | 3.1  | 323A2396P54 | F 0 | 56 | 10 |

|                                |      |                  |     |     |    |
|--------------------------------|------|------------------|-----|-----|----|
| FUSE,12A,250V,ABC              | 4.1  | 323A2396P91      | F 0 | 56  | 10 |
| FUSE 15 AMP                    | 5.1  | 323A2396P96      | F 0 | 56  | 10 |
| FUSE,3A,250V,ABC               | 6.1  | 323A2396P98      | F 0 | 56  | 10 |
| N-TRON SWITCH 8 PORTS W/O FIBR | 7.1  | 336A4940DNP508TX | F 0 | 56  | 2  |
| N-TRON SWITCH                  | 8.1  | 336A4940DNP516TX | F 0 | 80  | 2  |
| LIGHT ASSM, 230V W GERMAN RECP | 46.1 | 336A4940FCP04    | F 0 | 56  | 1  |
| HYGROSTAT, 120/230V STEGO      | 47.1 | 336A4940HYP01    | F 0 | 56  | 1  |
| COMPACTFLASH MEM MOD 128M      | 9.1  | 336A5196AAP8     | F 0 | 79  | 3  |
| COMPACTFLASH CARD DRIVE DUAL   | 10.1 | 336A5199AMP1     | F 0 | 56  | 1  |
| PWR SUP480W AC/125DC>28DC      | 11.1 | 342A3647P480W28  | F 0 | 94  | 1  |
| RELAY HLD DN FLAT CL           | 48.1 | 68A9662P3        | F 0 | 56  | 10 |
| RELAY,DPDT,SEALED,             | 49.1 | 68A9663PDC24XN   | F 0 | 56  | 2  |
| 20A FILTER                     | 50.1 | COR#20ESK6       | F 0 | 56  | 1  |
| GROUND TERMINAL BRD            | 13.1 | IS200JGPAG1A     | F 0 | 52  | 1  |
| AC PDM                         | 14.1 | IS200JPDBG1A     | F 0 | 129 | 1  |
| DC PDM                         | 15.1 | IS200JPDDG1A     | F 0 | 56  | 1  |
| DC PDM CARD                    | 16.1 | IS200JPDFG1A     | F 0 | 56  | 1  |
| HD 28V DISTRIB                 | 17.1 | IS200JPDHG1A     | F 0 | 94  | 1  |
| 28V DC PDM                     | 18.1 | IS200JPDMG1A     | F 0 | 56  | 1  |
| PPRO TERMINAL BOARD            | 19.1 | IS200SPROH1A     | F 0 | 56  | 1  |
| DRL TERMBD RTD                 | 20.1 | IS200SRTDH2A     | F 0 | 56  | 1  |
| DINRL TB THERMCPL              | 51.1 | IS200STTCH2A     | F 0 | 55  | 1  |
| TERM. BOARD, ANALOG INPUT(*2)  | 21.1 | IS200TBAIH1C     | F 0 | 94  | 1  |
| TERMIN.BD, CONTACT INPUT(*2)   | 52.1 | IS200TBCIH1C     | F 0 | 55  | 1  |
| CA TMR TB                      | 22.1 | IS200TCATH1A     | F 0 | 55  | 1  |
| T DISCRETE BD TMR TB           | 23.1 | IS200TDBTH6A     | F 0 | 94  | 1  |
| TRIP RELAY: AEP EMER           | 24.1 | IS200TREA2A      | F 0 | 56  | 1  |
| TERM. BD., TRIP EMER           | 25.1 | IS200TREGH1B     | F 0 | 56  | 1  |
| PRIMARY TRIP:AEP               | 26.1 | IS200TRPAH2A     | F 0 | 56  | 1  |
| TERM. BD., TRIP PRIM           | 27.1 | IS200TRPGH1B     | F 0 | 56  | 1  |
| TERMINATION BOARD, T           | 28.1 | IS200TTURH1C     | F 0 | 52  | 1  |
| VIBRATION TERM.                | 29.1 | IS200TVBAH2A     | F 0 | 55  | 1  |
| +28 TO -28 POWER SUP           | 30.1 | IS200WNPSH1A     | F 0 | 56  | 1  |
| SRLY OPTION BOARD-B            | 31.1 | IS200WROBH1A     | F 0 | 94  | 2  |
| IO PACK, ANALOG IN/OUT BASIC   | 32.1 | IS220PAICH1A     | F 0 | 56  | 2  |

|                                |      |                 |     |    |   |
|--------------------------------|------|-----------------|-----|----|---|
| IO PACK, CONTACT IN            | 33.1 | IS220PDIAH1A    | F 0 | 94 | 2 |
| IO PACK, DISCRETE IO           | 34.1 | IS220PDIOH1A    | F 0 | 87 | 4 |
| IO PACK, PDM DIAGNOSTICS       | 35.1 | IS220PPDAH1A    | F 0 | 56 | 1 |
| IO PACK, PROTECTION            | 36.1 | IS220PPROH1A    | F0  | 94 | 2 |
| IO PACK, RTD IN/OUT            | 37.1 | IS220PRTDH1A    | F0  | 94 | 1 |
| IO PACK, THERMOCOUPLE          | 38.1 | IS220PTCCH1A    | F0  | 94 | 1 |
| IO PACK, TURBINE I/O PACK      | 39.1 | IS220PTURH1A    | F0  | 56 | 2 |
| IO PACK, VIBRATION             | 40.1 | IS220PVIBH1A    | F0  | 94 | 1 |
| PCAA ASSY / CORE ANALOG        | 42.1 | IS230PCAAH1A    | F0  | 94 | 1 |
| TCAT ASSEMBLY / CORE ANALOG    | 43.1 | IS230TCATH1A    | F0  | 55 | 1 |
| CB,30A,2P,125VDC,HYD-MAG,P-MTD | 53.1 | PDSB10A30P2HPNL | F0  | 41 | 1 |
| MOV                            | 54.1 | PDVR1000P001    | F0  | 56 | 2 |
| RITTAL HEATER                  | 55.1 | RIT#3116000     | F0  | 94 | 1 |
|                                |      | 323A4747UBP6C   | F0  |    | 1 |

#### 6- GT OPERATION SPARES

|                           |      |              |     |     |   |
|---------------------------|------|--------------|-----|-----|---|
| FLOW SLEEVE - COMBUSTION  | 24.1 | 117E8222G001 | C 0 | 62  | 4 |
| FLOW SLEEVE - COMBUSTION  | 25.1 | 117E8222G002 | C 0 | 62  | 2 |
| FLOW SLEEVE - COMBUSTION  | 26.1 | 117E8222G003 | E 3 | 117 | 4 |
| EXT THERMOCOUPLE          | 2.1  | 154A3204P001 | B 1 | 30  | 1 |
| EMERGENCY LUBE OIL PUMP   | 46.1 | 154A4648P001 | F3  | 103 | 1 |
| CENTRIFUGAL LUBE OIL PUMP | 44.1 | 154A4651P001 | C 0 | 63  | 1 |
| VLV NEEDLE                | 43.1 | 158A7433P005 | G3  | 78  | 1 |
| VALVE, TEMP ACTUATED      | 53.1 | 158A7585P052 | D0  | 23  | 1 |
| GAUGE PRESSURE TRANSMITTE | 15.1 | 172A6160P013 | D 3 | 46  | 1 |
| LEVER, SWITCH LIMIT ACTUA | 7.1  | 197B6824P001 | B 1 | 30  | 1 |
| ACTUATOR                  | 4.1  | 205B3031P001 | D 3 | 50  | 1 |
| ADAPTER                   | 1.1  | 211A9110P005 | E 1 | 29  | 1 |
| MOTOR,3/4HP,115V,1725RPM  | 68.1 | 225A9641P001 | G 1 | 115 | 1 |
| VLV CHECK                 | 42.1 | 226A1363P003 | D 3 | 50  | 1 |
| EXP.JOINT-PIPE            | 28.1 | 226A1451P004 | E 1 | 29  | 1 |
| FILTER,AIR-CLG&SLG 6B     | 36.1 | 235A7759P001 | B 1 | 30  | 1 |
| NOZ ASSY                  | 40.1 | 242B9459G010 | D 3 | 50  | 1 |
| NOZZLE ASSEMBLY           | 41.1 | 247B5181G003 | D 2 | 18  | 1 |
| HYDRAULIC PUMP            | 16.1 | 255A4806P001 | D 0 | 60  | 2 |

|                           |      |              |     |     |   |
|---------------------------|------|--------------|-----|-----|---|
| IND LIQLEV                | 55.1 | 256A1072P031 | E 1 | 29  | 1 |
| VLVREGPRES                | 49.1 | 267A8863G004 | G3  | 78  | 1 |
| VALVE,TRANSFER-LUBO       | 51.1 | 272A5794P042 | F3  | 116 | 1 |
| VALVE,TRANSFER-LUBO       | 52.1 | 272A5794P043 | F 2 | 33  | 1 |
| VALVE, BALL               | 30.1 | 275A8828P001 | E 1 | 29  | 1 |
| REDUCER,PIPE SCREWED      | 21.1 | 286A6292P006 | E 1 | 29  | 1 |
| BRG BALL                  | 5.1  | 286A6672P001 | E 1 | 29  | 1 |
| SPHERICAL BEARING         | 11.1 | 298A0250P012 | D 3 | 40  | 1 |
| CYLIND HYD                | 9.1  | 302A1576P001 | E 1 | 29  | 1 |
| VALVE,BALL SS.            | 27.1 | 328A7984P004 | D 1 | 5   | 1 |
| SS BALL VALVE 3/4"NPT     | 29.1 | 328A7984P204 | D 3 | 14  | 1 |
| THERMOCOUPLE              | 22.1 | 328A8478P055 | E 1 | 29  | 1 |
| THERMOCOUPLE              | 23.1 | 328A8478P163 | E 1 | 29  | 1 |
| DETECTOR,RESISTANCE TEMP  | 37.1 | 328A8480P051 | B 0 | 6   | 1 |
| MOTOR 7.5 KW 120V 3000RPM | 45.1 | 328A8670P001 | B 0 | 6   | 1 |
| SUPPORT                   | 34.1 | 328A8673P110 | D 2 | 20  | 1 |
| VIBRATION CABLE, 10 FT    | 64.1 | 329A3529P056 | E 1 | 29  | 1 |
| VIBRATION CABLE, 20 FT    | 63.1 | 329A3529P057 | D 3 | 45  | 1 |
| SENSOR,VIBRATION          | 62.1 | 329A3529P101 | E 1 | 29  | 1 |
| FILTER CARTRIDGE          | 57.1 | 342A2581P002 | E 1 | 59  | 5 |
| PROBE,VIB DET             | 58.1 | 344A9260P024 | D 3 | 36  | 1 |
| MAG PICKUP,TURB SPEED     | 65.1 | 351A3236P101 | D 1 | 109 | 1 |
| FLEXIBLE IGNITION LEAD    | 61.1 | 354A1513P113 | F 1 | 113 | 1 |
| IGNITION EXCITER          | 60.1 | 354A1709P102 | G 1 | 115 | 1 |
| VLV BACK PRESSURE REGUL   | 47.1 | 368A2255P019 | B 0 | 6   | 1 |
| WHEELSPACE THERMOCOUPLE   | 19.1 | 379A9705P070 | E 1 | 29  | 1 |
| WHEELSPACE THERMOCOUPLE K | 20.1 | 379A9705P074 | E 1 | 29  | 1 |
| VALVE SOLENOID TRIP ATEX  | 14.1 | 381A7014P029 | E 3 | 25  | 1 |
| PRESSURE SWITCH           | 35.1 | 381A7015P005 | D 3 | 37  | 1 |
| DRAIN VALVE               | 50.1 | 381A7073P001 | D 3 | 40  | 1 |
| PRESSURE SWITCH           | 33.1 | 381A7149P101 | D 3 | 37  | 1 |
| LIMIT SWITCH              | 66.1 | 381A7158P001 | D 3 | 38  | 1 |
| HAZ GAS DETECTOR          | 59.1 | 381A7175P104 | D 1 | 98  | 1 |
| COMPRESSOR BLEED VALVE    | 56.1 | 381A7300P001 | B 1 | 119 | 1 |
| LINEAR TRANSMITTER        | 10.1 | 381A7492P016 | D 1 | 5   | 1 |

|                           |      |              |     |     |   |
|---------------------------|------|--------------|-----|-----|---|
| HAND PUMP, MANUAL         | 32.1 | 91401318P001 | D 1 | 5   | 1 |
| CHECK VALVE               | 3.1  | 91405779P001 | D 3 | 40  | 1 |
| FOOT VALVE WITH STRAINER  | 31.1 | 91490246P001 | B 0 | 6   | 2 |
| HYDRAULIC MANIFOLD PRESSU | 39.1 | H3693A102    | E 3 | 131 | 1 |

#### 7- GENERATOR OPERATIONAL CONSUM

|                           |      |            |    |     |    |
|---------------------------|------|------------|----|-----|----|
| DOWTY WASHER              | 16.1 | S024111416 | F0 | 1   | 10 |
| SEAL WASHER               | 18.1 | S024116149 | F0 | 1   | 2  |
| LIGHT UNIT                | 8.1  | S025222304 | F0 | 1   | 2  |
| HEATER (EXCITER) SET OF 2 | 14.1 | S025281852 | F0 | 70  | 1  |
| FUSE 2A - SET OF 5        | 2.1  | S025715030 | F0 | 12  | 2  |
| TEMPERATURE DETECTOR      | 20.1 | S029812762 | F0 | 16  | 1  |
| GASKET - SET OF 2         | 17.1 | S312559801 | F0 | 1   | 1  |
| FLOAT SWITCH              | 5.1  | S313906001 | F0 | 136 | 1  |
| GASKET (BEARING) SET OF 2 | 19.1 | S314011101 | F0 | 1   | 1  |
| HEATER STATOR             | 7.1  | S314415401 | F0 | 70  | 1  |
| LIGHT BULB D.C SET OF 4   | 9.1  | S314585103 | F0 | 12  | 4  |
| LIGHT BULB A.C SET OF 4   | 10.1 | S314585106 | F0 | 12  | 4  |
| TEMPERATURE DETECTOR      | 4.1  | S317520809 | F0 | 12  | 1  |
| TEMPERATURE DETECTOR      | 15.1 | S317520809 | F0 | 12  | 1  |
| BEARING SEAL FASTENER KIT | 21.1 | S317727901 | F0 | 1   | 1  |
| RECTIFIER SPARES KIT      | 1.1  | S317741201 | F0 | 27  | 1  |
| GSKT-HEAT EXCHGR ELEMENT  | 23.1 | S318314402 | F0 | 1   | 2  |
| FILTER - MAKE UP          | 25.1 | S318314403 | F0 | 1   | 2  |
| GSKT-HEAT EXCHGR COVER    | 24.1 | S318314405 | F0 | 1   | 2  |
| VALVE-VENT/DRAIN          | 26.1 | S318314406 | F0 | 13  | 1  |
| PRESSURE SWITCH           | 6.1  | S318891401 | F0 | 89  | 1  |
| CARBON BRUSH              | 11.1 | S840012001 | F0 | 16  | 1  |
| RTR EARTH FAULT TRNSMTTR  | 13.1 | S961502100 | F0 | 16  | 1  |
| RTR EARTH FAULT AERIAL    | 12.1 | S961503700 | F0 | 16  | 1  |

#### 8- GENERATOR OPERATIONAL MAINT

|                           |     |            |     |    |   |
|---------------------------|-----|------------|-----|----|---|
| INSPCTN KIT-MAJOR 7-290ER | 2.1 | S318780001 | G 1 | 28 | 1 |
| BRUSH HOLDER & CLAMP      | 1.1 | S840012101 | D 1 | 72 | 1 |

## 9-MSD

|                           |       |                |     |       |   |
|---------------------------|-------|----------------|-----|-------|---|
| GRID AND FIXATION         | 73.1  | 104950         | C 1 | 67    | 1 |
| PRESSURE SWITCH           | 81.1  | 999688         | D 2 | 3     | 1 |
| MICROSWITCH               | 173.1 | 3100110        | F 1 | 64.7  | 1 |
| TERMINAL BOARD COVER SEAL | 72.1  | 11164350       | B1  | 139   | 1 |
| CABLE GLAND PLATE         | 70.1  | 11164352       | B1  | 139   | 1 |
| COMPL TERMINAL BOARD      | 41.1  | 11184030       | E 2 | 104   | 1 |
| FAN                       | 69.1  | 11205002       | B1  | 140   | 6 |
| ENCLOSURE FAN             | 65.1  | 11205035       | E 2 | 104   | 1 |
| BEARING SLEEVE            | 39.1  | 71781027       | F 1 | 64.7  | 1 |
| DE/NDE BEARING            | 46.1  | 95601083       | B1  | 139   | 1 |
| GALVANIZED CYL COLLAR     | 127.1 | 110100085      | F 1 | 64.6  | 1 |
| CHECK VALVE               | 126.1 | 115220105      | F 1 | 64.6  | 6 |
| CO2 FLEXIBLE HOSE 3/4"    | 129.1 | 115220125      | F 1 | 64.5  | 7 |
| PRELOAD WASHER F/BL BRNG  | 15.1  | 236110220      | F 1 | 64.7  | 3 |
| DEFLECTOR                 | 57.1  | 904230059      | F 1 | 64.7  | 1 |
| WEAR RING REP 104         | 38.1  | 905129040      | F 1 | 64.7  | 1 |
| IMPELLER REP 102DIA 230MM | 37.1  | 905227040      | F 1 | 64.5  | 1 |
| BEARING BUSH              | 59.1  | 921648194      | F 1 | 64.6  | 1 |
| PHOTOCELL                 | 117.1 | 9945115005     | F 1 | 64.8  | 1 |
| BALL VALVE PN 160 1"      | 128.1 | 9960411635     | F 1 | 64.5  | 1 |
| DIODS 1N4007              | 147.1 | 9990500110     | F 1 | 64.8  | 1 |
| IMPELLER NUT              | 33.1  | 90321403030    | E 3 | 69    | 1 |
| STRAINER                  | 54.1  | 921102028005   | F 1 | 64.6  | 1 |
| FAN                       | 43.1  | 1120500200000  | E 2 | 104   | 1 |
| PRELOADING NDE WASHER     | 44.1  | 9562128000000  | E 2 | 104   | 1 |
| IMPELLER NUT              | 50.1  | 00903114Z030   | F 1 | 64.7  | 1 |
| CMPL SHFT REP 701/703/708 | 36.1  | 00C921425030   | F 1 | 64.13 | 1 |
| DIAPHRAGHM                | 62.1  | 010271-016-686 | D 3 | 54    | 1 |
| TEFLON PACKING KIT        | 63.1  | 011488-495-999 | D 3 | 54    | 1 |
| CHECK VALVE DIA. 3/4"     | 110.1 | 0115220107-3MM | F 1 | 64.7  | 2 |
| POW DISTR CARD 125A       | 139.1 | 04882-POW CARD | F 1 | 64.8  | 1 |
| LIMIT SWITCH              | 188.1 | 050FI01        | D 2 | 97    | 1 |
| SHAFT SLEEVE REP. 702     | 40.1  | 0904228E8027   | D 1 | 2     | 1 |

|                           |       |                     |     |       |    |
|---------------------------|-------|---------------------|-----|-------|----|
| MAIN TERMINAL STUD        | 78.1  | 11-184-030          | C 1 | 67    | 1  |
| VALVE, SOLENOID, 2-WAY    | 23.1  | 1734-1001           | E 3 | 114   | 1  |
| SERVO VALVE               | 25.1  | 1886-5017           | D 1 | 127   | 1  |
| TERM BOARD TYPE M16/12    | 172.1 | 1SNA-115-129 R1400  | C 1 | 66    | 2  |
| TERMINAL BOARDS TYPE M6/8 | 193.1 | 1SNA-115-219-R2600  | F 1 | 64.7  | 35 |
| TERMINAL BRD TYPE M6/8P   | 192.1 | 1SNA-165-114-R1700  | F 1 | 64.7  | 1  |
| 2P SOCKET 10/16A          | 176.1 | 20246-SOCKET        | F 1 | 64.7  | 1  |
| SWITCH 2P 16A 250V        | 175.1 | 20504-SWITCH-250V   | C 1 | 66    | 1  |
| NUT HEX                   | 3.1   | 244A0139P006        | G 1 | 90    | 1  |
| BOLT, ADJUSTING           | 1.1   | 286A6610P001        | D 3 | 54    | 1  |
| LOCK PLATE                | 5.1   | 294A0150P038        | G 1 | 90    | 1  |
| MV FUSE-BASES             | 174.1 | 3122101-FUSE        | G 1 | 123   | 1  |
| VENT THERMOSWITCH         | 140.1 | 348-47              | F 1 | 64.7  | 1  |
| FIRE DETECTOR, 325 DEG F  | 21.1  | 361A2285P111        | D 2 | 108   | 1  |
| BUNDLE                    | 30.1  | 368A1960P011-10     | C 2 | 65    | 1  |
| SET OF GASKETS            | 31.1  | 368A1960P011-230/24 | F 1 | 64.17 | 1  |
| SET OF GASKETS            | 32.1  | 368A1960P011-270/28 | F 1 | 64.17 | 4  |
| PRESSURE SWITCH           | 27.1  | 381A7015P002        | F0  | 82    | 2  |
| PRESSURE TRANSMITTER      | 26.1  | 381A7060P057        | E 3 | 114   | 1  |
| AUXILIARY CONTACT 3RH1911 | 190.1 | 3RH1911-1HA12       | C 1 | 66    | 1  |
| AUX CNTCT, CONTACTOR      | 177.1 | 3RH1911-1HA22       | C 1 | 66    | 1  |
| AUXIL CONTACT 3RH1911-1HA | 160.1 | 3RT1015-1AP01       | C 1 | 66    | 1  |
| 3-POLE CNTCR, COIL 3RT1   | 180.1 | 3RT1015-1BG41       | C 1 | 66    | 1  |
| 3POLE CONTACTOR COIL      | 189.1 | 3RT1025-1AL20       | C 1 | 66    | 1  |
| TERMINAL RELAY 3.5 TO 5A  | 161.1 | 3RU1116-1FB0        | D 1 | 112   | 1  |
| BLUE PUSH-BUTTON          | 170.1 | 3SB30000AA51        | F 1 | 64.7  | 1  |
| TWO POSITION SWITCH       | 166.1 | 3SB3000-2HA11       | F 1 | 64.7  | 1  |
| AUXILIARY CONTACT         | 171.1 | 3SB34000A           | F 1 | 64.7  | 2  |
| RED HORN                  | 143.1 | 4461-HORN           | F 1 | 64.5  | 1  |
| LAMP CASE CARIER E27 PLUG | 159.1 | 60414-PLUG          | C 1 | 66    | 2  |
| BELTS XPA 1000            | 157.1 | 7 081 056           | D 1 | 2     | 10 |
| SILENCER                  | 152.1 | 7 204 044           | D 2 | 3     | 1  |
| FINAL FITER CARTRIDGE     | 151.1 | 7 214 411-FINAL     | F 1 | 64.7  | 2  |
| OIL RETURN HOSE           | 156.1 | 7 356 056           | D 2 | 3     | 2  |
| AIR OUTLET SEPARATOR      | 154.1 | 7 356 057           | F 1 | 64.5  | 2  |



|                           |       |                     |     |       |   |
|---------------------------|-------|---------------------|-----|-------|---|
| AIR/OIL OUTLET SCREW      | 155.1 | 7 356 061           | D 2 | 3     | 2 |
| REGULATION SOLENOID VALVE | 153.1 | 7 375 059-SOL       | E 3 | 11    | 1 |
| PRESSURE SAFETY VALVE     | 158.1 | 7 720 051           | D 2 | 17    | 1 |
| BEARING                   | 7.1   | 75A002              | D 1 | 2     | 2 |
| BEARING                   | 8.1   | 75A003              | D 1 | 72    | 2 |
| HALF BEARING              | 9.1   | 75A073              | D 1 | 2     | 1 |
| HALF BEARING              | 10.1  | 75A074              | D1  | 72    | 3 |
| THRUST BEARING (2 PARTS)  | 11.1  | 75A097              | F 1 | 64.16 | 2 |
| CO2 DELAYING VALVE        | 109.1 | 8815105107-30-D1/20 | F 1 | 64.6  | 1 |
| PHOTOHELIC PRESS SWITCH   | 99.1  | 8PP-4783501         | G 1 | 90    | 1 |
| GREASER                   | 2.1   | 91407024P001        | D 1 | 2     | 1 |
| MOTOR 30KW 2P             | 34.1  | 91441106P109        | E 2 | 7     | 1 |
| P2 COUPLING               | 56.1  | 9211976P2040        | D 1 | 2     | 1 |
| P3 COUPLING               | 55.1  | 9211976P3040        | D 1 | 2     | 1 |
| NDE BEARING               | 45.1  | 95601083-NDE        | E 2 | 104   | 1 |
| QUICK RELEASE VLV SLV CYL | 112.1 | 9915120550-SLAVE    | F 1 | 64.4  | 6 |
| BALL VLV PN 160 1.5"W/LS  | 116.1 | 99-60-411-645       | F 1 | 64.5  | 1 |
| RESISTOR 1 K OHM          | 130.1 | 9990410500-1KOHM    | D 2 | 3     | 1 |
| CURRENT TRANSFORMER       | 191.1 | A1A200              | E 3 | 69    | 1 |
| AUX CNCTS TYP S2C-S/H6R   | 178.1 | A563819             | F 1 | 64.7  | 3 |
| AUX CNCTS TYP S2C-H6R     | 179.1 | A563826             | F 1 | 64.7  | 3 |
| FILTER 230 VAC            | 142.1 | B84115-E-B110       | F 1 | 64.7  | 1 |
| ELEMENT LUB-OIL-6,7,9&F   | 20.1  | B984C302AP012       | D 3 | 54    | 1 |
| RING JOINT                | 48.1  | BA0045628023        | F 1 | 64.7  | 1 |
| BRUSHES 12.5X16X25MM      | 52.1  | BRU-328A8670P001    | F 1 | 64.7  | 8 |
| BRUSH HOLDER RING         | 51.1  | BRUHR-328A8670P001  | F 1 | 64.6  | 1 |
| CIRCLE SQUARE             | 74.1  | C920202A3           | C 1 | 67    | 1 |
| NON-RETURN VALVE          | 82.1  | C920580A2           | F 1 | 64.14 | 1 |
| INLET BELL-MOUTH          | 75.1  | CB70897A2           | C 1 | 74    | 1 |
| TUBES AND DRAIN           | 79.1  | CB80495A2           | C 1 | 74    | 1 |
| NON RETURN VALVE TYPE SAI | 149.1 | CLA-AR-6B-01        | G2  | 101   | 1 |
| REGULATING VALVE          | 150.1 | CLA-RG-6B-10        | D 1 | 2     | 1 |
| DE BEARING                | 61.1  | DEBRG-328A8670P001  | F 1 | 64.7  | 1 |
| SPACER HEATER             | 16.1  | E05900100           | D 2 | 122   | 1 |
| LAMP 40W 220-240V 50/60HZ | 182.1 | E27 40W 220-240V    | F 1 | 64.8  | 2 |

|                          |       |               |     |       |   |
|--------------------------|-------|---------------|-----|-------|---|
| INNER OIL DEFLECTOR      | 12.1  | E82103200     | E 3 | 124   | 1 |
| GREASE SLINGER           | 19.1  | E82103300     | F 1 | 64.6  | 1 |
| SPACER                   | 13.1  | E82103500     | E 3 | 124   | 1 |
| OUTER OIL DEFLECTOR      | 18.1  | E83024500     | D 2 | 122   | 1 |
| INNER OIL DEFLECTOR      | 14.1  | E83024600     | D 2 | 122   | 1 |
| GREASE SLINGER           | 17.1  | E86407309     | F 1 | 64.7  | 1 |
| VIBRATION DAMPER         | 87.1  | EFV831        | D 2 | 137   | 1 |
| RELAY CARD "RK8"         | 146.1 | EL01001001    | F 1 | 64.8  | 2 |
| HELICOIDAL VENTILATOR    | 187.1 | ES355/230     | C 1 | 66    | 1 |
| FLUORESCENT LAMP         | 120.1 | F0-01-000-004 | G 1 | 90    | 2 |
| MAGNETOTHERMIC LIMIT SWT | 125.1 | F0-01-000-006 | D 2 | 97    | 1 |
| MAGNETOTHERMIC LIMIT SWT | 124.1 | F0-01-000-007 | D 1 | 96    | 1 |
| THERMOSTAT               | 121.1 | F0-01-000-009 | D 2 | 97    | 1 |
| OUTPUT CARD 16 OUT       | 131.1 | FB-C00021     | F 1 | 64.8  | 1 |
| OUTPUT CARD 24VDC        | 132.1 | FB-C00041     | F 1 | 64.8  | 1 |
| CPU CARD HOT SWAP        | 135.1 | FB-CPU11      | F 1 | 64.8  | 1 |
| CONTROL CARD RACK        | 141.1 | FB-CTRL11     | F 1 | 64.8  | 1 |
| DISPLAY CARD             | 138.1 | FB-FP0011     | F 1 | 64.9  | 1 |
| INPUT CARD 8 CCT1        | 133.1 | FB-M00011     | F 1 | 64.8  | 2 |
| RACK MODBUS FOR CPU      | 137.1 | FB-MBUS11     | F 1 | 64.8  | 1 |
| BUS 13 SLOT FOR CONN     | 136.1 | FB-RACK12     | F 1 | 64.12 | 1 |
| OUTPUT CARD 16 RELAIS    | 145.1 | FB-RK161      | F 1 | 64.8  | 1 |
| EXTING CARD CONN CCT3    | 134.1 | FB-S00011     | F 1 | 64.8  | 1 |
| INPUT CARD I/O           | 144.1 | FB-TB0041     | F 1 | 64.8  | 1 |
| FAN FILTR,490X390X50MM   | 181.1 | FOE-490X390   | F 1 | 64.2  | 7 |
| FILTER CELLS             | 162.1 | FPOL-370      | D 1 | 2     | 6 |
| VOLTAGE TRANSFORMER      | 165.1 | FT6B2221      | E 2 | 104   | 1 |
| VOLTAGE TRANSFORMER      | 167.1 | FT6B3132      | E 2 | 104   | 1 |
| LIMIT SWITCH - NON ATEX  | 91.1  | GNE812        | D 1 | 135   | 1 |
| FAN 88GV-1/-2            | 89.1  | GNM800        | B3  | 141   | 1 |
| VIBRATION DAMPER         | 90.1  | GNM801        | D 2 | 137   | 1 |
| LIMIT SWITCH             | 84.1  | GTE811        | D 2 | 137   | 2 |
| LIMIT SWITCH             | 88.1  | GTE812        | D 2 | 137   | 2 |
| PROJECTOR LEO/S B500     | 85.1  | GTE815        | D 2 | 137   | 1 |
| CERAMIC SEAL             | 86.1  | GTQ806        | D 1 | 2     | 4 |

|                           |       |                     |     |       |    |
|---------------------------|-------|---------------------|-----|-------|----|
| FUSE-LINK, NH, 125A, 690V | 103.1 | INA-FSH-H227868C    | F 1 | 64.6  | 6  |
| FUSE LINK 10A             | 108.1 | INA-FSH-S222978J    | D 1 | 81    | 2  |
| DIODES, BY255             | 104.1 | INA-RSA-BY255       | F0  | 111   | 2  |
| HANDLE FOR DRAWER EXTR    | 106.1 | IT-STOCK-001        | F 1 | 64.6  | 2  |
| KEY LOCK FOR DOORS        | 107.1 | IT-STOCK-002        | F 1 | 64.7  | 2  |
| SEAL KIT                  | 58.1  | JBA/F80-160         | F 1 | 64.7  | 1  |
| SEAL KIT                  | 53.1  | JBA/T80-160         | F 1 | 64.7  | 1  |
| SEAL KIT-T BOX&NDE/DE     | 35.1  | KIT-JOI-BAB-106P109 | E 2 | 104   | 1  |
| ANTICONDENSATE HEATER     | 186.1 | KT100 230V          | E 3 | 11    | 1  |
| ANTICONDENSATE HEATER     | 194.1 | KT100 230V          | F 1 | 64.7  | 1  |
| SURGE ARRESTER MWK13,16KV | 164.1 | MWK13-50/60HZ       | C 1 | 66    | 1  |
| PIN, DOWEL SPRING         | 6.1   | N509P01306          | D 3 | 54    | 1  |
| PIN, DOWEL SPRING         | 4.1   | N509P01314          | D 3 | 54    | 1  |
| NDE BEARING               | 60.1  | NDEBRG-328A8670P001 | F 1 | 64.5  | 1  |
| PROGRAM CONTROL BOARD     | 100.1 | P156458             | D 3 | 54    | 1  |
| RETENTION NUT             | 101.1 | P770920             | D 1 | 2     | 17 |
| PLUG 2 PIN                | 163.1 | PLUG-2PIN-T         | D 1 | 2     | 1  |
| WEIGHT KG. 1,6            | 113.1 | PR-01-000-000       | F 1 | 64.5  | 2  |
| PILOT VALVE               | 118.1 | PR-01-001-003       | F 1 | 64.8  | 2  |
| SLAVE VALVE               | 119.1 | PR-01-001-006       | F 1 | 64.7  | 6  |
| PNEUMATIC PISTON          | 122.1 | PR-01-015-003       | F 1 | 64.10 | 1  |
| PNEUMATIC PISTON          | 122.1 | PR-01-015-003       | F 1 | 64.5  | 1  |
| PRESSURE SWITCH           | 111.1 | PR-01-015-004       | F 1 | 64.6  | 2  |
| WEIGHING DEVICE           | 123.1 | PR-02-001-001       | D 2 | 3     | 7  |
| DN80 COLLAR               | 114.1 | PR-02-001-003-P     | F 1 | 64.7  | 1  |
| DN80 COLLAR               | 115.1 | PR-02-001-003-S     | D 1 | 2     | 5  |
| ROTOR                     | 49.1  | ROTEQ-000000027     | E 2 | 104   | 1  |
| ROLLER BEARING REP 562    | 47.1  | ROUL21310EC3        | F 1 | 64.5  | 1  |
| AUTOMATIC CIRCUIT-BREAKER | 183.1 | S202M-2A-C-S202     | F 1 | 64.7  | 1  |
| AUTO CIRCUIT-BREAKER      | 185.1 | S204M-2A-C          | F 1 | 64.6  | 2  |
| KEY DISTRIBUTOR TYPE SD12 | 184.1 | SD12-KEY DISTRIB    | C 1 | 66    | 1  |
| VALVE REPAIR PARTS KIT    | 64.1  | SP6234P1            | G 1 | 90    | 1  |
| FILTER FOR PRESS REG      | 92.1  | T062023             | D 2 | 3     | 1  |
| FUSE PHOTOHELIC 0,25A     | 93.1  | T062711             | D 2 | 3     | 10 |
| DIAPH VALVE REPAIR KIT    | 94.1  | T065830             | F 1 | 64.7  | 9  |

|                           |       |                    |     |      |    |
|---------------------------|-------|--------------------|-----|------|----|
| DIAPH VALVE REPAIR KIT    | 94.1  | T065830            | F 1 | 64.7 | 5  |
| DUST CAP                  | 95.1  | T066114            | F 1 | 64.6 | 9  |
| SOLENOID VALVE REPAIR KIT | 102.1 | T066917            | F 1 | 64.6 | 23 |
| DIAPHRAGM VALVE           | 96.1  | T067588            | F 1 | 64.6 | 2  |
| VALVE, SOLENOID, 2-WAY    | 22.1  | 1734-1001          | E 3 | 114  | 1  |
| SERVO VALVE               | 24.1  | 1886-5017          | D 1 | 127  | 1  |
| ELEMENT LUB-OIL-6,7,9&F   | 28.1  | B984C302AP012      | D 3 | 54   | 1  |
| ELEMENT LUB-OIL-6,7,9&F   | 29.1  | B984C302AP012      | D 3 | 54   | 1  |
| ENCLOSURE FAN             | 42.1  | 11205035           | E 2 | 104  | 1  |
| NDE BEARING               | 66.1  | 95601083-NDE       | E 2 | 104  | 1  |
| GRID AND FIXATION         | 80.1  | 104950             | C1  | 67   | 1  |
| TERMINAL BRD TYPE M6/8P   | 168.1 | 1SNA-165-114-R1700 | E 3 | 11   | 1  |

### 10-EXCITATION

|                               |      |                  |     |     |   |
|-------------------------------|------|------------------|-----|-----|---|
| CAPACITOR,.1MFD 1500VAC 5%    | 35.1 | 104X122AA 448    | F0  | 88  | 1 |
| CAP,1MF,2000VAC,10%,P/PLYPROP | 29.1 | 104X122AA 452    | F0  | 88  | 1 |
| RES,50OHM,5%,40 WATT          | 10.1 | 104X123DE 018    | F0  | 88  | 1 |
| DIODE,35A,1000V,FULLWAVE      | 12.1 | 104X125AA 175    | D 3 | 48  | 1 |
| DIODE BRG.MOD(6PACK,60A,1200V | 28.1 | 151X1213BP06PC01 | D 3 | 47  | 1 |
| RESISTOR                      | 17.1 | 323A2354P3       | F0  | 106 | 1 |
| RES,5K,5%,40W                 | 34.1 | 323A2354P33      | D 3 | 47  | 1 |
| SHUNT 100MV 15A               | 21.1 | 323A2440P15      | D 3 | 51  | 1 |
| DIODE,40A,1000V,BRIDGE,FW,F/R | 19.1 | 336A5126AGP1     | F0  | 88  | 1 |
| MINIAT CIRCUIT BREAKER        | 36.1 | A3737P16         | D 3 | 71  | 1 |
| MINIATURE CIRCUIT BREAKER     | 24.1 | A3737P4          | D 3 | 83  | 1 |
| BISTABLE AUX. RELAY           | 13.1 | A3815P6          | D 3 | 71  | 1 |
| AUX RELAY RF-4DI              | 27.1 | A3819P6          | D 3 | 71  | 1 |
| BISTABLE AUX. RELAY           | 32.1 | A3820P2          | D 3 | 71  | 1 |
| SYNC. VOLTAGE TRANSFORMER     | 8.1  | A3833P2          | D 1 | 99  | 1 |
| MI400 TRANSDUCER DEVICE       | 25.1 | A7381P1          | D 3 | 71  | 1 |
| FAN,24VDC W/STAB CONN         | 31.1 | EBM#4294         | F0  | 88  | 1 |
| CPU MODULE                    | 18.1 | G6M-9GH V01      | D 1 | 100 | 1 |
| DRIVE DSP CONTROL CARD        | 5.1  | IS200DSPXH1D     | D 3 | 51  | 1 |
| TERMINAL BD- EX2100           | 14.1 | IS200ECTBG1A     | D 3 | 51  | 1 |
| EXCITER IN-SYNCH-BUS          | 22.1 | IS200EISBH1A     | D 3 | 51  | 1 |

|                                |      |                    |     |     |   |
|--------------------------------|------|--------------------|-----|-----|---|
| CARD-EX2100 EPCT EXC           | 16.1 | IS200EPCTG1A       | D 3 | 51  | 1 |
| EXCITER POWER SUPPLY (*2)      | 2.1  | IS200EPSMG2A       | D 3 | 53  | 1 |
| EX2100 REG GND DETEC           | 9.1  | IS200ERGTH1A       | D 3 | 51  | 1 |
| EXCITER MAIN I_O               | 6.1  | IS200ERIOH1A       | F0  | 88  | 1 |
| EXCITER REGULATOR OPTIONS CARD | 33.1 | IS200EROCH1A       | D 3 | 51  | 1 |
| EX2100R M2/C BACKPLA           | 26.1 | IS200ERRBG1A       | F0  | 106 | 1 |
| EX2100R REDUNDANT RE           | 1.1  | IS200ERRRH1A       | D 3 | 51  | 1 |
| RELAY, EX2100 REGULATOR:K4T    | 30.1 | PBI#P40P48D12P1-24 | F0  | 85  | 1 |
| RES,1.2M, 5%,2W,FILM           | 23.1 | PDRI7002RP2P125    | D 3 | 51  | 1 |
| CKT BKR,8A,3POLE,RAIL MTD,     | 7.1  | PDSB08A10P3RLCB    | F0  | 88  | 1 |
| BREAKER                        | 11.1 | TED124030WL        | D 3 | 51  | 1 |
| G60 I/O MODULE: 8 FORM-A       | 4.1  | UR-67H             | D 3 | 47  | 1 |
| G60 I/O MODULE                 | 3.1  | UR-6CH             | D 3 | 48  | 1 |
| G60 I/O MODULE:16              | 15.1 | UR-6DH             | D 3 | 51  | 1 |
| MOV                            | 20.1 | V511BA60           | F0  | 88  | 1 |