

Aerial Annual Inspection

In Accordance with ANSI A92.2

Immediate Repa	air Required (Yes,	No)
Owner/User is responded to the All other items marked of	nsible to have repairs can be addressed at the	-	
Shop Order	Test Date		
Customer			
Location			
Inspector	Inspect	or Number _	
Chassi	s and Unit Info	rmation	
Chassis Year	Chassis Model	<i>!</i>	
VIN Number			
License			
Odometer	_		
Unit Manufacturer			
Serial Number			
Unit Number	PTC	HR/Motor	

Aerial Annual Inspection

Unit Number

Symbols: P = OK N/A = Not Applicable A = Adjusted/Repaired X = See corresponding number on summary page

A. Chassis / Body	Status
1. Cab Controls	
Master Switch Panel	
Strobe Lights / Beacons	
PTO Shift Control (cable, air, electric)	
PTO Indicator Light	
PTO Warning Label Present	
Stowed Height Placard	
Start / Stop, Throttle Controls	
Auxiliary Brake Control	
Back Up Alarm	
Operators Manual With Truck	
2. Body / Flatbed	
Headlights, Stop, Tail, Turn, Hazard	
Fire Extinguisher	
Wheel Chocks	
Outrigger Pads	
Unit Grounding Equipment	
Cab Guard / Headache Rack	
Steps / Accessability	
All Safety Decals - Legible and	
Proper Location	
B. Aerial Unit	
1. Basic Hydraulics	
Reservoir - Oil Amount and Condition	
Filters, Breather Cap	
Gate Valves, Hoses, and Fittings	
2. PTO / Pump	
PTO / Pump Mounting	
PTO / Pump Noises and Leaks	
PTO / Pump Hoses and Fittings	

3. Outrigger / Torsion Bar System	Status
Welds, Metal Structure, and Mounting	
Anchor Bolts	
Hydraulic Cylinders - Leaks	
Cylinder Pins and Keepers	
Foot Assembly and Pins	
Holding Valves / Locks (Drift Test)	
Cylinder Lock - Out Valves	
Torsion Bar Structure	
Torsion Bar Bushings	
Hose Condition, Routing Under Chassis	
Control Valves	
Boom Interlock System-Jan. 2005 On	
Outrigger Motion Alarm-Feb. 2000 On	
Relief Valve Setting	
Auxiliary Let Down System	
Chassis Level Indicator-Jan. 2003 On	
Chassis Tire Pressures	
4. Pedestal and Turntable	
Welds - Metal Structure and Mounting	
Elevator - Welds and Metal Structure	
Elevator Cylinders and Holding Valves	
Elevator Pins, Bushings, and Keepers	
Collector Block / Hoses / Fittings	
Rotation Bearing and Fasteners	
Rotation Gearbox	
Lower Control Valve / Shut-off Valve	
Relief Valve Setting	
Auxiliary Let Down System	
Accumulator Operation	
Nitrogen Setting / Charge	
Unloading Valve / Unit Cycling	
5. Booms and Platform	
All Fiberglass for Damage and Finish	
Booms - Cleanliness Inside and Out	
Boom Metal Sections	

Aerial Annual Inspection

Unit	Number

Symbols: P = OK N/A = Not Applicable A = Adjusted/Repaired X = See corresponding number on summary page

Booms and Platform (cont.)	Status
Hoses and Hose Protection	
Boom Pins, Bushings, and Nuts	
Boom Cylinders	
Boom Lift Rod and Lift Cable	
Compensation System	
Boom Cylinder Holding Valves	
Boom Rest and Hold Down System	
Platform - Mounting, Liner, and Cover	
Lanyard Anchor - Belt or Fixed	
Safety Harness and Lanyard	
Non - Skid Platform Step	
6. Platform Controls	
Control and Safety Decals / Placards	
All Upper Control Operations	
Start / Stop and/or Throttle Control	
Auxiliary Let Down System	
Hydraulic Tool Valve / GFI Outlet	
Control Guards / Covers	
Winch Gearbox	
Winch Rope and Safety Hook	
Jib and Jib Tilt Cylinder	
Load Chart, Boom Angle Indicator	
Control Valve - Leaks	
Control Valve - Vacuum Vent Valves	
Platform Rotator, Level, or Dump	
7. Platform Leveling System	
Leveling Cables and Chains	
Cable Pulleys and Chain Sprockets	
Cable Sheaves and Clamps	
Anchor Brackets	
Turnbuckles and Tie Wire or Lock Nut	
Hinge Points	
Leveling Cylinders and Shocks	
Cylinder Holding Valves	
Leveling Hoses	
Platform Drift	

8. Extension System	Status
Catrac, Hoses, and Wire Harness	
Hose / Wire Routing, and Protection	
All Wear Pads and Rollers	
All Cable Sheaves and Pulleys	
All Extension Cylinders	
All Pins and Retainers	
Cylinder Holding Valves	
All Limit Switches	
C. General	
1. General Lubrication	
Gearboxes - Pinion Gears, Oil Level	1
Rotation Brake - Oil Level	
Rotation Bearing	
Control Linkages	
Cables Shaeves and Pulleys	
Hinge Points	
Outriggers - Slip Plate	
2. Auxiliary Equipment	
Capstan	
Auxiliary Winch	
Pony Motor Hydraulics	
Chipper Body Dump	
Hose Reels	
Hydraulic Tools	
3. Misc. Powered Equipment	
Generator - Condition	1
Battery - Condition	1
Hose and/or Wire Condition	
	1
	1



Model / Serial#	Summary Page	Unit Number
-----------------	--------------	-------------

Number	R/C/I	Description

Legend:

- (R) Repair required, Inspection Decal will be placed on the unit and marked as Immediate Repairs Required. <u>Once repairs have been completed</u>, the Owner/User shall date and sign the Decal before returning to service.
- (C) Check and repair as necessary on scheduled routine maintenance. Inspection decal will be placed on the unit.
- (I) For Information only, no corrective action required at this time. Inspection decal will be placed on the unit.

Note:

- · Owner/User is responsible to have repairs performed before use.
- $\cdot \ Manufacturer's \ recommendations \ as \ to \ frequent \ and/or \ periodic \ inspection \ and \ maintenance \ schedules \ must \ be \ followed \ for \ safe \ operation \ of \ this \ unit.$

•Immediate Repairs Required (Yes	No)	
•Customer declined torque check of critical fasteners (Yes	No). If checked, work order #
•Do not consider this a pre-purchase inspection		

Customer Signature	Print Name	
Inspector Signature	Date	