

# 2016 CAT D6K2XL TRACK TYPE TRACTORS



#### **SALES INFORMATION**

Serial #	DFR00204	SMU / Hours	4,781		
Status	Used	Availability	Available		
Location	Montgomery, AL, United States				

# **FEATURES**

#### General

Air Conditioner

Drawbar

Mirrors

Screens

**Engine Enclosures** 

Steering Type - Joystick

# **Attachments**

**Sweeps** 

• Blade Type - VPat

# **CONDITION** ••• Good 00 Fair Poor **GENERAL CONDITION** General Body 000 000 Machine Starts and is Operable **YES GENERAL APPEARANCE Battery Box** Cab or Canopy **Grab Irons** 000 Steps / Ladder ••• Cleaning Required NO **SAFETY ITEMS** Back Up Alarm Horn Seat Belt / Date ••• 000 000 Parking Brake Functioning **YES OPERATOR STATION** Air Conditioner Door Latches / Hinges / Seals Floor Boards / Mats

•••

Gauges 000

**Hydraulic Controls** 

**Switches** 000

Heater / Defroster

000

Mirrors

000

Hour Meter - GAUGES, OPERATION STATION,

**CONSOLE** 000

Seat Cushions / Suspension /

Type 000

#### **ENGINE**

Engine Oil Level / Condition

Operating Condition - ENGINE

#### **COOLING SYSTEM**

Fan ••• Water Pump

000

# **ELECTRICAL, STARTING AND CHARGING SYSTEM**

Alternator

•••

Batteries / Cables

Starter

000

# **HYDRAULICS**

**Hydraulic Valves** ...

Overall Operating Condition

# **UNDERCARRIAGE**

	Measurement (L)	% Worn (L)	Total Potential Hours (L)	Measurement (R)	% Worn (R)	Total Potential Hours (R)
Carrier Rollers 1	6	53		6.02	52	
Carrier Rollers 2	6.06	48		6.06	48	
Idlers Front	1	12		1.18	48	
Shoe Width	22.00			22.00		
Track Roller 1	1.16	61		1.2	55	
Track Roller 2	1.24	49		1.24	49	
Track Roller	1.2	55		1.24	49	
Track Roller 5	1.2	55		1.24	49	
Track Roller 6	1.19	57		1.13	66	
Track Roller 7	1.2	55		1.15	63	
Track Sag	1.40			1.40		
Track Shoes	2.14	49		2.16	47	

Pins & Bushings Turned? **NO** 

Link / Brand / Part Number New @ 4781 hours. Notes - UNDERCARRIAGE

CTS Pro data from the last inspection for Serial #: DFR00204 completed on Jun 10, 2024. Hours 4732

Segments

New @ 4781 hours.

























































