

Lot Details: 30846-2

Material	Qty	Material Description	Plant	Plant Name	Storage Location	Desc. of Storage Loc	WBS Element
56568.A	4339 FT	CASING, OCTG;NOM SZ 7 IN,WT 32.00 lb/ft,MATL GR Q125,PROCESS NA,CONN TYP TSH BLUE,LG R3,DRIFT DIA NA,SPCL FEATRS SPECIAL BEVEL	1001	JV – PRC – Matan & Michal	D215	ISY - RACK 15	CP-100383-11-1
05091.A	264 FT	CASING, OCTG;NOM SZ 11-7/8 IN,WT 71.80 lb/ft,MATL GR HCQ125,PROCESS NA ,CONN TYPE TSH 523 DPLS,DRIFT DIA NA	1001	JV – PRC – Matan & Michal	D213	ISY - RACK 13	CP-100400-21-1
37541.A	1695.28 FT	CASING, OCTG;NOM SZ 14 IN,WT 113.00 lb/ft,MATL GR TN125,CONN TYPE HC523 X DOPELESS,DRIFT DIA 12-1/4 IN	1001	JV – PRC – Matan & Michal	D213	ISY - RACK 13	CP-100103-23-1
96831.A	943.96 FT	CASING, OCTG;NOM SZ 9-7/8 IN,WT 62.80 lb/ft,WALL THK 0.625 IN,MATL GR SM13CRS/110,PROCESS SMLS,CONN TYP VAM SLIJ-II,LG RANGE 3,DRIFT DIA 8.500 IN SPECIAL DRIFT	1001	JV – PRC – Matan & Michal	D215	ISY - RACK 15	CP-100403-21-2
12165.A	273 FT	CASING, OCTG;NOM SZ:7IN,WT:32.00lb/ft,MATL GR:Q125,CONN TYPE:TSH BLUE ,LG:R3	1001	JV – PRC – Matan & Michal	D215	ISY - RACK 15	CP-100383-11-1
66476.A	686.95 FT	PIPE;NOM SZ 8.625 IN,SCH N/A,WALL THK 0.984 IN,MATL N/A,MATL GR N/A ,PROCESS SEAMLESS,END CONN N/A,LG N/A,COATG EXT UNCOATED,SPCL FEATRS DNV 450 DU ID BLASTED	1001	JV – PRC – Matan & Michal	D221	ISY - PROJ YARD	CP-100055-32-4
73040.A	772.73 FT	PIPE;TYP N/A,NOM SZ N/A,OD 10-3/4 IN,SCH N/A,WALL THK 1.125 IN,MATL N/A ,MATL GR DNV 450 DU,PROCESS SEAMLESS,END CONN N/A,LG N/A,COATG INT UNCOATED,SPCL FEATRS ID BLASTED	1001	JV – PRC – Matan & Michal	D221	ISY - PROJ YARD	CP-100055-32-4
72070.A	42.68 FT	CASING, OCTG;NOM SZ 7 IN,WT 29.00 LB.FT,MATL GR P110-IC,PROCESS SEAMLESS ,CONN TYP TSH 563 DOPED,LG 40-42 ft,DRIFT DIA N/A,SPCL FEATRS W/ 563 RFB-CB COUPLINGS,STD API	1001	JV – PRC – Matan & Michal	D215	ISY - RACK 15	CP-100104-24-1
56568.A	78 FT	CASING, OCTG;NOM SZ 7 IN,WT 32.00 lb/ft,MATL GR Q125,PROCESS NA,CONN TYP TSH BLUE,LG R3,DRIFT DIA NA,SPCL FEATRS SPECIAL BEVEL	1001	JV – PRC – Matan & Michal	D215	ISY - RACK 15	CP-100383-11-1
30006.A	37.98 FT	CASING, OCTG;NOM SZ 9-7/8 IN,WT 62.80 lb/ft,MATL GR 13CR110,PROCESS NA ,CONN TYPE TSH 523 DPLS BOX X PIN,LG R3,DRIFT DIA NA	1001	JV – PRC – Matan & Michal	D216	ISY - RACK 16	CP-100403-11-2
46675.A	38.47 FT	CASING, OCTG;NOM SZ:6-5/8IN,WT:24.00LB/FT,MATL GR:13CR80/85,CONN TYP:HUNTING SLHT BOX X PIN,APPLI:WELL SCREENS AND BLANK	1001	JV – PRC – Matan & Michal	D215	ISY - RACK 15	CP-100413-24-1
34949.A	4 EA	CASING, OCTG;TYP:ASSEMBLY,NOM SZ:11-7/8IN,WT:71.80LB/FT,MATL GR:HCQ125 ,CONN TYP:TSH 523,ADD EQUIP:RS, WITH CENTRALIZER SUB, 11.875, 71.80, HCQ125, TSH 523, 15.000 IN OD, 36S BOWS,MFR:WEATHERFORD ,PN:1722296,MN:541R	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100400-21-2
61032.A	2 EA	PACKER;MFR:HALLIBURTON,PN:101358075,DIM 13-5/8 IN, EZ-SVB PREMIUM WITH MCC SLIPS	1001	JV – PRC – Matan & Michal	0203	C-03-1	CP-100103-23-1
61031.A	1 EA	PACKER;MFR:HALLIBURTON,PN:102153550,DIM 9-7/8 IN, EZ-SVB PREMIUM WITH MCC SLIPS	1001	JV – PRC – Matan & Michal	0203	C-02-0	CP-100103-23-1
13213.A	12 EA	COUPLING, OCTG;NOM SZ:5-1/2IN,WT:20.00lb/ft,MATL GR:13CR80,TOP CONN TYP:VAM TOP HC	1001	JV – PRC – Matan & Michal	0203	A-06-3	CP-100032-11-1

12198.A	2 EA	COUPLING, OCTG;NOM SZ:7IN,WT:29.00lb/ft,MATL GR:P110, TOP CONN TYP:TSH W563-CB,SURF TRTMNT:INTERNALLY COATED TK34XT,MFR:DOPELESS,BRAND:UNKNOWN	1001	JV – PRC – Matan & Michal	0203	A-06-1	CP-100032-11-1
32457.A	1 EA	CROSSOVER, CASING;TOP CONN SZ 10-7/8 IN, TOP CONN WT 72.00 lb/ft, TOP CONN TYP VAM TOP PIN, BOT CONN SZ 10-3/4 IN, BOT CONN WT 65.70 lb/ft, BOT CONN TYP VAM TOP BOX, MATL GR 4140, LG 4 ft, SPCL FEATRS YIELD STRENGTH: 110 KSI	1001	JV – PRC – Matan & Michal	0203	TOMBALL AREA	CP-100103-23-1
27053.A	2 EA	CROSSOVER, CASING;TOP CONN SZ 20 IN, TOP CONN WT 133.00 lb/ft, TOP CONN TYP H90/MT BOX, BOT CONN TYP ANTI ROTATION S60/MT PIN, WALL THK 0.625 X 5/8 IN, MATL GR X80, LG 20 ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 14	CP-100403-11-2
59024.A	1 EA	CROSSOVER, CASING;TOP CONN SZ 9-7/8 IN, TOP CONN WT 62.80, TOP CONN TYP Q125HC, TSH-523 PIN X VAM TOP PIN, BOT CONN SZ NA, BOT CONN WT NA, BOT CONN TYP NA, MATL GR NA, PROCESS NA, LG 20 FT	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
14178.A	2 EA	CROSSOVER, CASING;TYP:PUP JOINT, TOP CONN SZ:5-1/2IN, TOP CONN WT:17.00LB/FT, TOP CONN TYP:VAM TOP PIN, BOT CONN TYP:SLHT PIN, MATL GR:13 CR80, LG:2FT	1001	JV – PRC – Matan & Michal	0203	A-08-2	CP-100104-24-1
16043.A	2 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:11ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
16043.A	1 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:11ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100403-11-2
16044.A	1 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:14ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
16044.A	2 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:14ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100403-11-2
16039.A	1 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:5ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
16039.A	1 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:5ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
16040.A	2 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:6ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
16041.A	2 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:7ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
16042.A	1 EA	PUP JOINT, CASING;NOM SZ:10-3/4IN,WT:65.70lb/ft,MATL GR:TN125HC, TOP CONN TYP:TSH BLUE NF, BOT CONN TYP:BOX X PIN, LG:9ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100103-23-1
13241.A	1 EA	PUP JOINT, CASING;NOM SZ:5-1/2IN,WT:17.00lb/ft,MATL GR:13CR80, TOP CONN TYP:VAM TOP, BOT CONN TYP:BOX X PIN, LG:8ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100390-11-1

15247.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:10ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100082-11-1
15247.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:10ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100083-11-1
15247.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:10ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100389-11-1
15245.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:6ft	1001	JV – PRC – Matan & Michal	0203	FLOOR	CP-100082-11-1
15245.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:6ft	1001	JV – PRC – Matan & Michal	0203	FLOOR	CP-100389-11-1
15246.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:8ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100082-11-1
15246.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:8ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100083-11-1
15246.A	1 EA	PUP JOINT, CASING;NOM SZ:6-5/8IN,WT:24.00lb/ft,MATL GR:L80,TOP CONN TYP:SLHT,BOT CONN TYP:BOX X PIN,LG:8ft	1001	JV – PRC – Matan & Michal	0203	ISY - RACK 16	CP-100389-11-1
12190.A	37 EA	CENTRALIZER, CASING;CASNG NOM SZ:7IN,OD:8- 1/4IN,LG:8IN,MATL:CAST AL,CONN TYPE:SLIP-ON,SPCL FEAT:SOLID BODY; SPIRAL BLADE,MFR:RAY OIL TOOL ,PN:S-4830-19R	1001	JV – PRC – Matan & Michal	0203	C-05-2	CP-100032-11-1
15219.A	2 EA	CENTRALIZER, CASING;TYP:BOW SPRING,CASNG NOM SZ:6- 5/8IN,OD:15-1/4IN ,LG:34IN,CONN TYPE:LAP WELDED,SPCL FEAT:STRAIGHT LATCH, INCLUDING BOWS (MODEL: SERIES B, QTY: 5), SCREW SET,MFR:WEATHERFORD ,PN:1872681	1001	JV – PRC – Matan & Michal	0203	A-07-1	CP-100081-11-1
15219.A	1 EA	CENTRALIZER, CASING;TYP:BOW SPRING,CASNG NOM SZ:6- 5/8IN,OD:15-1/4IN ,LG:34IN,CONN TYPE:LAP WELDED,SPCL FEAT:STRAIGHT LATCH, INCLUDING BOWS (MODEL: SERIES B, QTY: 5), SCREW SET,MFR:WEATHERFORD ,PN:1872681	1001	JV – PRC – Matan & Michal	0203	A-07-1	CP-100082-11-1
15219.A	10 EA	CENTRALIZER, CASING;TYP:BOW SPRING,CASNG NOM SZ:6- 5/8IN,OD:15-1/4IN ,LG:34IN,CONN TYPE:LAP WELDED,SPCL FEAT:STRAIGHT LATCH, INCLUDING BOWS (MODEL: SERIES B, QTY: 5), SCREW SET,MFR:WEATHERFORD ,PN:1872681	1001	JV – PRC – Matan & Michal	0203	A-07-1	CP-100389-11-1
15219.A	2 EA	CENTRALIZER, CASING;TYP:BOW SPRING,CASNG NOM SZ:6- 5/8IN,OD:15-1/4IN ,LG:34IN,CONN TYPE:LAP WELDED,SPCL FEAT:STRAIGHT LATCH, INCLUDING BOWS (MODEL: SERIES B, QTY: 5), SCREW SET,MFR:WEATHERFORD ,PN:1872681	1001	JV – PRC – Matan & Michal	0203	A-07-1	CP-100390-11-1
12180.A	2 EA	CENTRALIZER, CASING;TYP:ROTATING,CASNG NOM SZ:11- 7/8IN,CONN TYPE:TSH 523 ,MFR:WEATHERFORD,PN:1722296,MN:541R,SUB, CASING WEIGHT: 71.80 LB/FT, MATERIAL GRADE: HCQ125; WITH 36S BOWS (OD: 15.5 IN)	1001	JV – PRC – Matan & Michal	0203	C-03-1	CP-100400-21-1
65121.A	1 EA	CENTRALIZER, SUB;MFR:WEATHERFORD,PN:549WM14H523Q12A003 2497645,CASNG SZ 14 IN,WT 112.6 lb/ft,OD 19-1/2 IN,MATL GR Q- 125,CONN TYP TENARIS HYDRIL 523,SPCL FEATRS WITH GUIDE SHOE	1001	JV – PRC – Matan & Michal	0203	C-04-3	CP-100103-23-1

27415.A	1 EA	COLLAR, FLOAT;CASNG OD:14IN,CASNG WT:113.00lb/ft,MATL GR:HCQ125,CONN TYPE:TSH 513,MFR:WEATHERFORD,MN:L45 AP	1001	JV – PRC – Matan & Michal	0203	C-04-0	CP-100103-23-1
62727.A	1 EA	COLLAR, FLOAT;MFR:WEATHERFORD,PN:L45AP14H523Q12A004,CASNG OD 14 IN,SPCL FEATRS L45AP DOUBLE LARGE BORE FLOW,ACTIVATED ALUMINUM FLAPPE VALVE,SPEC Q125 NR HYDL 523 113.0 W/AFU TUBE <(>&<)> WIPERLOK PLATE W/ 3-1/4 IN BALL	1001	JV – PRC – Matan & Michal	0203	C-04-0	CP-100103-23-1
12217.A	1 EA	COLLAR, FLOAT;TYP:NA CASNG OD:11-7/8IN,CASNG WT:71.38lb/ft,MATL GR:HC Q125,CONN TYPE:TSH 523 BOX X PIN,MFR:WEATHERFORD,PN:1722307,MN:L47W	1001	JV – PRC – Matan & Michal	0203	C-05-0	CP-100400-21-1
12310.A	75 EA	COLLAR, STOP;CASNG OD:7IN,SPCL FEAT:WITH SET SCREW,MFR:RAY OIL TOOL ,PN:SR-7000	1001	JV – PRC – Matan & Michal	0203	C-05-4	CP-100032-11-1
12305.A	21 EA	COLLAR, STOP;TYP:LATCH ON,CASNG OD:20IN,SPCL FEAT:WITH STD SET SCREW ,MFR:WEATHERFORD,PN:262026,MN:J10H	1001	JV – PRC – Matan & Michal	0203	B-03-1	CP-100103-23-1
12305.A	2 EA	COLLAR, STOP;TYP:LATCH ON,CASNG OD:20IN,SPCL FEAT:WITH STD SET SCREW ,MFR:WEATHERFORD,PN:262026,MN:J10H	1001	JV – PRC – Matan & Michal	0203	B-03-1	CP-100400-21-1
12305.A	20 EA	COLLAR, STOP;TYP:LATCH ON,CASNG OD:20IN,SPCL FEAT:WITH STD SET SCREW ,MFR:WEATHERFORD,PN:262026,MN:J10H	1001	JV – PRC – Matan & Michal	0203	B-03-1	CP-100403-11-2
12195.A	3 EA	CONNECTOR;TYP:CASING OCTG,STYL:WELD-ON,CONN 1 SZ:20IN,CONN 1 TYP:S60/MT PIN,WALL THK:0.812IN,MATL GR:X65,PN:2-200228-06,	1001	JV – PRC – Matan & Michal	0203	B-04-1	CP-100103-23-1
78779.A	1 EA	DART;MFR:WEATHERFORD,PN:1272309,TYP TOP,NOM SZ FOR DRILL PIPE SIZE: 5.875-6.625 IN,SPCL FEATRS YELLOW, MID BORE,WEATHERFORD,REF:LEGACY SDTM0506MB	1001	JV – PRC – Matan & Michal	0203	B-02-1	CP-100103-23-1
78780.A	1 EA	DART;MFR:WEATHERFORD,PN:1829545,TYP BOTTOM,NOM SZ FOR DRILL PIPE SIZE: 5.875-6.625 IN,SPCL FEATRS RED, MID BORE,WEATHERFORD,REF:LEGACY SDBM0506MB	1001	JV – PRC – Matan & Michal	0203	B-02-1	CP-100103-23-1
33916.A	1 EA	DART;MFR:WEATHERFORD,PN:2512629,TYP TOP,NOM SZ FOR DRILL PIPE SIZE: 5.875-6.625 IN,SPCL FEATRS YELLOW, MID BORE, HIGH TEMPERATURE,WEATHERFORD,REF:LEGACY SDTM0506MB-HT	1001	JV – PRC – Matan & Michal	0203	C-06-1	CP-100103-23-1
33917.A	1 EA	DART;MFR:WEATHERFORD,PN:2522389,TYP BOTTOM,NOM SZ FOR DRILL PIPE SIZE: 5.875-6.625 IN,SPCL FEATRS RED, MID BORE, HIGH TEMPERATURE,WEATHERFORD ,REF:LEGACY SDBM0506MB-HT	1001	JV – PRC – Matan & Michal	0203	C-06-1	CP-100103-23-1
12254.A	5 EA	Lift nubbin, 11.875, 71.80ppf, P110, TSH 523 pin	1001	JV – PRC – Matan & Michal	0203	C-02-2	CP-100400-21-1
12303.A	1 EA	PLUG, CEMENTING;ID:9-5/8IN,OD:10-3/4IN,SPCL FEAT:SYSTEM SUB-SURFACE RELEASE (SSR), MID BORE HP, NON ROTATING,MFR:WEATHERFORD,PN:SRMB 0910HP/774041	1001	JV – PRC – Matan & Michal	0203	C-02-4	CP-100103-23-1
12303.A	1 EA	PLUG, CEMENTING;ID:9-5/8IN,OD:10-3/4IN,SPCL FEAT:SYSTEM SUB-SURFACE RELEASE (SSR), MID BORE HP, NON ROTATING,MFR:WEATHERFORD,PN:SRMB 0910HP/774041	1001	JV – PRC – Matan & Michal	0203	C-05-3	CP-100403-11-2

25869.A	1 EA	PLUG, CEMENTING;MFR:WEATHERFORD,PN:754049,MFR:WEATHERFORD,PN:2413852,TYP SYSTEM SUB-SURFACE RELEASE (SSR),ID 16 IN,SPCL FEAT NON-ROTATING (NR), MID BORE, HP, PDC DRILLABLE,WEATHERFORD,REF:LEGACY SRMB1600HP	1001	JV – PRC – Matan & Michal	0203	B-02-1	CP-100103-23-1
12302.A	1 EA	PLUG, CEMENTING;MFR:WEATHERFORD,PN:SRMB1314HP/750663,TYP SYSTEM SUB-SURFACE RELEASE,CASNG SZ 13-3/8-14 IN,SPCL FEAT MID BORE HP, NON ROTATING,SPEC INCLUDING TOP & BOTTOM DART 5-7/8 IN - 6- 5/8 IN	1001	JV – PRC – Matan & Michal	0203	C-04-3	CP-100400-21-2
14899.A	1 EA	PLUG, CEMENTING;TYP:BOTTOM,CASNG SZ:13-3/8-14IN,SPCL FEAT:NR, PRESSURE: 400 PSI, PUR,MFR:WEATHERFORD,PN:1125276	1001	JV – PRC – Matan & Michal	0203	C-04-1	CP-100103-23-1
15653.A	1 EA	PLUG, CEMENTING;TYP:DUAL SSR SET,CASNG SZ:11-3/4IN,MFR:WEATHERFORD ,PN:SRMBS1134HP/1843995	1001	JV – PRC – Matan & Michal	0203	C-02-1	CP-100032-11-1
32175.A	1 EA	PLUG, CEMENTING;TYP:NON ROTATING,CASNG SZ:11-7/8IN,APPLN:PDC DRILLABLE ,MFR: FRANKS,MFR:,BRAND:SHARKBITE	1001	JV – PRC – Matan & Michal	0203	B-04-3	CP-100400-21-2
33919.A	1 EA	PLUG, CEMENTING;TYP:SYSTEM SUB-SURFACE RELEASE,CASNG SZ:11-3/4IN,SPCL FEAT:PLUG SET, NR, LB, HP,MFR:WEATHERFORD,PN:750759	1001	JV – PRC – Matan & Michal	0203	C-03-4	CP-100103-23-1
14898.A	1 EA	PLUG, CEMENTING;TYP:TOP,CASNG SZ:13-3/8-14IN,SPCL FEAT:NR, PUR ,MFR:WEATHERFORD,PN:1125275	1001	JV – PRC – Matan & Michal	0203	C-04-1	CP-100103-23-1
12227.A	1 EA	SHOE, FLOAT;CASNG OD:11-7/8IN,CASNG WT:71.80lb/ft,CONN TYPE:TSH 523,MATL GR:Q125,APPLN:PDC DRILLABLE,SPCL FEATRS:CONCENTRIC DOUBLE SEAL, DOWN JET ,MFR:WEATHERFORD,PN:1747029,WEATHERFORD,EQ MODEL:323DS	1001	JV – PRC – Matan & Michal	0203	C-01-0	CP-100085-11-1
12236.A	2 EA	SHOE, GUIDE;CASNG OD:11-7/8IN,WT:71.38LB/FT,MATL GR:HCQ125,SPCL FEATRS:ID: 5 IN,CONN TYPE:TSH 523 BOX,MFR:WEATHERFORD,PN:1722319,MN: L2020	1001	JV – PRC – Matan & Michal	0203	C-08-1	CP-100085-11-1
70941.A	2 EA	SHOE, GUIDE;MFR:WEATHERFORD,PN:2223133,TYP LARGE BORE,CASNG OD 11-7/8 IN ,WT 71.80 lb/ft,MATL GR Q125,CONN TYP TSH 523,SPEC W/ DOWN JET ECCENTRIC COMPOSITE NOSE,MFR:WEATHERFORD,TYPE:DOWN JET ECCENTRIC COMPOSITE NOSE,MFR:WEATHERFORD,	1001	JV – PRC – Matan & Michal	0203	C-03-0	CP-100103-23-1
71835.A	2 EA	SHOE, GUIDE;TYP HALF MULE SHOE,MATL S135,CASNG OD 3-1/2 IN,WT 13.30 lb/ft,SPCL FEATRS 5 FT DRILL PIPE SECTION PERFORATED EVERY 6 IN W/ 3/4 IN HOLES,<(>,<(>)>CONN TYP NC38 BOX,SPEC 5 FT LONG BELOW TOOL JOINT	1001	JV – PRC – Matan & Michal	0203	C-06-3	CP-100103-23-1