

26-14

LICENSE DELAMINATED AND CHANGED FROM AH 43939 TO BK 45162 FEBRUARY 25,2021

NOTE PER FORD CAMPAIGN # 17M04 WARRANTY ON THE CCV OIL SEPARATOR SENSOR ASSEMBLY IS INCREASED TO 11 YEARS 192,000 KM.

RECEIVED FROM KENNEDY FORD SEPT.11,2014 NO APPARENT DAMAGES 316.3 KM

NOTE: PER FORD CAMPAIGN M1801 REDUCTANT HEATER SENDER NOW WARRANTED FOR 11 YEARS / 192,000 KM.

TOWN UNIT #: 26-14 ASSET #: 173305 SITE/CLIENT: 1505561 CHARGED BU: 51920 WARRANTY: 5570 CM

TENDER #: T-2-2014 EXHIBIT 'A' \$ 58,229.30 54394 OR, 7937 OP, BATCH: 581303 RD: 86275

2015 MODEL YEAR FORD MODEL F-450HD XL (4X2) CREW CAB WITH 9' ELOQUIP ALUMINUM DUMP BODY

LICENSE: AH 43939 VIN: 1FD0W4GT2FEA48645

SAFETY CERTIFICATE: H5854508 EXPIRES SEPT. 2015

KEYS: DOOR / IGNITION 0861X TOOL BOXES J205

CAPITAL PROJECT #: 51321402.5351.13 2014 R&W REPLACEMENT

GVWR: 7,484 KG. GAWR FRONT/REAR: 2,722 / 5,443 GCWR: 15,875 RGW: 10,000 KG

WEIGH SCALE WEIGHTS: (EMPTY) FRONT AXLE: 2,240 KG, REAR AXLE 2,110 KG GROSS WEIGHT 4,350 KG.

OPTIONAL EQUIPMENT CODE: 10B1-001FC150020W4G

FITTED WITH OEM HD TOWING PACKAGES

FUEL CAPACITY 100 LITERS CLEAR DIESEL FITTED AMIDSHIP

ALL TIRES CONTINENTAL HSR (INCLUDING REARS) 225/70R 19.5 128/126 N BSW ALS

RIMS 19.5 X 6 ORW PRESSURES FRONT/REAR KPA/PSI: 585/85, 620/90

KROWN RUSTPROOFING ARRANGED BY FORD DEALER

176" WHEELBASE

(99T) 6.7 LITER V8 TURBO DIESEL 300 HP @ 2800 RPM 660 LBS. FT. @ 1600 RPM

UNIT USES SCR / DEF 22 LITER CAPACITY

(X4L)LIMITED SLIP 4.30 RATIO REAR AXLE

MINUS 40 DEGREES PERMANENT ANTIFREEZE, BLOCK HEATER

(44W) 6-SPEED ELECTRONIC AUTOMATIC TRANSMISSION WITH PTO PROVISION

INTEGRAL 4" X 6" CONVEX EXTERIOR REARVIEW MIRRORS

AIR CONDITIONING

HOURLY METER

AM/FM STEREO RADIO

SLIDING/LOCKING REAR WINDOW

DUAL VISORS, DOOR STORAGE POCKETS

HD VINYL FRONT SEATING 40/10/40 WITH CENTRE DROP DOWN CONSOLE

HD VINYL FOLDING REAR BENCH SEAT

FRONT TOW HOOKS

HD TOWING PACKAGE

FULL ROOF HEADLINER

12 VDC POWER POINT 200 AMP ALTERNATOR DUAL 750 CCA MF BATTERIES

IN CAB IP MOUNTED UPFITTER SWITCHES

OEM ELECTRIC BRAKE CONTROLLER

MUDFLAPS FRONT WHEEL WELLS

OEM TRACTION CONTROL SYSTEM

OEM TRAILER ANTI-SWAY PACKAGE

OXFORD WHITE / STEEL GRAY

4X4 ESOE WITH SKID PLATES

ELOQUIP 9' ALUMINUM DUMP BODY S/N: AAH 14098

ALL 1/8" & 3/16" 5083-H321 ALUMINUM

ALL 1/4" ALUMINUM SHEET MATERIAL 5083-H321 16% MINIMUM 18% MAXIMUM ELONGATION

CROSS MEMBERS 6351-T6 CHANNEL 6" X 2 1/2" X 2 1/2" X 1/8"

LONGSILLS 6351-T6 6" X 2 1/2" X 1/4"

ELECTRO-HYDRAULIC UNDERBODY TIP RAM 45 DEGREE TIP ANGLE

BODY DIMENSIONS 9'4" LENGTH X 96" WIDTH

BARN DOOR STYLE TAILGATE 18" 3" CHANNEL, 1/8" EXTERIOR & 3/16" INSIDE SKIN

12" HIGH CLEANSIDE DROP DOWN SIDES 6" REMOVABLE BOARDS

SCREENED OPENING BODY FRONT

QUARTER CAB PROTECTOR

VERTICAL STORAGE SLOTS FOR TOOLS

1/4" FLOOR X 2 1/2" ON 12" CENTRES

3/16" FRONT WALL

BODY PROP SAFETY BAR

TIE DOWN RAILS ALL AROUND

DRIVER SIDE FRONT LADDER WITH ANTI-SLIP STEPS

TRAFFIC CONE HOLDER CURBSIDE REAR

FRONT CURBSIDE FRAME MOUNTED TOOLBOX

BODY FRONT INTERNAL TOOLBOX

LED LIGHTING

BBS-TEK BBS-102 BROADBAND TYPE BACK UP ALARM

SWS 22335 STROBE FLASHER AMBER / BLUE CAPABLE 3-POSITION SWITCH 766155 FOR PATTERN CHANGE

5" HOIST CYLINDER PTO SWITCH IN IP PANEL SWITCHES 1.3 GPM @ 2700 PSI

HOLLAND PH-30RP41 6,000 LBS. VERTICAL LOAD, 30,000 LBS. GROSS TOW LOAD PINTLE HOOK WITH TOW HOOK EYES

VIBRATOR FITTED VIBCO MODEL DC-900