

125207-14(766)

OCTOBER 11,2022 LICENSE PLATE DELAMINATED AND CHANGED TO BT 61291

NOTE: AS PER FORD CAMPAIGN 17M04 10/30/2018 WARRANTY ON THE CCV CRANKCASE VENTILATION OIL SEPARATOR ASSEMBLY IS EXTENDED TO 11 YEARS

OR 192,000 KM IF DUE TO CODES DTC P04DB, P04E2, P04E3 TO INCLUDE REPROGRAMMING THE PCM

RECEIVED FROM KENNEDY FORD OCT.14,2014 NO APPARENT DAMAGES 250.5 KM

PER FORD CAMPAIGN # 18M01 REDUCTANT HEATER & SENDER ASSEMBLY WARRANTED FOR 11 YEARS / 192,000 KM

TOWN UNIT #: 125207-14 ASSET #: 173311 SITE/CLIENT: 1505676 CHARGED BU: 51920 WARRANTY: 5581 CM

TENDER #: T-2-2014 EXHIBIT 'A' \$ 54394 OR, 7937 OP, BATCH: 588473 RD: 87538

2015 MODEL YEAR FORD MODEL F-450HD XL (4X4) CREW CAB WITH 9' ELOQUIP ALUMINUM DUMP BODY

LICENSE: AH 43999 VIN: 1FD0W4HT0FEA72960

SAFETY CERTIFICATE: EXPIRES OCT. 2015

KEYS: DOOR / IGNITION 1363 X TOOL BOXES J-205

CAPITAL PROJECT #: 52251401.5351.13 2014 PARKS REPLACEMENT

CHASSIS

GVWR: 7,484 KG. GAWR FRONT/REAR: 2,948 / 5,443 GCWR: 11,793 RGW: 10,000 KG

WEIGH SCALE WEIGHTS: (EMPTY) FRONT AXLE: 2,400 KG, REAR AXLE 2,200 KG GROSS WEIGHT 4,600 KG.

OPTIONAL EQUIPMENT CODE: 10B1-001FC150020W4H PREFERRED EQUIPMENT PACKAGE 950A

FITTED WITH OEM HD TOWING PACKAGES

FUEL CAPACITY 106 LITERS CLEAR DIESEL FITTED AMIDSHIP

ALL TIRES CONTINENTAL HSR (INCLUDING REARS) 225/70R 19.5 128/126 N BSW ALS

RIMS 19.5 X 6 ORW PRESSURES FRONT/REAR KPA/PSI: 585/85, 620/90

KROWN RUSTPROOFING ARRANGED BY FORD DEALER

176" WHEELBASE

(99T) 6.7 LITER V8 TURBO DIESEL 300 HP @ 2800 RPM 660 LBS. FT. @ 1600 RPM

UNIT USES SCR / DEF 22 LITER CAPACITY

(X4L)LIMITED SLIP 4.30 RATIO REAR AXLE

MINUS 40 DEGREES PERMANENT ANTIFREEZE, BLOCK HEATER

(44W) 6-SPEED ELECTRONIC AUTOMATIC TRANSMISSION

INTEGRAL 4" X 6" CONVEX EXTERIOR REARVIEW MIRRORS

AIR CONDITIONING

HOURLY METER

AM/FM STEREO RADIO

SLIDING/LOCKING REAR WINDOW

POWER EQUIPMENT GROUP P/W, P/L, P/HM, REMOTE

DUAL VISORS, DOOR STORAGE POCKETS

HD VINYL FRONT SEATING 40/10/40 WITH CENTRE DROP DOWN CONSOLE

HD VINYL FOLDING REAR BENCH SEAT

FRONT TOW HOOKS

HD TOWING PACKAGE

FULL ROOF HEADLINER

12 VDC POWER POINT 200 AMP ALTERNATOR DUAL 750 CCA MF BATTERIES

IN CAB IP MOUNTED UPFITTER SWITCHES

OEM ELECTRIC BRAKE CONTROLLER

MUDFLAPS FRONT WHEEL WELLS

OEM TRACTION CONTROL SYSTEM

OEM TRAILER ANTI-SWAY PACKAGE

OXFORD WHITE / STEEL GRAY

4X4 ESOF WITH SKID PLATES

ELOQUIP 9' ALUMINUM DUMP BODY S/N: AAK 14127

ALL 1/8" & 3/16" 5083-H321 ALUMINUM

ALL 1/4" ALUMINUM SHEET MATERIAL 5083-H321 16% MINIMUM 18% MAXIMUM ELONGATION

CROSS MEMBERS 6351-T6 CHANNEL 6" X 2 1/2" X 2 1/2" X 1/8"

LONGSILLS 6351-T6 6" X 2 1/2" X 1/4"

ELECTRO-HYDRAULIC UNDERBODY TIP RAM 45 DEGREE TIP ANGLE

BODY DIMENSIONS 9'4" LENGTH X 96" WIDTH

DOUBLE ACTING TYPE TAILGATE 18" 3" CHANNEL, 1/8" EXTERIOR & 3/16" INSIDE SKIN

12" HIGH CLEANSIDE DROP DOWN SIDES 6" REMOVABLE BOARDS

SCREENED OPENING BODY FRONT

QUARTER CAB PROTECTOR

VERTICAL STORAGE SLOTS FOR TOOLS

1/4" FLOOR X 2 1/2" ON 12" CENTRES

3/16" FRONT WALL

BODY PROP SAFETY BAR

TIE DOWN RAILS ALL AROUND

DRIVER SIDE FRONT LADDER WITH ANTI-SLIP STEPS

TRAFFIC CONE HOLDER CURBSIDE REAR

FRONT CURBSIDE FRAME MOUNTED TOOLBOX

BODY FRONT INTERNAL TOOLBOX

LED LIGHTING

BBS-TEK BBS-102 BROADBAND TYPE BACK UP ALARM

DUAL SWS 22335 STROBE FLASHERS AMBER / BLUE CAPABLE 3-POSITION SWITCH 766155 FOR PATTERN CHANGE

5" HOIST CYLINDER PTO SWITCH IN IP PANEL SWITCHES 1.3 GPM @ 2700 PSI

HOLLAND PH-30RP41 6,000 LBS. VERTICAL LOAD, 30,000 LBS. GROSS TOW LOAD PINTLE HOOK WITH TOW HOOK EYES

VIBRATOR FITTED VIBCO MODEL DC-900