RECEIVED FROM NEXGEN MUNICIPAL DECEMBER 6, 2018 NO APPARENT DAMAGES 129.0 KM PARTS, SERVICE, OPERATIONS MANUALS - 1 IN STORES, 1 IN FLEET ROOM

KEYS: IGNITION: 11398 (ALSO NOTED ONE AS 10797) TOOL BOXES: COLE HERSEE # CH 545 PACKER CONTROL CONSOLE: TOK T104

TENDER #: RFT-4-2018 81343 OR, 9386 OP, BATCH: 898883 RD: 144125 INVOICE #: 008625

SAFETY CERTIFICATE: H 9212653 EXPIRES DECEMBER 31, 2019

NOTES: UNIT HAS A SPIF TAG IN DRIVER DOOR JAMB

RIV CANADA IMPORT: REFER TO DOOR JAMB

TOWN UNIT #: 125236-18 ASSET #: 212074

2019 MODEL YEAR FORD MODEL F-550 XL 4X2 LICENSE: AY 35141 VIN: 1FDUF5GT1KDA03168

FITTED WITH 2016 MODEL YEAR WAYNE MODEL QUANTUM 6, 6 CU.YD. REAR LOAD PACKER S/N: C 19526

GVWR: 8,845 KG. GAWR FRONT/REAR: 2,722 / 6,671 KG. GCWR: 14,515 KG. RGW: 8,850

BUYERS TOOL BOXES S/N #'S: CURBSIDE 1026793 & STREET SIDE: 1025471 - KEYS FOR BOTH CH-545

POWER EQUIPMENT GROUP P/W, P/L, P/HM,

TELESCOPING TRAILER TOWING MIRRORS

REARVIEW CAMERA PREP KIT FITTED

169 " WHEEL BASE, 84 " C/A, 47.6 " A/F

6.7 LITER DIESEL 300 HP @ 2,800, 660 LBS. FT. TORQUE @ 1,600 RPM

4.88 RATIO LIMITED SLIP REAR AXLE

150 LITERS DIESEL FUEL (MID-SHIP FITTED), 27 LITERS DEF, BIODIESEL CAPABLE TO B20

EXHAUST OUTLET FITTED STREETSIDE WITH DEFLECTOR SHIELD

BLOCK HEATER

6-SPEED ELECTRONIC AUTOMATIC TRANSMISSION WITH PTO PROVISION

FRONT TIRES GOODYEAR UNISTEEL G647 RSS M+S 225/70R 19.5 128/126 N

REAR TIRES GOODYEAR UNISTEEL G633 RSD M+S 225/70R 19.5 128/126 N

19.5 X 6.0RW RIMS 95/655 FRONT, 110/760 REAR

TRAILER ANTI-SWAY PACKAGE

HIGH CAPACITY TRAILER TOW PACKAGE

PAYLOAD PLUS PACKAGE FITTED

4.88 RATIO LIMITED SLIP REAR AXLE

NO TPMS FITTED

TOW HOOKS

GRAB HANDLES DRIVER & PASSENGER

HEADLINER, DOME & DUAL MAP LIGHTS, FRONT POWER POINT

UPFITTER SWITCHES (4)

4-WHEEL ABS DISC
MF BATTERY DUAL 750 CCA
HD ALTERNATOR 200 AMP
HD SHOCKS, STABILIZER BARS FRONT & REAR
POWER STEERING
7-WIRE TOW HARNESS
AIRBAGS DRIVER & PASSENGER WITH PASSENGER DEACTIVATE
PASSIVE ANTI-THEFT
SOS POST CRASH ALERT
ADJUSTABLE SAFETY BELTS
PTC SUPPLEMENTAL HEATER
PAYLOAD UPGRADE 19,500 LBS. PACKAGE
TIRE PRESSURE MONITORING NOT FITTED
AM/FM/CD CLOCK RADIO AUX. AUDIO INPUT JACK
SYNC VOICE ACTIVATED SYSTEM FITTED / BLUE TOOTH
VINYL 40/20/40 SEATS
DOOR POCKETS
SYNC VOICE ACTIVATED SYSTEM
AIR CONDIITIONING
RUNNING BOARDS - DEALER INSTALLED - KENNEDY FORD
KROWN RUSTPROOFING DEALER INSTALLED - KENNEDY FORD
PAINTED OXFORD WHITE WITH CHARCOAL GRAY VINYL
PACKER UNIT S/N: C 19526
UNIT IS COMPLIANT TO MANDATORY ANSI Z 245.1-1984 AND ONTARIO MOL STANDARDS FOR 1 & 2 MAN OPERATIONS.
OVERALL LENGTH 158 "
HEIGHT ABOVE CHASSIS RAIL: 62 " TAILGATE RAISED 110 "
EXTERIOR BODY WIDTH 83 "
BELOW FRAME HOPPER BOTTOM 11 "
HOPPER DEPTH 13 "
HOPPER OPENING HEIGHT 45 "
HOPPER OPENING WIDTH 70 "
HOPPER LOADING SILL 3 ½" BELOW TOP OF PACKER RAIL
HOPPER VOLUMETRIC CAPACITY 1 CU. YD.
LOWER HOPPER 7 GAUGE BOTTOM 3/16" 100,000 PSI

HOPPER WEIGHT 1,000 LBS.
C/G BODY ONLY 77 " FROM FRONT OF BODY
C/G PAYLOAD 62 " FROM FRONT OF BODY
BODY/FLOOR/ROOF 11 GAUGE GR 50 STEEL
BODY WEIGHT 5,520 LBS.
COMPACTION RATE 800 LBS. CU.YD.
PACKING FORCE APPLICATION 40,000 LBS.
PACKING CYCLE 13 SECONDS
HOPPER INSPECTION WITH SENSOR INTERLOCK
CURBSIDE MOUNTED TOOL RACKS @ OF THREE SLOTS
SWEEP PANEL ROTATION 100 DEGREES
TAILGATE SAFETY PROP AND TWO LIFT EYES
SAFETY GRAB HANDLES BOTH REAR SIDES WITH STEPS COMPLIANT TO ANSI
TRANSMISSION PTO 22 GPM @ 2,700 PSI @ 1,300 RPM CHELSEA 249 SERIES
PTO / PARKING BRAKE "ON" INTERLOCK SYSTEM
PTO ENGAGED WARNING LIGHT
20 USG HYDRAULIC RESERVOIR
MOL COMPLIANT INTERLOCK BUTTON BESIDE TWIN DETENT LEVERS CURBSIDE
TAILGATE LIFT/LOWER, PANEL EJECTOR CONTROLS STREETSIDE AT DRIVER FRONT
AUTOMATIC ACCELERATOR SWITCH AT TAILGATE LIFT / EJECTOR PANEL CONTROLS WITH AUTOMATIC RETURN TO IDLE AFTER CYCLING
LED LIGHTING
UPPER LIGHT BAR: (2) 4" STOP/TAIL/TURN AND 2" DIAMETER CLEARANCE SIDE MARKER LIGHTS
DRIVER ALERT BUZZER AT TAILGATE PANEL CONTROL HANDLES
RRS TEK RRS 102 RACK LIP ALARM

AMBER STROBES WITH GUARDS FRONT & REAR OF BODY SWS 23815

TWO REAR FLOODLIGHTS SINGLE IN CAB SWITCH GROTE TRILLIANT 36 P/E: 63871-5

TWO GRILLE MOUNTED WHELEN 900 5" X 7" AMBER STROBES

REAR MUDFLAPS FORE AND AFT