

915804-15

LICENSED JULY 13, 2017 #: 8H P36

RECEIVED FROM GALER FARM EQUIPMENT MAY 1, 2015 2.8 HOURS, NO APPARENT DAMAGES.

TOWN UNIT #: 915804-15 ASSET #: 182524 SITE/CLIENT #: 1505756 TECH. SERVICES CHARGED BU: 51920 WARRANTY #: 5608 CM

T-10-2015 EXHIBIT 'E' 61080 OR, 8232 OP BATCH: 630465 RD: 94216

2015 MODEL YEAR KUBOTA MODEL RTV X1100CW 4X4 ATV VIN: A5KC2GDBJFG019320 K7731-21600

KEYS: IGNITION - KUBOTA UNIVERSAL CAB DOOR: TRIMARK CH-751

WARRANTY: 1 YEAR NO HOUR LIMIT BASIC UNIT FOB OAKVILLE & ON-SITE

ENGINE 2 YEARS / 2,000 HOURS

RADIO TWO YEARS

FLASHER 5 YEARS

WINCH: 1 YR. ELECTRICAL, LIMITED LIFETIME MECHANICAL. (DATA IN MACHINE FILE)

MANUALS: OPERATORS VEHICLE & WINCH OPERATIONS HARD COPIES TO TECH SERVICES WITH UNIT.

OPERATORS VEHICLE TO AG. EQUIP. DEPT. FOR MANUALS LIBRARY.

OPERATORS & SERVICE PLACED ON S:\FLEET\FLEET MANUALS SEE UNIT # REFERENCE.

NO PARTS MANUAL PROVIDED ON DELIVERY. SEE KUBOTA.CA FOR PARTS INFO.

MAX. WEIGHT: 3,990 LBS. (1,814 KG.)

CAB MEETS ROPS J2194 PART 1928 SUBPART C OSHA 1928.53 ENTRY/EXIT GRAB HANDLES

VARIABLE SPEED HYDROSTATIC TRANSMISSION 2-FORWARD / 1-REVERSE SPEEDS 2 RANGES HIGH/LOW

OIL BATH TRANSAXLE

SPEEDS 0 - 40 KPH FORWARD / 0 - 20 KPH REVERSE

ON-DEMAND 4 WD. FRONT LIMITED SLIP DIFFERENTIAL, POSITIVE LOCKING MECHANICAL LOCKING REAR AXLE

TIRES 25 X 10:00-12 NHS BRAND: 350 MAG OFF-ROAD ALL AROUND HD INDUSTRIAL

SANDER/SPREADER MODEL: V5005 BAR CODE TAG #: 140916300190V5005

WHEELBASE 80.5" OVERALL LENGTH 122.5", HEIGHT TOP OF CAB 82.3" TRACK WIDTH FT./RR. = 48.8"

GROUND CLEARANCE: 10.4" WIDTH 65.4"

WEIGHT: 2,337 LBS. PAYLOAD: 1,629 LBS.

INSIDE/OUTSIDE TURN RADIUS WITHOUT BRAKE 13.2' / 8.6'

KUBOTA 3-CYL. DIESEL MODEL: D1105 E4 UV S/N: 1EX3057 CODE: 1J036 00000 TIER 3 EU IIIA NO DEF REQUIRED

ENGINE IS RATED FOR BIODIESEL SERVICE TO B5 ONLY 30 LITERS FUEL CAPACITY

1123 CC 24.8 HP @ 3,000 AND 52.7 LBS. FT. @ 2,000 RPM

GLOW PLUGS, 400 WATT 10 VAC COLD START AIDS

KEYED ON/OFF IGNITION

AIR FILTER RESTRICTION GAUGE HIGH LEVEL AIR INLET FILTRATION

HIGH TEMP / LOW OIL PRESSURE WARNINGS AUTO ENGINE SHUTDOWN

SPARK ARRESTING SILENCER

DUAL CIRCUIT MASTER CYLINDER BRAKES. WET BRAKES, MECHANICAL REAR DISC PARKING BRAKE

INDEPENDENT COIL OVER SHOCK SUSPENSION

HYDROSTATIC POWER STEERING

675 CCA MF BATTERY, 60 AMP ALTERNATOR

DUAL 38 WATT HALOGEN HEADLIGHTS

LEGAL ROAD LIGHTING KIT

HORN ASSEMBLY

GAUGES: SPEEDOMETER, COOLANT TEMP, OIL PRESSURE, HOURMETER, FUEL GAUGE, GLOW PLUG ON, OIL LEVEL,
PARKING BRAKE ON.

BBS-TEK 102 BACK UP ALARM

DASH SWITCH HALOGEN WORKLIGHTS FORE & AFT.

12 VDC POWER POINT

PASSENGER GRAB HANDLES, HIP RESTRAINTS, AT DASH, DOOR, PILLAR

RETRACTABLE SEAT BELTS

HD VINYL SEATS (2) SIDE BY SIDE

HD RUBBER FLOOR MAT

REMOVABLE DOOR ASSEMBLIES, MANUAL ROLL-DOWN WINDOWS

REAR VIEW MIRRORS, INTERIOR AND RHS + LHS

OEM HEATING & AIR CONDITIONING, WIPERS, WASHERS, MULTI-SPEED FAN

CAB STORAGE AREAS

16 GAUGE STEEL HYDRAULIC TIPPING CARGO BOX WITH TIE-DOWNS, HINGED & REMOVABLE TAIL GATE.

CARGO BOX CAPACITY 15 CU.FT. 1,629 LBS. FULL BEDLINER

TOW CAPACITIES 650 LBS. FRONT, 1,300 LBS. REAR

HD FRONT BRUSH GUARD, HD FRONT BUMPER, 2 " RECEIVER TOW HITCHES FORE & AFT

BODY INTEGRATED MUDGUARDS FORE & AFT

ALUMINUM CROSS BODY TOOL BOX

SWS BLUE/AMBER 360 DEGREE SPLIT LED BEACON PART # 22335 AND 3-WAY SWITCH 766155 SAE J-845 2007 CLASS 2
4,000 LBS. CAPACITY WIRE CABLE WINCH (REFER TO MACHINE FILE & SERVICE MANUAL FOR DATA)

SMV EMBLEM TO HTA 76 REG. 616 CURRENT STANDARDS

CARGO BOX INSERTABLE ½ CU. YD. SAND & SALT SPREADER. VARIABLE SPEED AUGER / SPINNER & ELECTRIC AGITATOR

VEE-PLOW PURCHASED GREEN TRACTORS HALTON VISA INVOICE E06020

MULTI-POSITION VEE PLOW 6' 6" UTV POWER-VXT

S/N: BC154909

S/N: 259134 SMART SHIELD