



International

Vehicle Information

Home	Publication	Service Reference	Wash Up	Dealer	Inventory	Support
------	-------------	-------------------	---------	--------	-----------	---------

Create VIN Number

View

Select tab(s) to print

Print

Summary Health Report GUIDE Diagnostics Managed Repairs Details Components Serial Numbers Warranty Coverage SRT
 Warranty History iKnow Search Case History iApprove iRequest

Components

VIN : 2HSFBBR1NC058413

86 components found. Export

S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	FRAMES	0001187	0001187	FRAME RAILS Heat Treated Alloy Steel (110,000 PSI Yield); 10.125" x 3.580" x 0.312" x 269.7" OAL;
2	FRAMES	0001570	0001570	TOW HOOK, FRONT (2) Frame Mounted
3	FRAMES	0001950	0001950	FRAME PIERCING
4	FRONT AXLES	0002ADD	0002ADD	AXLE, FRONT NON-DRIVING (International I-120SG) I-Beam Type, 12,000-lb Capacity
5	BRAKES	0004EAH	0004EAH	AIR DRYER (Bendix AD-9) with Heater, Standard Location
6	BRAKES	0004JAG	0004JAG	BRAKE IDENTITY, FRONT (Eaton ES-150-4L) Air, Cam Type, Extended Service, Size 15" x 4"
7	BRAKES	0004SCA	0004SCA	AIR COMPRESSOR (Cummins Holset SS296) 13.2 CFM
8	BRAKES	0004WAJ	0004WAJ	BRAKE PACKAGE (Dana Spicer) Extended Service, with MGM 30/30 Spring Brake Chambers on 16.5 x 7" Rear Brakes
9	BRAKES	0004092	0004092	BRAKE SYSTEM, AIR Dual System for Tractor Applications
10	BRAKES	0004175	0004175	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0", Includes 20 Sq. In. Brake Chambers
11	BRAKES	0004273	0004273	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0", Includes 30 Sq. In. MGM Spring Actuated Parking Brake Chambers
12	STEERING	0005PSA	0005PSA	STEERING GEAR (Sheppard M100) Power
13	DRIVELINES	0006100	0006100	DRIVELINE IDENTITY Driveline Labor

14	EXHAUST SYSTEMS	<u>0007AWM</u>	<u>0007AWM</u>
15	EXHAUST SYSTEMS	<u>0007MAM</u>	<u>0007MAM</u>
16	EXHAUST SYSTEMS	<u>0007SAM</u>	<u>0007SAM</u>
17	ELECTRICAL SYSTEMS	<u>0008GAA</u>	<u>0008GAA</u>
18	ELECTRICAL SYSTEMS	<u>0008RAC</u>	<u>0008RAC</u>
19	ELECTRICAL SYSTEMS	<u>0008RAP</u>	<u>0008RAP</u>
20	ELECTRICAL SYSTEMS	<u>0008RAZ</u>	<u>0008RAZ</u>
21	ELECTRICAL SYSTEMS	<u>0008WLW</u>	<u>0008WLW</u>
22	ELECTRICAL SYSTEMS	<u>0008WND</u>	<u>0008WND</u>
23	ELECTRICAL SYSTEMS	<u>0008000</u>	<u>0008000</u>
24	ELECTRICAL SYSTEMS	<u>0008559</u>	<u>0008559</u>
25	ELECTRICAL SYSTEMS	<u>0008579</u>	<u>0008579</u>
26	ELECTRICAL SYSTEMS	<u>0008624</u>	<u>0008624</u>
27	ELECTRICAL SYSTEMS	<u>0008628</u>	<u>0008628</u>
28	ELECTRICAL SYSTEMS	<u>0008651</u>	<u>0008651</u>
29	ELECTRICAL SYSTEMS	<u>0008694</u>	<u>0008694</u>
30	ELECTRICAL SYSTEMS	<u>0008833</u>	<u>0008833</u>
31	ELECTRICAL SYSTEMS	<u>0008851</u>	<u>0008851</u>
32	ELECTRICAL SYSTEMS	<u>0008871</u>	<u>0008871</u>
33	ELECTRICAL SYSTEMS	<u>0008875</u>	<u>0008875</u>
34	FRONT END	<u>0009WAC</u>	<u>0009WAC</u>
35	FRONT END	<u>0009107</u>	<u>0009107</u>
36	SPEEDOMETER, TOOLS, MISC	<u>0010ACT</u>	<u>0010ACT</u>
37	SPEEDOMETER, TOOLS, MISC	<u>0010AHA</u>	<u>0010AHA</u>
38	SPEEDOMETER, TOOLS, MISC	<u>0010HEH</u>	<u>0010HEH</u>

EXHAUST SYSTEM Single, Vertical 10" Dia. Aluminized Steel Muffler, Chrome Tail Pipe, Includes Stainless Steel Muffler Guard; Grab Handles; Mounting Hardware; Cab Mounted Right Side

TAIL PIPE (1) Turnback Type, Bright

ENGINE COMPRESSION BRAKE (Jacobs Model 411) for Cummins ISM Engine, with Selector Switch and On/Off Switch

ALTERNATOR (Delco Remy America Inc. 30-SI) 12-Volt 105 Amp. Capacity, Brushless

CB RADIO MOUNTING BRACKETS in Instrument Panel.

CB ANTENNA BASE with Lead In; Less Antenna Mounted on Left Mirror

RADIO (Panasonic CQJ-25) AM/FM Stereo; With Electronic Tuning, Cassette and Digital Clock, Includes Multiple Dual-Cone Speakers

FOG LIGHTS (2) (Truck Lite Mdl 80389 Series) Halogen, Clear, Rectangular with Fog Beam

READING LIGHT, DRIVER SIDE Mounted to Left of Driver on Roof Panel

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

LIGHT, WORK Pedestal Mounted, Back of Cab, with Switch on B-Pillar Behind Driver Seat

CIRCUIT BREAKERS Auto-Reset (Main Panel) SAE Type II Replaces All Fuses Except Instrument Cluster Feed

STARTER SWITCH Push Button; Not with Allison AT or MT (Non-Electronic Trans)

SWITCH, AUXILIARY for Trailer & Cab Clearance Lights, Independent of Headlight Switch.

HEADLIGHTS Halogen; for Four Light System

SNOW SHIELD Chrome, for Single Air Horn

BATTERIES (3) (Delco Remy America Inc. 1150) Maintenance-Free 12-Volt 1875CCA Total

POWER SOURCE, TERMINAL TYPE 2-Post Terminal Block

STARTING MOTOR (Delco Remy MT-42 Type 450) 12-Volt; with Thermal Over-Crank Protection

BATTERY TERMINALS Sealed

BUG SCREEN Mounted Behind Grille

FRONT END Tinting, Fiberglass

TACHOGRAPH (Veeder-Root 1421 Series) Electronic, Recording, MPH 24-Hour, For Mechanical Engines Only

HUBODOMETER (Veeder-Root) English

FIFTH WHEEL, STATIONARY (ASF Simplex II 40-1-69276) On Rear Axle Centerline, 9.00" Above Top of Frame, Left Hand

Vehicle Information

Roadside Release

KEYS - NONE ALIKE Between Trucks on Order, Ignition and Door Lock Keys are Identical

SPEEDOMETER and Miscellaneous

PAINT SCHEMATIC, PT-1 Single Color, Design 100

LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER FOR FACTORY USE ONLY

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

PAINT CLASS Premium Color

CAB INTERIOR IDENTITY Standard Cab Interior Trim Less Sleeper Box.

CLUTCH (Valeo EV14016) Single Plate, Stamped Diaphragm Spring; Ceramic, 16" Diameter, Coaxial Dual Damper, Mechanical Pull-Type Control

ENGINE, DIESEL (Cummins L10-330E CELECT) 50 State 330 HP @ 1600 RPM; 2000 RPM Governed Speed, 1250 lb-ft Torque @ 1200 RPM

FAN DRIVE (Borg-Warner DD-34) Viscous

RADIATOR Bolted, Cross Flow, Parallel System, 700 SqIn Area and 550 SqIn Charge Air Cooler,

FAN (Kysor) 30" Diameter, 8-Blade, Nylon

BLOCK HEATER, ENGINE (Phillips) 120V/1500W

GAUGE, AIR CLEANER RESTRICTION Calibrated, Dial Type Mounted in Instrument Panel

GAUGE, MECHANICAL Water Temperature

CLUTCH HOUSING Aluminum; Available with 11 000 and 12000 Series Fuller Transmissions

PTO IDENTITY Identity for Customer Furnished Chelsea Transmission Mounted Model-340 PTO With Standard Mounting and Rod or Air Control; Mounted Right Side

TRANSMISSION, MANUAL (Fuller RTX-12609B) 9-Speed Manual with Overdrive, and With Air Shift.

PTO EFFECTS, TRANSMISSION PTO Clearance Provisions; for Right Side PTO

AXLE, REAR, TANDEM (Mentor SQ-100P) Single Reduction, 40,000-lb Capacity, With Lube Oil Pump and 200 Wheel Ends

SUSPENSION, REAR, AIR, TANDEM (International) 52" Axle Spacing; 40,000-lb Capacity, 9,500" Ride height, With Shock Absorbers

DIFFERENTIAL, ALUMINUM CARRIER; for Rockwell SQ & SQR-100 and RS-23-160, 161 Rear Axles (DO NOT USE FOR FUTURE ORDERS, SEE AXLE UNIT CODE)

39	SPEEDOMETER, TOOLS, MISC	<u>0010WAE</u>	<u>0010WAE</u>
40	SPEEDOMETER, TOOLS, MISC	<u>0010000</u>	<u>0010000</u>
41	SPEEDOMETER, TOOLS, MISC	<u>0010060</u>	<u>0010060</u>
42	SPEEDOMETER, TOOLS, MISC	<u>0010210</u>	<u>0010210</u>
43	SPEEDOMETER, TOOLS, MISC	<u>0010761</u>	<u>0010761</u>
44	SPEEDOMETER, TOOLS, MISC	<u>0010769</u>	<u>0010769</u>
45	SPEEDOMETER, TOOLS, MISC	<u>0010906</u>	<u>0010906</u>
46	CLUTCH	<u>0011SXD</u>	<u>0011SXD</u>
47	ENGINE	<u>0012CGL</u>	<u>0012CGL</u>
48	ENGINE	<u>0012TSB</u>	<u>0012TSB</u>
49	ENGINE	<u>0012USH</u>	<u>0012USH</u>
50	ENGINE	<u>0012WAU</u>	<u>0012WAU</u>
51	ENGINE	<u>0012864</u>	<u>0012864</u>
52	CABS, COWLS, BODIES	<u>0012898</u>	<u>0012898</u>
53	MISC	<u>0012977</u>	<u>0012977</u>
54	TRANSMISSION	<u>0013WAR</u>	<u>0013WAR</u>
55	TRANSMISSION	<u>0013WZD</u>	<u>0013WZD</u>
56	TRANSMISSION	<u>0013297</u>	<u>0013297</u>
57	TRANSMISSION	<u>0013769</u>	<u>0013769</u>
58	REAR AXLES, SUSPENSIONS	<u>0014357</u>	<u>0014357</u>
59	REAR AXLES, SUSPENSIONS	<u>0014673</u>	<u>0014673</u>
60	MISC	<u>0014868</u>	<u>0014868</u>

61	FUEL TANKS	<u>0015LBG</u>	<u>0015LBG</u>	FUEL/WATER SEPARATOR {Racor #525 Warm & Dry} with Coolant Thermostat, Fuel Heater, Standard Location
62	FUEL TANKS	<u>0015561</u>	<u>0015561</u>	FUEL TANK Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Right Side, Under Cab
63	CABS, COWLS, BODIES	<u>0016JTX</u>	<u>0016JTX</u>	SEAT, DRIVER {Bostrom AIR 914} Air Suspension, Intermediate Back, Blue Cloth, Isolated, With Adjuster and with Adjustable Lumbar Support, with 1" Restricted Travel
64	CABS, COWLS, BODIES	<u>0016PSA</u>	<u>0016PSA</u>	SEAT, PASSENGER {Bostrom 900-F} Low Back, Non-Suspension, Blue Sewn Cloth, Non-Isolated
65	CABS, COWLS, BODIES	<u>0016WMJ</u>	<u>0016WMJ</u>	MIRROR, CONVEX (2) Stainless Steel, 8" Diameter, Mounted Below Primary Mirrors.
66	CABS, COWLS, BODIES	<u>0016WNW</u>	<u>0016WNW</u>	MIRROR, CONVEX, HOOD MOUNTED (2) {Sure-Plus 880} Chrome Plated, 8" Diameter, Mounted on Both Sides Of Hood
67	CABS, COWLS, BODIES	<u>0016ZPA</u>	<u>0016ZPA</u>	PAINT IDENTITY, GLAMOUR PARTS Painted in Springfield Paint System
68	CABS, COWLS, BODIES	<u>0016000</u>	<u>0016000</u>	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
69	CABS, COWLS, BODIES	<u>0016031</u>	<u>0016031</u>	CAB Conventional, Day Cab
70	CABS, COWLS, BODIES	<u>0016661</u>	<u>0016661</u>	GRAB HANDLE, EXTERIOR (2) Towel Bar Type for Cab Entry (Lt & Rt)
71	CABS, COWLS, BODIES	<u>0016910</u>	<u>0016910</u>	MIRRORS (2) Rectangular, 7" x 16", West Coast Type, 102" Inside Spacing, Heating Element Bright Finish
72	CABS, COWLS, BODIES	<u>0016956</u>	<u>0016956</u>	AIR CONDITIONER {International Blend-Air} With Integral Heater
73	WHEELS, TIRES - FRONT	<u>0027DME</u>	<u>0027DME</u>	WHEELS, FRONT DISC: 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs
74	WHEELS, TIRES - REAR	<u>0028DME</u>	<u>0028DME</u>	WHEELS, REAR DUAL DISC: 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs
75	WHEELS MISC OPTIONS	<u>0029TAG</u>	<u>0029TAG</u>	TIRES, UNI-DIRECTIONAL Mount Tires So That Arrows, on Tire, Point Toward Forward Direction When Arrow is at Top
76	WHEELS MISC OPTIONS	<u>0029174</u>	<u>0029174</u>	WHEEL BRAND, FRONT/REAR {Alcoa} Disc Wheels
77	BRAKES	<u>0029331</u>	<u>0029331</u>	BRAKE DRUMS, FRONT {Motor Wheel} Centrifuse Type
78	BRAKES	<u>0029334</u>	<u>0029334</u>	BRAKE DRUMS, REAR {Motor Wheel} Centrifuse Type; 16.5" x 7"
79	WARRANTY	<u>0040011</u>	<u>0040011</u>	WARRANTY Heavy Duty Standard
80		<u>0426710</u>	<u>0426710</u>	*** ERROR GETTING DECRIPTION: SQLCODE = +00100
81		<u>0428DTH</u>	<u>0428DTH</u>	*** ERROR GETTING DECRIPTION: SQLCODE = +00100
82		<u>0760253</u>	<u>0760253</u>	*** ERROR GETTING DECRIPTION: SQLCODE = +00100
83	BRAKES	<u>0804WCE</u>	<u>0804WCE</u>	AIR TANK, ALUMINUM (2) In Lieu of Steel Tanks -- DON'T USE FOR FUTURE ORDERS, USE 04WBJ or 04WBK -- - E.T. Glass - STOP, TURN, TAIL & B/U LIGHTS (Truck Lite Super 40) with Power Module and Junction Box
84	ELECTRICAL SYSTEMS	<u>0838409</u>	<u>0838409</u>	

Vehicle Information

85	ELECTRICAL SYSTEMS	<u>0838503</u>	<u>0838503</u>	DOME LIGHT, CAB Door Switch Operated, Omit Item.
86	ELECTRICAL SYSTEMS	<u>0838511</u>	<u>0838511</u>	TOGGLE SWITCH, AUXILIARY With Circuit Breaker and Hot-Lead Wire

© 2019 Navistar, Inc. All rights reserved. All marks are trademarks of their respective owners.