

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447


Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

A proposal for
GENERAL EQUIPMENT

Prepared by
MCCOY FREIGHTLINER OF PORTLAND
Dave Hunt

Oct 24, 2014

Freightliner M2 106



Components shown may not reflect all spec'd options and are not to scale

Application Version 8.6.126
Data Version PRL-09M.012
GEN 2015 FOREST GROVE




10/24/2014 8:08 AM

Page 1 of 16

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	M2106
Wheelbase (545)	5650MM (222 INCH) WHEELBASE
Rear Frame Overhang (552)	1900MM (75 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
Desired Slide Position (in)	0.0
Cab Size (829)	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016)	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

TABLE SUMMARY - DIMENSIONS



Prepared for:
PAT KUHNIAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Dimensions	Inches
Bumper to Back of Cab (BBC)	
Bumper to Centerline of Front Axle (BA)	106.3
Min. Cab to Body Clearance (CB)	40.7
Back of Cab to Centerline of Rear Axle(s) (CA)	3.0
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	156.4
Back of Cab Protrusions (Exhaust/Intake) (CP)	153.4
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	1.5
Back of Cab Clearance (CL)	0.0
Back of Cab to End of Frame	3.0
Cab Height (CH)	231.4
Wheelbase (WB)	67.5
Frame Overhang (OH)	222.0
Overall Length (OAL)	75.0
Rear Axle Spacing	337.7
Unladen Frame Height at Centerline of Rear Axle	52.0
	41.6

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
 PAT KUHNNAU
 GENERAL EQUIPMENT
 6767 NE COLUMBIA
 PORTLAND, OR 97218
 Phone: 503-288-7447

Prepared by:
 Dave Hunt
 MCCOY FREIGHTLINER OF
 PORTLAND
 9622 N.E. VANCOUVER WAY
 PORTLAND, OR 97211
 Phone: 503-283-0345

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-09M	M2 PRL-09M (EFF:08/05/2014)		
Data Version			
DRL-012	SPECPRO21 DATA RELEASE VER 012		
Vehicle Configuration			
001-172	M2 106 CONVENTIONAL CHASSIS		
004-216	2016 MODEL YEAR SPECIFIED	5,775	3,535
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-001	REFUSE SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-002	LIQUID BULK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 14000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 54000.0 lbs		
Truck Service			
AA3-034	SEWER/INDUSTRIAL VACUUM BODY		



Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		

Engine

101-2XM	CUM ISL 350 HP @ 2000 RPM, 2200 GOV RPM, 1000 LB/FT @ 1400 RPM	640	30
---------	---	-----	----

Electronic Parameters

79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH

Engine Equipment

99C-013	2013 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
133-004	ONE PIECE VALVE COVER		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-058	(3) ALLIANCE MODEL 1031, GROUP 31, 12 VOLT MAINTENANCE FREE 2280 CCA THREADED STUD BATTERIES	40	20
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
289-001	NON-POLISHED BATTERY BOX COVER		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH	20	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-020	10 FOOT 00 INCH (120 INCH+0/-5 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)		
273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20	
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

Transmission

342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
---------	---	-----	----

Transmission Equipment

343-316	ALLISON VOCATIONAL PACKAGE 150 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS
84B-005	ALLISON VOCATIONAL RATING FOR HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-022	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-022	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
353-026	VEHICLE INTERFACE WIRING AND PDM WITH BODY BUILDER CONNECTOR BACK OF CAB, NO BLUNT CUTS
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)



Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
Front Axle and Equipment			
400-1A8	DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	FRONT BRAKE DUST SHIELDS		
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS	5	
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-012	TRW TAS-85 POWER STEERING		
539-003	POWER STEERING PUMP	40	
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
533-001	OIL/AIR POWER STEERING COOLER		
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE	5	
Front Suspension			
620-010	14,600# TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	170	
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equipment			
420-1K3	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		2,500
421-529	5.29 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	30	30
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES		
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES		
87A-001	BLINKING LAMP WITH EACH MODE SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF		



Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		
425-002	REAR BRAKE DUST SHIELDS		
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS		
426-075	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		20
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE		
Rear Suspension			
622-006	40,000# 4-SPRING FLAT LEAF REAR SUSPENSION		40
034-003	HIGH CG PACKAGE FOR 36/40,000# MULTI-LEAF SPRING SUSPENSIONS		60
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
431-002	LIMITING U-BOLT PAD		
624-011	52 INCH AXLE SPACING		
623-001	HEAVY DUTY FORE/AFT CONTROL RODS		
Brake System			
018-002	AIR BRAKE PACKAGE		
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20	
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL		
460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION		

Prepared for:
PAT KUHNNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Trailer Connections			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT		
Wheelbase & Frame			
545-565	5650MM (222 INCH) WHEELBASE		
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	270	120
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	170	390
552-014	1900MM (75 INCH) REAR FRAME OVERHANG		
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-30	120
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 156.45 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 153.45 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 326.39		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 156.45 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 105.1 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 127.2 in		
553-001	SQUARE END OF FRAME		
587-003	REAR TOW HOOKS		
550-001	FRONT CLOSING CROSSMEMBER		10
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		
Chassis Equipment			
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	30	
558-001	FRONT TOW HOOKS - FRAME MOUNTED		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	15	
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		



Prepared for:
PAT KUHNIAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
Fuel Tanks			
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	20	
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR		
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-1R7	GOODYEAR G661 HSA 11R22.5 16 PLY RADIAL FRONT TIRES (MATCH MARKED)	20	
094-0JT	GOODYEAR G182 RSD 11R22.5 14 PLY RADIAL REAR TIRES		176
Hubs			
418-056	CONMET PRESET PLUS IRON FRONT HUBS		
450-056	CONMET PRESET PLUS IRON REAR HUBS		
Wheels			
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	10	
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		40
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTS		
678-002	LH GRAB HANDLE		
646-009	PAINTED PLASTIC GRILLE		
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
690-002	TUNNEL/FIREWALL LINER		

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
726-001	SINGLE ELECTRIC HORN		
657-1CV	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-047	LED AERODYNAMIC MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BM	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-013	TINTED WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR
055-002	INTERIOR CONVENIENCE PACKAGE
706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
772-006	BLACK MATS WITH SINGLE INSULATION
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER
691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH

Prepared for:
PAT KUHNIAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
860-004	SMART SWITCH EXPANSION MODULE		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-034	PREMIUM INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-011	DOMED DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

732-003	WOODGRAIN DRIVER INSTRUMENT PANEL
734-003	WOODGRAIN CENTER INSTRUMENT PANEL
87L-005	ENGINE REMOTE INTERFACE WITHOUT INTERLOCKS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE LIGHT AND BUZZER
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
721-001	97 DB BACKUP ALARM		3
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3		
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-071	ENGINE REMOTE INTERFACE WITH INCREMENT/DECREMENT		
163-003	ENGINE REMOTE INTERFACE CONNECTOR AT END OF FRAME WITH 6 FOOT ADDITIONAL HARNESS LENGTH		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-1B3	AM/FM/WB RADIO WITH BLUETOOTH AND MICROPHONE, FRONT USB PORT, FRONT AND REAR AUXILIARY INPUTS AND J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2	
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
162-011	IDLE LIMITER, ELECTRONIC ENGINE		
329-077	EIGHT ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS; FOUR WIRE TO CHASSIS AT BACK OF CAB, FOUR UNWIRED, LABEL ALL OPT		

Prepared for:
PAT KUHNAU
GENERAL EQUIPMENT
6767 NE COLUMBIA
PORTLAND, OR 97218
Phone: 503-288-7447

Prepared by:
Dave Hunt
MCCOY FREIGHTLINER OF
PORTLAND
9622 N.E. VANCOUVER WAY
PORTLAND, OR 97211
Phone: 503-283-0345

Data Code	Description	Weight Front	Weight Rear
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		

Design

065-000 PAINT: ONE SOLID COLOR

Color

980-5F6 CAB COLOR A: L0006EB WHITE ELITE BC
986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-627 BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX

Certification / Compliance

996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

TOTAL VEHICLE SUMMARY

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	7585 lbs	7189 lbs	14774 lbs
Total Weight ⁺	7585 lbs	7189 lbs	14774 lbs

Application Version 8.6.126
Data Version PRL-09M.012
GEN 2015 FOREST GROVE



10/24/2014 8:08 AM